

BASI					SPECI	FICATION SUMMARY	SPE	CIAL NOTES					
CERTIFICATE NO. A27899						UCTURAL TIMBER - All to ASA 1684.2		PROVIDE TWO (2) SMOKE DETECTORS AS SHOWN 9 ELECTRICIAN TO CHECK ENGINE THE EVICTING SMOKE DETECTORS COMPLY					
CERTIFICATE NO. A278992 FIXTURES AND SYSTEMS								ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPLY WITH THE BUILDING CODE OF AUSTRALIA (NCC).					
LIGHTING MIN 40% OF NEW OR ALTERED LIGHT FIXTURES			-				WALLS: F5 SOFTWOOD ROOF: ROOF TRUSSES 90 X 35 EXT. STUDS @ .600 CTS TO MANUFACTURERS			AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS. PROVIDE NEW GAS LINE FROM NEW GAS METER TO SUIT NEW GAS HWU.			
TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS							70 X 35 INT. STUDS @ .600 CTS DETAILS @ .600 CTS FLOOR: I 90x45mm MIN. FLOOR JOISTS WIND LOAD W 33 N			PROVIDE FLOOR SANDING TO ENTRY HALL, KITCHEN \$ DINING. PROVIDE MARINE GRADE BRICKS, MORTAR AND TIES IN ACCORDANCE WITH AS3700 AS SITE IS WITHIN I KM OF OCEAN.			
WET AREAS:	SHOWER HEADS 3 STAR RATED		1				FINISHES			"TENPO" CORNICES FIT FIFTY ONE (5 I) DOWNLIGHTS \$ ONE (1) FAN / LIGHT / HEATER UNIT AS			
NEW OR ALTERED TOILETS 3 STAR RATED TAPS 3 STAR RATED							BRICKWORK	COMMON BRICKWORK FOR RENDER AND PAINT FINISH COMMON BRICKWORK TO PARTY WALL	SUPPLIED BY OWNER				
INSULATION REQUIREMENTS							FLOORING						
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL	NIL						I 9MM STRUCTURAL PARTICLEBOARD TO FIRST FLOOR EX. I 50X25 T&G BLACKBUTT FLOORBOARDS LAID					
FLAT CEILING, PITCHED ROOF	CEILING: R 3.00 (UP) ROOF: FOIL/ SARKING DARK (SOLAR ABSORPT	FANCE >0.70)	TICTI		TION.	CLADDING	OVER 19mm STRUCTURAL PARTICLEBOARD TO GROUND FLOOR FIBRE CEMENT SHEETING TO GABLE END						
EXTERNAL WALL: BRICK VENEER	R1.16 (or R1.70 INCLU	IDING CONSTRUCTION)	FINAL CONSTRUCTION.				WINDOWS - STEGBAR KEYED LOCKS	FRAME: WESTERN RED CEDAR	1				
SUSPENDED FLOOR WITH	RO.60 (or R1.30 INCLU	IDING CONSTRUCTION)	Alan	MAL			(TERRAIN: 3)						
ENCLOSED SUBFLOOR FRAMED (RO.7)			Ellar.				INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS	_	ORKS BY OWNER EMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIR	IIPED & CONNECTION TO		
CONCRETE SLAB ON NIL GROUND FLOOR							ROOF COVERING	PROVIDE FULL GLAZED CHARCOAL TERRA COTTA TILES TO FIRST FLOOR ADDITION (BORAL "ECLIPSE" GLAZED		NEW AND EXISTING TV POINTS. CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR			
GL	AZING REQUIREMENTS							MATT FRENCH PATTERN)		PHONE AND/OR DATA CABLING.			
WINDOWS # SKYLIGHTS	WINDOWS & SKYLIGHTS TIMBER or uPVC, SINGLE PYROLYTIC LOW-E.						ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL	• N	EW GAS METER \$ CONNECTION AT STREET MAIN. EW PANTRY FIT OUT \$ DOOR (TO BE PART OF KITCH ISECT SCREEN TO BIFOLD DOORS IF REQUIRED.	EN JOINER	Y.)	
WI, W2, W3, W4, W5, W6 W7, W9, WIO, WII, WI2 WI3 \$ WI4	, (U-VALUE: 3.99, SHG0	C: 0.4)					INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAME: R1.4 GROUND FLOOR INSULATION AS REQUIRED FOR BASIX	ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF THE NEW KITCHEN & LAUNDRY BENCH, CUPBOARDS AND APPLIANCES AND				
W8 \$ W15	TIMBER or uPVC, SINGLE CLEAR, (U-VALUE: 5.71, SHGC: 0.66)						INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. I 50x25mm "COLONIAL"		DETENTION (OSD) SYSTEM AS REQUIRED BY COUNCIL. • SUPPLY FIFTY ONE (5 I) DOWNLIGHT FITTINGS & ONE (1) FAN/LIGHT/HEATER			
SL1, SL2, SL3 \$ SL4	TIMBER, LOW E INTERNAL/ ARGON FILL/ CLEAR EXTERNAL, (U-VALUE: 2.5, SHGC: 0.456)						INTERNAL FIXINGS			UNIT. • ANY NEW LANDSCAPING WORK INCLUDING PAVING \$ RETAINING WALLS AS MAY BE REQD.			
SHADING DEVICES							INTERNAL DOORS	PRIMED HARDBOARD SOLID CORE CORINTHIAN PBAL4		RENUILD EXTERNAL STEPS IF REQUIRED			
WINDOWS & SKYLIGHTS							STAIRCASE TYPE: CLOSED TIMBER						
W1, W2, W3, W4, W5, W6	EAVE / VERANDAH / PERGOLA / BALCONY >= 450MM						MAPLE TREADS \$ RISERS	WIDTH: I OOOmm		FINAL CONSTRUCTION	5.C.	21-08-17	
W7, W8, W10, W11, W12, W13, W14 & W15								RISE: 17 @ 182mm		CONSTRUCTION CERTIFICATE PLAN CHECK \$ TO CONTRACTS		26-07-17	
W9	NONE	NONE						GOING: 240mm (260mm TREAD)		BASIX, SURVEY DETAILS ADDED \$ TO COUNCIL	J.E. N.E.	21-04-17	
										WINDOW I I AMENDED	J.E.	06-03-17	
SL1, SL2, SL3 \$ SL4	NONE						FASCIA # BARGE BOARDS	MATERIAL: DAR TIMBER (PREFINISHED ZINCALUME	D	POV 19229	5.M.	03-03-17	
								OVER PARTY WALL)		POV 18927, POV 19133 ¢ CHECK PLAN	J.E.	08-02-17	
										TO CLIENT	5.M.	30-11-16	
							GUTTERS & DOWNPIPES	TYPE: QUAD MATERIAL: PREFINISHED ZINCALUME		TECHNICAL	5.M.	20-11-16	
								GUTTER COLOUR: WOODLAND GREY DOWNPIPE COLOUR: SHALE GREY BOX GUTTER:		ISSUE	DRAWN	DATE	
										DESIGN CONSULTANT: DAREK SZYMANSKI			
							HOT WATER UNIT PAINTING - REFER TO	NEW RINNAI INFINITY 2G FIRST FLOOR EXTERNAL: BY CAPE COD		PROPOSED ADDITIONS & ALTERATIONS			
							SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR INTERNAL: BY CAPE COD GROUND FLOOR INTERNAL: BY CAPE COD		FOR MR D MARTIN & MS E GRACE			
EXTERNAL P.	AINT SCHEDL	ЛE											
ITEM E	SRAND CODE	COLOUR	ITEM	BRAND eg. WATTYL	CODE CC	DLOUR	FINISHED GROUND LEVE CONDITIONS.	LS SHOWN ON PLAN ARE SUBJECT TO SITE	AT	AT 72 SIMPSON STREET BONDI BEACH NSW 2026			
Window Frame H	aymes	Off White	Shading Device Battens	Haymes	So	othe	DO NOT SCALE OFF DRA	WINGS.					
Barge Board - Party Wall C	olorbond	Woodland Grey	Shading Device Frame	Haymes	So	othe		L DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE		NCIL: WAVERLEY			
Fascia Board C	olorbond	Woodland Grey	Pegola Rafter	Haymes	So	oothe	MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.			A.B.N. 54 000 605 407 SUITE 41, 410 CHURCH STREET,			
Barge Board H	aymes	Off White	Pergola Beam	Haymes	So	oothe							
Cover Battens H	aymes	Off White	Pergola Post	Haymes	So	oothe	_		- Cape Cod Suite 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444				
-	aymes	Soothe					COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS			BUILDERS LICENCE NO. 5519			
- · · · · · ·	ymes Off White						ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN			AUSTRALIA			
	aymes	Off White					PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.			ET: 1 OF 9 JOB NO: 78 I	4/10		
Rendered Brick H	aymes	Soothe								1 01 0 Jack 101	1/ 10	'	





Site Plan

No. : 72 Lot. : I

DP : 522779

AREA: 234.0m² (By Title) : 236.3m² (By Calc)

Legend

Ph 🛮 Telephone

Downpipe \$ Spreader

G⊜

Heater/Light

Hot Water Unit


Meter Box - Electrical

Smoke Detector - Existing

Tap - Garden


Sewer Vent Pipe


WL-y-





Existing Ground Floor Plan

















SCALE: 1:100

WINDOW SCHEDULE (BASIX A278992)					ALUMINIUM (STEGBAR) WIN	DOWS:	TIMBER WINDOWS:	TIMBER WINDOWS:			
STANDARD NOTES:		· · · · · · · · · · · · · · · · · · ·				LOURS: ANODISED CLEAR, APC STONE BEIGE, SURFMIST, WHIT	TIMBER WINDOWS, DOOR FRAMES AND DOORS ARE TO BE SUPPLIED CLEAR PRIMED INSIDE AND OUT FOR A PAINT/STAINED FINISH.				
WINDOWS AND DOORS ARE DRAWN AS VIEWED FROM OUTSIDE ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS CLIENT: CLIENT:					GREY.	, . ,	STANDARD HARDWARE COLOURS: SATIN CHROME, GOLD, MAHOGANY				
WINDOW OPENINGS NOT	TED "R" HAVE RESTRICTED OPEI	NINGS TO COMPLY WITH	H THE BUILDER:	DATE:	CUSTOM COLOURS AVAILA	BLE: DEEP OCEAN, HAMERSLE	BROWN, NOTRE DAME	AME, BRONZE # WHITE.			
NCC 3.9.2.5		LIARDWARE COLOUR	LOLA 71110	CDECIMI MOTES		Τ	HARDWARE COLOUR		WIND LOAD: W 33 N		
R R R	(WI) CDDDH 1318	HARDWARE COLOUR WHITE	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES RESTRICT BOTTOM SASH OPENING TO 125mm	<u></u>	(WIO) CDH 1308	HARDWARE COLOUR WHITE	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES		
	NW ELEVATION / BEDROOM	3	LOW-E, (OR	TO COMPLY WITH NCC.		NE ELEVATION / LAUNDRY		LOW-E, (OR			
	WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)	COLONIAL BARS TO TOP SASH		WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)			
	DOUBLE HUNG	ALUMINIUM FIBREGLASS MESH		-		DOUBLE HUNG	ALUMINIUM FIBREGLASS MESH				
	OPEN / OPEN / OPEN	PEARL WHITE				OPEN	PEARL WHITE				
R	(W2) CDH 1308	HARDWARE COLOUR	GLAZING	SPECIAL NOTES		(WII) CFW 0726		GLAZING	SPECIAL NOTES		
	(W2) CDH 1308	WHITE	SINGLE PYROLYTIC LOW-E, (OR	RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.		W11) CFW 0726	WHITE	SINGLE PYROLYTIC LOW-E, (OR	SITE CHECK TO FIT BETWEEN KITCHEN BENCH TOP \$ OVERHEARD C'BDS.		
	NE ELEVATION / BEDROOM 3	INSECT SCREEN	U-VALUE: 3.99,	COLONIAL BARS TO TOP SASH	V //// 5	NE ELEVATION / KITCHEN	INSECT SCREEN	U-VALÚĚ: 3.99,	+ OVERTICATED ODGS.		
	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)			WESTERN RED CEDAR	N/A	SHGC: 0.4)	TRANSLUCENT FILM BY BUILDER		
	DOUBLE HUNG OPEN	FIBREGLASS MESH PEARL WHITE		_		FIXED FIXED			_		
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES		1	HARDWARE COLOUR	CLAZINIC	SPECIAL NOTES		
	(W3) CDDH 2018	WHITE	SINGLE PYROLYTIC	STECIAL NOTES	- F	W12 CSD 2415	WHITE	SINGLE PYROLYTIC	JI LOIAL NOTES		
	NE ELEVATION / LOBBY		LOW-E, (OR U-VALUE: 3.99,			NE ELEVATION / DINING		LOW-E, (OR U-VALUE: 3.99,			
	WESTERN RED CEDAR	INSECT SCREEN ALUMINIUM	SHGC: 0.4)			WESTERN RED CEDAR	INSECT SCREEN ALUMINIUM	SHGC: 0.4)			
	DOUBLE HUNG	FIBREGLASS MESH		7		SLIDING	FIBREGLASS MESH				
	OPEN / OPEN	PEARL WHITE				OPEN / FIXED	PEARL WHITE				
RR	(W4) CDDH 1315	HARDWARE COLOUR		SPECIAL NOTES		W13) CDH 1806	HARDWARE COLOUR		SPECIAL NOTES		
	CDDIT 1313	WHITE	SINGLE PYROLYTIC LOW-E, (OR	RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.		(1.19 CDIT 1806	INSECT SCREEN ALUMINIUM	SINGLE PYROLYTIC LOW-E, (OR			
	NE ELEVATION / BEDROOM 2	INSECT SCREEN	U-VALUE: 3.99,	10 00.00 20 00.00		NE ELEVATION / LIVING		U-VALUE: 3.99,			
	WESTERN RED CEDAR	ALUMINIUM FIBREGLASS MESH	SHGC: 0.4)			WESTERN RED CEDAR		SHGC: 0.4)			
	DOUBLE HUNG OPEN / OPEN	PEARL WHITE		-		DOUBLE HUNG OPEN	FIBREGLASS MESH PEARL WHITE		_		
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES			HARDWARE COLOUR	GLAZING	SPECIAL NOTES		
	(W5) CAW 0612	WHITE	SINGLE PYROLYTIC	TRANSLUCENT FILM BY BUILDER.		(W14) CDH 1806	WHITE	SINGLE PYROLYTIC	OT LOTAL NOTES		
	NE ELEVATION / BATHROOM	INCECT CORES	LOW-E, (OR U-VALUE: 3.99,			NE ELEVATION / LIVING	INCECT CODEEN	LOW-E, (OR U-VALUE: 3.99,			
	WESTERN RED CEDAR	INSECT SCREEN ALUMINIUM	SHGC: 0.4)			WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)			
	AWNING FIBREGLASS MESH					DOUBLE HUNG	FIBREGLASS MESH				
	OPEN	PEARL WHITE				OPEN / OPEN	PEARL WHITE				
	(W6) CDH 1306	HARDWARE COLOUR WHITE	GLAZING	SPECIAL NOTES		SE ELEVATION / LIVING WESTERN RED CEDAR		GLAZING	SPECIAL NOTES		
		WITTL	SINGLE PYROLYTIC LOW-E, (OR	RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.			WITTL	SINGLE CLEAR, (OR U-VALUE: 5.71,			
	NE ELEVATION / BEDROOM I WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)				INSECT SCREEN	SHGC: 0.66)			
R		ALUMINIUM FIBREGLASS MESH	,				BY OWNER		_		
	DOUBLE HUNG OPEN / OPEN	PEARL WHITE				BIFOLD OPEN 5L	PEARL WHITE				
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES							
R	(W7) CDH 1306	WHITE	SINGLE PYROLYTIC	RESTRICT BOTTOM SASH OPENING TO 125mm							
	NE ELEVATION / BEDROOM I	INSECT SCREEN	LOW-E, (OR U-VALUE: 3.99,	TO COMPLY WITH NCC.							
	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)								
	DOUBLE HUNG	UBLE HUNG EN / OPEN FIBREGLASS MESH PEARL WHITE HARDWARE COLOUR GLAZING		_							
	OI EIN / OI EIN			SPECIAL NOTES							
	(W8) CDDDH 1321	WHITE	SINGLE CLEAR, (OR	RESTRICT BOTTOM SASH OPENING TO 125mm	1						
R R R	SE ELEVATION / BEDROOM	1	U-VALUE: 5.71,	TO COMPLY WITH NCC.			_				
	WESTERN RED CEDAR	INSECT SCREEN ALUMINIUM	SHGC: 0.66)				1				
	DOUBLE HUNG	FIBREGLASS MESH					7				
	OPEN / OPEN / OPEN	PEARL WHITE									
	(W9) CAW 0612			SPECIAL NOTES							
		WHITE	SINGLE PYROLYTIC LOW-E, (OR	TRANSLUCENT FILM BY BUILDER.							
	NE ELEVATION / SHOWER	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)								
	WESTERN RED CEDAR	ALUMINIUM FIBREGLASS MESH	7 01166. 0.4)	4							
	AWNING OPEN	PEARL WHITE		-							
			<u> </u>								
FOR: MR D MARTI	N & MS E GRACE		AT: 7	2 SIMPSON STREET, BONDI BEA	CH NSW 2026	3	CALE: 1: NTS	SHEET: 9 OF 9	JOB NO: 78 4/16 Cape Co		