

BASI	X COMMITM	MENTS					SPEC	FICATION SUMMARY	SPECIAL NOTES				
CERTIFICATE NO. A20569		-					UCTURAL TIMBER - All to ASA 1 684.2	PROVIDE THREE (3) SMOKE DETECTORS AS SHOWNED. ELECTRICIAN TO CHECK ENGLIDE THE EVICTING SMOVE DETECTORS COMPLY					
	\dashv				WALLS: F5 SOFTWOOD ROOF: ROOF TRUSSES 90 X 35 EXT. STUDS @ .600 CTS TO MANUFACTURERS			ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPLY WITH THE BUILDING CODE OF AUSTRALIA (BCA). AS PER THE BCA - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS. CONNECT/INSTALL THIRTYNINE (39) DOWNLIGHT FITTINGS, SIX (6) EXTERNAL					
FIXTURES AND SYSTEMS LIGHTING MIN 40% OF NEW OR ALTERED LIGHT FIXTURES			-										
LIGHTING	TO BE FITTED WITH FLUORESCENT OR L (LED) LAMPS					70 X 35 INT. STUDS @ FLOOR: 190x45mm MIN	.600 CT5 DETAILS @ .600 CT5 I. FLOOR JOISTS WIND LOAD W 28 N	LIGHT FITTINGS, ONE (1) FAN/LIGHT/HEATER UNIT \$ TWO (2) CEILING FANS (AS SUPPLIED BY THE OWNER). SAVE EXISTING FLOORBOARDS FROM GROUND FLOOR ALTERATIONS FOR					
WET AREAS: SHOWER HEADS 3 STAR RATED			-				FINISHES		REUSE. • SUPPLY # INSTALL TWO (2) IN-LINE EXHAUST FANS.				
NEW OR ALTERED	TOILETS TAPS					BRICKWORK	COMMON BRICKWORK TO PARTY WALL	- Content to the traction of the content of the con					
II	7				FLOORING	19MM YELLOW TONGUE STRUCTURAL PARTICLEBOARD)						
SUSPENDED FLOOR WITH ENCLOSED SUBFLOOR: FRAMED (RO.7)	RO.60 (DOWN)(or R CONSTRUCTION)	1.30 INCLUDING					CLADDING	200mm WEATHERTEX "SMOOTH" CLADDING TO					
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL							EXTERNAL WALLS WITH EXTERNAL ARCHITRAVES TO WINDOWS LINE GABLE WITH FC AND BATTENS					
EXTERNAL WALL:	R1.16 (or R1.70 IN	ICLUDING CONSTRUCTION)	7				WINDOWS - TREND	FRAME: PREFINISHED ALUMINIUM	WC	ORKS BY OWNER			
BRICK VENEER							KEYED LOCKS (TERRAIN: 3)		REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONNECTION TO NEW AND EXISTING TV POINTS.				
EXTERNAL WALL: FRAMED	RI 30 (or RI 70 IN	ICLUDING CONSTRUCTION)	\dashv				INSECT SCREENS: TO ALL NEW OPERABLE	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS	• C	CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO E	ĒXISTING A	AND/OR	
(WEATHERBOARD, FIBRO		icebbino constitución					WINDOW SASHES	(FLYSCREEN TO BIFOLD DOOR UNIT NOT INCLUDED)	NEW T.V. AERIAL • PHONE AND/OR DATA CABLING. • ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF THE NEW KITCHEN CUPBOARDS AND APPLIANCES INCLUDING SPLASHBACKS. • SUPPLY THIRTYNINE (39) DOWNLIGHT FITTINGS, SIX (6) EXTERNAL LIGHT FITTINGS, TWO (2) CEILING SWEEP FANS \$ ONE (1) 3-IN-I				
METAL CLAD)	CEUNO B 1 05 (U	7)	_				ROOF COVERING	PRE-FINISHED ZINCALUME ROOF SHEETING PROFILE: CORRUGATED					
FLAT CEILING, PITCHED ROOF	CEILING: R I .95 (UI ROOF: FOIL/ BACKE DARK (SOLAR ABSO	D BLANKET (55mm)					DOOE CARKING	COLOUR: MONUMENT					
	GLAZING REQUIREMENTS						ROOF SARKING	R 1.3 ALUMINIUM FOIL BACKED "ANTICON" INSULATION BLANKET	ALL WORKS ASSOCIATED WITH CONSTRUCTION OF THE PROPOSED				
	DE LINO REGORDINENTO		4				INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES	VEGETATION, ALTERATION OF GARDEN BEDS, CONCRETE PATHS \$				
WI, \$ W2,	WINDOWS		_				(1.5.1.202.1.00)	R2.4 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES	BOUNDARY FENCING AS MAY BE REQUIRED. • SUPPLY # INSTALLATION OF INSECT SCREENS TO BI-FOLD DOOR (W 5),				
W1, 4 W2,		STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)					INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. 150x25 COLONIAL		STACKER DOOR (W 4) \$ HINGED DOOR (W 0). • FIT OUT BEDRROM BUILT IN ROBE. • CONNECTION OF NEW WASHING MACHINE, DISHWASHER \$ KITCHEN SINK			
W3, W4, W5, W6, W7, W W9, W10, W11, W12, W W14, W15, W16, \$ W17.	13, I OW-F (OR II-V/ALL	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)				INTERNAL DOORS	ARCHITRAVE: Ex. 100x25 COLONIAL PRIMED HARDBOARD SOLID CORE BALMORAL	TO "CAPPED OFF" PLUMBING POINTS. • CONNECTION OF NEW COOK TOP, WALL OVEN \$ ROOM HEATER TO "CAPPED OFF" GAS POINTS.					
SKYLIGHT SI.		TIMBER, LOW E INTERNAL/ ARGON FILL/ CLEAR EXTERNAL, (U-VALUE: 2.5, SHGC: 0.456)						"PBAL4"	OIT GASTOINTS.				
,		2. 2.3, 31133. 3. 133,	4				STAIRCASE MAPLE TREADS AND	TYPE: CLOSED TIMBER	J	TO FINAL CONSTRUCTION	CS	24-03-15	
SHADING DEVICES			_				RISERS CUPBOARD UNDER	WIDTH: 900mm	1	CONSTRUCTION CERTIFICATE	CS	24-03-15	
WINDOWS			_				TREADS 1-14	RISE: 20 @ 183mm	Н	TO CONTRACTS	JM	20-02-15	
WI, W2, \$ WIO,	NONE	NONE						GOING: 240mm (260mm TREAD)	G	TO B.O.Q	SC	28-01-15	
							FASCIA \$	BARGE BOARDS (PRE FINISHED ZINCALUME OVER		BASIX, SURVEY DETAILS ADDED \$ TO COUNCIL	N.E	02-12-14	
	N3, W4, W5, W6, W7, W8, N9, W11, W12, W13, W14, EAVE / VERANDAH / PERGOLA / BALCONY						BARGE BOARDS			E CLIENT AMENDMENTS CG 18			
>= 450MM			PARTY		PARTY WALL ONLY)	D	POV 15579 \$ 15791	CS	27-10-14				
SKYLIGHT	NONE	NONE					GUTTERS # DOWNPIPES		С	TO CLIENT	NL	22-09-14	
51,	51,							MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: MONUMENT	В	AMENDMENTS	JGI.	19-09-14	
			\dashv					DOWNPIPE COLOUR: FLOODED GUM	Α	TECHNICAL	JGI.	25-08-14	
							HOT WATER UNIT	RELOCATE AND CONNECT TO EXISTING		No. ISSUE DRAWN DATE			
									DESIGN CONSULTANT: DAREK SZYMANSKI				
							PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY OWNER GROUND FLOOR EXTERNAL: BY CAPE COD	PRO	DPOSED ADDITIONS & ALTERATIONS			
EXTERNAL PAINT SCHEDULE							PAINTING TO ALTERATION AND RENOVATION WORK			FOR MR. W. \$ MRS. A. POETSCHER.			
			ITEN 4	BRAND	CODE	COLOUR		TO BE BY THE OWNER ELS SHOWN ON PLAN ARE SUBJECT TO SITE	AT	39 CLOVELLY ROAD,			
	eg. WATTYL	COLOUR	ITEM	eg. WATTYL	CODE	COLOUR	CONDITIONS.			RANDWICK. NSW. 2031.			
	Trend	Pearl white	Soffit Lining	Dulux		Natural White	DO NOT SCALE OFF DR	AWINGS.	COLL	NCIL: RANDWICK			
	Trend	Pearl white					1	N ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE	-	NOIL NAINDWICK			
	Dulux	Natural White					MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.			A.B.N. 54 000 605 407 SUITE 41, 410 CHURCH STREET,			
	Dulux	Flooded Gum			1								
3	Dulux	Natural White							(Cape Cod Suite 41, 410 NORTH PARRA PHONE: (02) S	MATTA 21 3849 444	151 14	
3	Colorbond	Monument						COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS		A U S T R A L I A			
J J	Dulux Flooded Gum		+				ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN						
	Dulux Dulux	Natural White Natural White	+				PAR1 WITHOUT WRITTE	N PERMISSION FROM THE COMPANY.	SHE	EET: 1 OF 8 JOB NO: 75	584/14	. J	
i abula buala	DUIUA	Natural Write											







Site Plan


No. : 39 Lot. : B

DP : 440539


AREA: 240.3m² (By Title) : 24 I .9m² (By Calc)











Section A-A

FOR: MR. W. & MRS. A. POETSCHER.

The content of the	WINDOW SCI	HEDULE (BASI	X A20569	97)	CLIENT:		ALUMINIUM TREND WINDOV	<u>/S:</u>				
************************************		,		•	CLILINI				ANODIC OFF WHITE,			
### Company of the Co	WINDOWS AND DOORS A	ARE DRAWN AS VIEWED FROM	OUTSIDE		CLIENT:		PRIMROSE GLOSS, ANODIC					
Part			UNICE TO COMPLY WITH	L TUE	D. W. DED	DATE						
Control Cont		LD K HAVE RESTRICTED OF EN	NINGS TO COMILE WITH	II IIIL	DUILDLK:	DAIL:				AL. TERRAIN: 3	WIND LOAD: W 28 N	
Control Cont		(WI) ATT LOGG		GLAZING		SPECIAL NOTES		PD2 I 08-OI-FL COUP	COLOUR	GLAZING		
Transfer of Account Company of the Company of t		W1) ATD 1206	PEARL WHITE					W19 WITH ATD 1206	PEARL WHITE		SUPPLY WITH 820 Y 2040 GLAZED HINGED	
March Marc		S ELEVATION / STAIR WELL	INSECT SCREEN					E ELEVATION / LAUNDRY	INSECT SCREEN			
Column		ALUMINIUM						ALUMINIUM	ALUMINIUM			
Comparison Com									TO WINDOW ONLY			
Fig. Act		OPEN						OPEN - (DOOR) OPEN				
## COUNTY AND PROPERTY AND PRO		(W2) ATD 1206		SINGLE CLEAR, (U-VALUE: 7.63,			-	(WII) AA 0925				
Name		S ELEVATION / STAIP WELL	-							LOW-E, (U-VALUE:		
March Column Co		·		SHGC: 0.7	5)				INSECT SCREEN] 5.7, SHGC:0.47)		
Part									FIBREGLASS MESH	RFVFAI		
			PEARL WHITE			_						
TO CONTROL OF MANUAL TO CONTROL OF MANUA		(W2) 475 1011	COLOUR	GLAZING			F	(W12) 17 5 0 15 :	COLOUR	GLAZING		
### 12 Extended on 1998 to 1981 Total Process Stock Total Process Total		W3) AID 1811	PEARL WHITE	LOW-E, (U-VALUE:				W12 AT-F 2404	PEARL WHITE			
SCHOOL 14 15 15 15 15 15 15 15		E ELEVATION / STAIR WELL	INSECT SCREEN			TO COMPLY WITH BCA.		N ELEVATION / LIVING ROOM	INSECT SCREEN			
Column C		ALUMINIUM	ALUMINIUM					ALUMINIUM				
AND 16 A				I 40mm		TRANSLUCENT FILM BY OWNER.		FIXED			_	
### ADD 14 Park White Park White Edder of the park of the pa		OPEN							201011			
Temporary Colors		(W4) ATDD 1414			POLYTIC	RESTRICT BOTTOM SASH OPENING TO 1.25mm		W13) ALW 2509-152				
ADJANSMENT CONTROL C		F FLEVATION / BEDROOM 2		LOW-E, (U-	VALUE:			F FLEVATION / DINING ROOM	1	LOW-E, (U-VALUE:		
Description	>/-/-/-/-	·		5.7, SHGC	:0.47)				INSECT SCREEN	5.7, SHGC:0.47)		
Company company April Ap	B /	DOUBLE HUNG		REVEAL		TRANSLUCENT FILM BY OWNER.				REVEAL		
Tell			PEARL WHITE	I 40mm		_		LOUVRE	PEARL WHITE	170mm		
Pack		(W5) AA 1412		GLAZING				WIA TSD 2440 SPECIAL		GLAZING		
Part	F	W3) AA 1412	PEARL WHITE				F	13D 2440 SI LCIAL	PEARL WHITE			
ADMINISTRATION ALIANSISTRATION ALIANSISTRA		·	INSECT SCREEN						INSECT SCREEN		NON STANDARD UNIT WIDTH OVERALL FRAME	
COUNTY CANONIC CANON		· ·				_		ALUMINIUM			3/22 2 100 X 1000	
Wild ATF 404 PART MOTE SINCE PRODUTE						_		FIXED / OPEN / OPEN				
RESPANDING SAME PRODUCE CONCERNATION AS A PRODUCE TO COMPLY WITH BCA. ALLIAMBLIAM ALLIAMBLIAM ALLIAMBLIAM DOUBLE FUNDS COLORS WITH FARE WITE COMPLY WITH BCA. ALLIAMBLIAM ALLIAMBLIAM ALLIAMBLIAM PRACE SCREEN FOR COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM ALLIAMBLIAM ALLIAMBLIAM PRACE SCREEN FOR COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM ALLIAMBLIAM ALLIAMBLIAM DOUBLE FUNDS FOR COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND AS HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM DOUBLE FUNDS FARE WHITE COLORS. AND HOPENING TO 125 min TO COMPLY WITH BCA. ALLIAMBLIAM ALLIAMBLIAM COLORS. MIN TO COLORS. TO COLORS. MIN TO COLORS. TO COLORS. TO COL		0.2.1, 1.1.25	COLOUR						COLOUR			
RELEVATION / RECT GORES ALLIANIUM PEXELD OCT. ATD 1406 EXPLAN I-40mm CXT. ATD 1406 EXPLAN I-40mm		(W6) AT-F 1404			ROLYTIC			W15) ABF 2431				
ALUMNIUM FIXED SEVERAL 140mm FIXED OCCUPY ATD 140G COLOUR ELEVATION / PED 1 NESCT SCREEN ALUMNIUM DOUBLE HUNG OFEN ATD 140G COLOUR COLOUR ALUMNIUM DOUBLE HUNG OFEN ATD 140G COLOUR ALUMNIUM ALUMNIUM DOUBLE HUNG OFEN ATD 140G COLOUR ALUMNIUM ALUMNI	F	N ELEVATION / BATHROOM	INCECT CORES					N ELEVATION / DINING / KIT	INCECT CODES		OVERALL FRAME SIZE 2400 X 3096	
FIXED A/Onm GAZING		ALUMINIUM	INSECT SCREEN	3.7, 31180	.0.47)			ALUMINIUM	INSECT SCREEN	3.7, 31190.0.47)		
AUDITION PER ATD 1406 FEARL WHITE SINGLE PROLYTIC LOWE, (JUVALUE) S.7. SHIGGO, 47) TO COMPLY WITH BCA. TO COMPLY		EIVED						BIFOLD DOOR UNIT	NOT INCLUDED	REVEAL		
FARL WHITE LINGLE PROCESSING TO 125mm TO COMPLY WITH BCA. ALLIMINIUM ALLIMIN		TIXLU		I 40mm				OPEN x 4		I 40mm		
E ELEVATION / BED 1 NECT SCREEN ALUMINIUM ALUMINIUM DOUBLE HUNG OPEN FIRECIASS MESH FEARL WHITE FIRECIASS MESH FEARL WHITE SINGLE PROUTIC OWE, DVALUE: S, 7, SIGCO, 47) TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FIL		(W7) ATD 1406				DESTRICT POTTOM CACH OPENING TO LOS		W16 ATD 1406			DECIDIOT DOTTON CACH OPENING TO LOS	
ALUMINIUM DOUBLE HUNG OPEN REVEAL FRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. ALUMINIUM DOUBLE HUNG OPEN REVEAL FRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER. RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TRA			I LANE WITTE						LANE WITTE			
DOUBLE HUNG OPEN PEARL WHITE 140mm COLOUR PEARL WHITE 140mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. PEARL WHITE 140mm TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER. TO COMPLY WITH BCA. TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER. TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TO COMPLY WITH BCA. TO COMPLY WIT		,		5.7, SHGC	:0.47)			· · · · · · · · · · · · · · · · · · ·				
OPEN PEAR WHITE TAOMS OPEN PEAR WHITE TAOMS OPEN PEAR WHITE TAOMS OPEN PEAR WHITE TAOMS TO COLOUR GLAZING PEAR WHITE SINGLE PROLYTIC LOW-E, U-VALUE: LOW-E, U-	Ŕ.			RFVFAI		TRANSLUCENT FILM BY OWNER.	Ŕ.			RFVFAI	TRANSLUCENT FILM BY OWNER.	
W8 ATD 1406 PEARL WHITE SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) E ELEVATION / BED I INSECT SCREEN ALUMINIUM ALUMINIUM DOUBLE HUNG OPEN HUNG OPE				IDI WUITE		-						
SINGLE PYROLYTIC LOW-E, (U-VALUE: LOW-E, (U-VALUE: STOCKEN TO COMPLY WITH BCA. TO COMPLY WIT		0	COLOUR	GLAZING					COLOUR	GLAZING		
ELEVATION / SED 1 INSECT SCREEN ALUMINUM ALUMINUM ALUMINUM PEARL WHITE 140mm FOR STREET STREE	R	(W8) ATD 1406	PEARL WHITE	SINGLE PYR	ROLYTIC			W17) ATD 1406	PEARL WHITE			
ALUMINIUM DOUBLE HUNG OPEN FIBREGLASS MESH PEARL WHITE TRANSLUCENT FILM BY OWNER.		E ELEVATION / BED I	INSECT SCREEN			TO COMPLE WITH BCA.		N ELEVATION / BED I	INSECT SCREEN		TO COMPLY WITH BCA.	
DOUBLE HUNG OPEN PEARL WHITE 140mm COLOUR GLAZING PEARL WHITE 5INGLE PYROLYTIC LOW-E, (U-VALUE: TO COMPLY WITH BCA. N ELEVATION / BED 1 INSECT SCREEN 5.7, SHGC:0.47) ALUMINIUM ALUMINIUM PEARL WHITE 7IREGLASS MESH PEARL WHITE 140mm TRANSLUCENT FILM BY OWNER.		ALUMINIUM	ALUMINIUM					ALUMINIUM	ALUMINIUM			
OF EN TACIMI OF EN TACIMI W9 ATD 1406 COLOUR GLAZING PEARL WHITE SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) ALUMINIUM ALUMINIUM DOUBLE HUNG OPEN FIBREGLASS MESH PEARL WHITE 140mm RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER.						TRANSLUCENT FILM BY OWNER.					TRANSLUCENT FILM BY OWNER.	
N ELEVATION / BED I ALUMINIUM DOUBLE HUNG OPEN OPEN NEVEAL DOUBLE HUNG OPEN PEARL WHITE SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) RESTRICT BOTTOM SASH OPENING TO I 25mm TO COMPLY WITH BCA. TRANSLUCENT FILM BY OWNER. TRANSLUCENT FILM BY OWNER.		Of LIN						UFLIN		1 4UMM		
N ELEVATION / BED I ALUMINIUM DOUBLE HUNG OPEN NELEVATION / BED I LOW-E, (U-VALUE: 5.7, SHGC:0.47) ALUMINIUM ALUMINIUM FIBREGLASS MESH PEARL WHITE I 40mm TO COMPLY WITH BCA. TO COMPLY WITH BCA. TO COMPLY WITH BCA.	*	(W9) ATD 1406		HITE SINGLE PYROLYTIC LOW-E, (U-VALUE:		RESTRICT BOTTOM SASH OPENING TO 1.25mm						
ALUMINIUM ALUMINIUM DOUBLE HUNG OPEN NSECT SCREEN 5.7, 51IGC:0.47) ALUMINIUM FIBREGLASS MESH REVEAL TRANSLUCENT FILM BY OWNER. I 40mm I 4		N FLEVATION / BED 1	_									
DOUBLE HUNG OPEN FIBREGLASS MESH PEARL WHITE 140mm TRANSLUCENT FILM BY OWNER.		·		5.7, SHGC	:0.47)							
OPEN PEARL WHITE 140mm			FIBREGLASS MESH REVEAL			TRANSLUCENT FILM BY OWNER.						
			PEARL WHITE	I 40mm		1						
TOR: MR. W. & MRS. A. POETSCHER. AT: 39 CLOVELLY ROAD, RANDWICK. NSW. 2031. SCALE: 1: NTS SHEET: 8 OF 8 JOB NO: 7584/14 J Cape Co		S. A. POETSCHER			AT: 39	9 CLOVELLY ROAD, RANDWICK. N	NSW. 2031.		CALE: 1: NTS	SHEET: 8 OF 8	JOB NO: 7584/14 J Cape Coc	