

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. T MCTEAR & MS. M DARROCH

FINAL CONSTRUCTION - 23.11.15


AMENDED - 25.10.15 MJB
AMENDED - 12.10.15 MJB
PREPARED - 10.10.15 GJ

SHEET: 1 OF 3

AT: 5 MELBA ROAD, LALOR PARK. NSW. 2147.

JOB NO: 7679/15 C

Cape Cod
AUSTRALIA



FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * SJ - Denotes tilling smart joists
- * LVL - Denotes tilling smart vl

FOR: MR. T MCTEAR & MS. M DARROCH

FINAL CONSTRUCTION - 23.11.15


AMENDED - 25.10.15 MJB
AMENDED - 12.10.15 MJB
PREPARED - 10.10.15 GJ

SHEET: 2 OF 3


AT: 5 MELBA ROAD, LALOR PARK. NSW. 2147.

JOB NO: 7679/15 C

Cape Cod
AUSTRALIA



BEAM 2, 200 UB 22



BEAM 5, 180 UB 16

STEEL DETAILS
SCALE 1:10

FOR: MR. T MCTEAR & MS. M DARROCH

FINAL CONSTRUCTION - 23.11.15

AMENDED - 25.10.15 MJB
AMENDED - 12.10.15 MJB
PREPARED - 10.10.15 GJ

SHEET: 3 OF 3

AT: 5 MELBA ROAD, LALOR PARK. NSW. 2147.

JOB NO: 7679/15

C

Cape Cod
AUSTRALIA