


DETAIL A
SCALE 1:20

Position 150 UC 23 to allow
for min. 2100 head clearance
to stair.



DETAIL B
SCALE 1:20

PACKER LAYOUT SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. W WILLMOT & MS. T WEBB

FINAL CONSTRUCTION - 07.12.15



PREPARED - 26.10.15 CS

SHEET: 1 OF 4

AT: 34 HOLMES STREET, MAROUBRA. NSW. 2035.

JOB NO: 7673/15 C

Cape Cod



FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * 5J - Denotes tilling smart joists
- * LVL - Denotes tilling smart lv

DETAIL C
SCALE 1:20

FOR: MR. W WILLMOT & MS. T WEBB

FINAL CONSTRUCTION - 07.12.15


PREPARED - 26.10.15 CS

SHEET: 2 OF 4


AT: 34 HOLMES STREET, MAROUBRA. NSW. 2035.

JOB NO: 7673/15 C

Cape Cod



BEAM 1: 100 UC 15



BEAM 3: 200 UB 30

STEELWORK DETAILS
SCALE 1:10

FOR: MR. W WILLMOT & MS. T WEBB

FINAL CONSTRUCTION - 07.12.15

PREPARED - 26.10.15 CS

SHEET: 3 OF 4


AT: 34 HOLMES STREET, MAROUBRA. NSW. 2035.

JOB NO: 7673/15 C


Cape Cod



Splay end and weld on 10mm plate.



BEAM 6: 200 UB 25

STEELWORK DETAILS SCALE 1:10

FOR: MR. W WILLMOT & MS. T WEBB

FINAL CONSTRUCTION - 07.12.15

PREPARED - 26.10.15 CS

SHEET: 4 OF 4

AT: 34 HOLMES STREET, MAROUBRA. NSW. 2035.

JOB NO: 7673/15 C

