BAS	IX C	OMI	MITN	ИEI	NTS				
CERTIFICATE NO. A2486	93								
FIXTURES AND SYSTEMS									
LIGHTING	-	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS							
WET AREAS: NEW OR ALTERED		SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED							
	INSULA ⁻	TION REQI	JIREMEN"	гѕ					
SUSPENDED FLOOR ABO GARAGE: FRAMED (RO.7)		NIL							
FLOOR ABOVE EXISTING DWELLING OR BUILDING		NIL							
EXTERNAL WALL: CAVITY BRICK		NIL							
INTERNAL WALL: EXTERNA INSULATED FACADE SYST (EIFS)(FACADE PANEL: 75	ГЕМ	NIL							
INTERNAL WALL SHARED GARAGE: CAVITY BRICK ((RO.67)		NIL							
FLAT CEILING, PITCHED ROOF		CEILING: R 2.50 (UP) ROOF: FOIL/ SARKING DARK (SOLAR ABSORPTANCE >0.70)							
FLAT CEILING, FLAT ROOF: FRAMED		CEILING: R I .58 (UP) ROOF: FOIL BACKED BLANKET (55mm) DARK (SOLAR ABSORPTANCE >0.70)							
(GLAZING	G REQUIRE	EMENTS						
WINDOWS									
W8, W9, W10, W11, W1 W20, \$ W23,	2,	TIMBER of			E CLEAR, (U-VALUE:				
WI, W2, W3, W4, W5, W W7, WI3, WI4 WI6, W WI8, WI9, W2I, \$ W22	17,	TIMBER ((U-VALUE			PYROLYTIC LOW-E, : 0.4)				
SKYLIGHTS SLI, \$ SL2,		TIMBER, DOUBLE CLEAR/AIR FILL, (U-VALUE: 4.3, SHGC: 0.5)							
:	SHADIN	G DEVICE:	5						
WINDOWS									
WI, W2, W3, W4, W5, W W9, WIO, WII, WI2, W WI6, WI7, WI8, WI9, W2I, # W22,	/13	EAVE / VERANDAH / PERGOLA / BALCONY >= 450MM							
W6, W7, \$ W14,		EAVE / VERANDAH / PERGOLA / BALCONY >= 900MM							
W20, \$ W23,		NONE							
SKYLIGHTS SLI, \$ SL2,		NONE							
EXTERNAL F		NT S	CHE	DU	LE				
ITEM	BRANE eg. W		CODE		COLOUR				
Window Hardware	Stegba				TBA				
Window Frame	Stegba	ar			Surfmist				
Wall Cladding	Haymes	5			Oak Buff 4				
Wall Cladding-Entry Porch	Haymes	5			Oak Buff 7				
Soffit Lining	Haymes	5	NG40		Harmonise				

Oak Buff 2

TBA


Fascia Board


Handrail Frame

Haymes

FINAL CONSTRUCTION.

SPFCI	FICATION SUMMARY	SPECIAL NOTES								
	UCTURAL TIMBER - All to ASA 1684.2	PROVIDE THREE (3) SMOKE DETECTORS AS SHOWN - INSTALL 2xVANITY UNITS, IxBATH, 2xWC AND SPECIFIED ACCESSORIES SUPPLIED BY OWNER TO FIRST FLOOR BATHROOM \$ ENSUITE.								
WALLS: F5 SOFTWOOD										
90 X 35 EXT. STUDS @ 70 X 35 INT. STUDS @	.600 CTS TO MANUFACTURERS	NEW HWU LOCATION TO CLEAR W2O. PROVIDE PLUMBING AND DRAINAGE FOR MIXER TAPS TO FIRST FLOOR ENSUITE.								
FLOOR: 190x45mm MIN	. FLOOR JOISTS WIND LOAD W 33 N	• [DEMOLISH THE EXISTING KITCH	EN CUPBOARDS AND B	ENCH TOPS	5.				
FINISHES		1								
BRICKWORK	N/A	1								
FLOORING	I 9MM STRUCTURAL PARTICLEBOARD WITH EX. I OOX I 9mm BRUSHBOX T&G FLOORING TO DINING/LIVING, BAR & LOBBY									
CLADDING	75mm POLYSTYRENE WALL SHEETING WITH APPLIED TEXTURE PAINT FINISH									
WINDOWS - STEGBAR KEYED LOCKS (TERRAIN: 3)	FRAME: WESTERN RED CEDAR	_	DRKS BY OWNER	TV ANTENNA IS DECUID	ED + CONN	ECTION TO				
INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS	 REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONNECTION TO NEW AND EXISTING TV POINTS. CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR NEW T.V. AERIAL 								
ROOF COVERING	CONCRETE "SHINGLE" ROOF TILES & PREFINISHED ZINCALUME ROOF SHEETING BEHIND PARAPET WALLS	• 6	 PHONE AND/OR DATA CABLING. REMOVAL OF EXISTING KITCHEN APPLIANCES AND RELOCATE PLUMBING, DRAINAGE & ELECTRICAL. PROVIDE NEW KITCHEN BENCH, CUPBOARDS & 							
ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL BELLOW TILED ROOF. R I .3 ANTICON INSULATION BLANKET BELOW METAL ROOF SHEETING	APPLIANCES INCLUDING INSTALLATION. FIT OUT OF WALK IN ROBE. SAND & POLISH FINISH TO NEW T&G FLOORING. NEW BAR BENCH, CUPBOARDS & APPLIANCES INCLUDING INSTALLATION.								
INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.4 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES	REMOVE & RELOCATE AIR CONDITIONING TO FACILITATE GROUND FLOOR								
INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. I OOx25mm ARCHITRAVE: Ex. I OOx25mm	FITTINGS, FIVE (5) EXTERNAL SOFFIT LIGHT FITTINGS \$ TWO (2) FAN/LIGHT/HEATER UNITS. SUPPLY 2xVANITY UNITS, I XBATH, 2XWC AND SPECIFIED ACCESSORIES FOR INSTALLATION BY CAPE COD SUPPLY \$ INSTALL SHOWER SCREEN, BATH SCREEN AND MIRRORS TO FIRST FLOOR BATHROOM \$ ENSUITE. RELOCATION AIR CONDITIONER IF REQUIRED. PROVIDE SELECT STONE FINISH TO FRONT BALCONY \$ GROUD FLOOR PIERS.								
INTERNAL DOORS	PRIMED HARDBOARD HOLLOW CORE "FLUSH"									
STAIRCASE BRUSHBOX TREADS \$ RISERS	TYPE: CLOSED TIMBER WIDTH: 865mm									
	RISE: 18 @ 185mm		T		1					
	GOING: 240mm (260mm TREAD)	G	FINAL CONSTRUCTION		5.C.	16-11-16				
EACCIA BOARDO	MATERIAL: DAR TIMBER	F	CONSTRUCTION CERTIFICATION	TF	5.C.	15-08-16				
FASCIA BOARDS	IMATERIAL: DAR HIVIDER	E	TO CONTRACTS		J.E.	29-07-16				
		D	BASIX ADDED \$ TO COUNC	IL	N.E.	06-04-16				
GUTTERS & DOWNPIPES	TYPE: QUAD	С	POV 17833		J.M.	14-04-16				
	MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: EVENING HAZE		TO CLIENT		5.M.	30-11-15				
	DOWNPIPE COLOUR: IRONSTONE	А	TECHNICAL		5.M.	29-11-15				
HOT WATER UNIT	REPLACE EXISTING WITH NEW RINNAI INFINITY GAS HWU WITH CONTROLS		ISSUE		DRAWN	DATE				
			DESIGN CONSULTANT: KEITH BOW							
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD	ALTERATIONS								
	PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER		FOR MRS I & MS E SUTANTO							
FINISHED GROUND LEVE CONDITIONS.	ELS SHOWN ON PLAN ARE SUBJECT TO SITE	AT	269 BOTANY ST KINGSFORD NSV	·						
DO NOT SCALE OFF DRA	AWINGS.									
ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.		COUNCIL: RANDWICK								
NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.				A.B.N. 54 OC						
COPYRIGHT THIS DESI	GN AND PRINT IS THE PROPERTY OF CAPE COD AND IS		Cape Co	BUILDERS LIC	MATTA 21 9849 444	5 I 4				
ISSUED FOR THE SOLE WITH THE COMPANY. IT	PURPOSE OF ENTERING INTO A BUILDING CONTRACT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN I PERMISSION FROM THE COMPANY.		AUSTRALI	A						
		SHI	et: 1 OF 9	JOB NO: 77	9/15	G				





HINCKS STREET


Site Plan


No. : 269 Lot. : I


DP : 940331


FOR: MRS | \$ MS E SUTANTO


AREA: 486.9m² (By Title) : 49 I .50m² (By Calc)











FIRST FLOOR W	VINDOW SCHEDULE	(A248693)	CI	JENT:					TIMBER WINDOWS	<u>:</u>				
STANDARD NOTES:										TIMBER WINDOWS, DOOR FRAMES AND DOORS ARE TO BE SUPPLIED CLEAR PRIMED INSIDE AND OUT FOR A PAINT/STAINED FINISH.				
WINDOWS AND DOORS ARE DRAWN AS VIEWED FROM OUTSIDE ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS				IENT:					STANDARD HARDW BRONZE & WHITE.	/ARE COLOURS: SATIN CHR	COME, GOLD, MAHOGANY			
WINDOW OPENINGS N NCC 3.9.2.5	NOTED "R" HAVE RESTRICTED OPEI	NINGS 10 COMPLY WITE	1 THE BL	JILDER:DATE:						WIND LOAD: W 33 N				
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES				HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
	(WI) CDH 1312		SINGLE PYROL		TO 125mm	_	(WIO) CDH 1309		SINGLE CLEAR, (OR	TRANSLUCENT FILM BY	BUILDER.			
R	N ELEVATION / MASTER BED		LOW-E, (OR	TO COMPLY WITH NCC.			S ELEVATION / BATHROOM	_	U-VALUE: 5.71,					
P X	WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99 SHGC: 0.4)	· ·	10.1500.500	<u>//</u>	WESTERN RED CEDAR	INSECT SCREEN	SHGC: 0.66)					
	WESTERN RED CEDAR	ALUMINIUM	011001 0, 17	RESTRICT TOP SASH OPENING TO N I 700mm ABOVE FLOOR TO COMPLY			WLJILNI KLU CLUAK	ALUMINIUM						
	DOUBLE HUNG OPEN	FIBREGLASS MESH SURFMIST					DOUBLE HUNG OPEN	FIBREGLASS MESH SURFMIST						
	OTEN						OFEN							
	(W2) CDH 1324	HARDWARE COLOUR	GLAZING SINGLE PYROL	SPECIAL NOTES YTIC RESTRICT BOTTOM SASH OPENING	TO 1.25 mm		(WII) CDH 1309	HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
RF			LOW-E, (OR	TO COMPLY WITH NCC.	10 12511111				SINGLE CLEAR, (OR U-VALUE: 5.71,					
	N ELEVATION / BEDROOM 2	INSECT SCREEN	U-VALUE: 3.99	9,			S ELEVATION / STAIR	INSECT SCREEN	SHGC: 0.66)					
	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)	RESTRICT TOP SASH OPENING TO N I 700mm ABOVE FLOOR TO COMPLY	IO LESS THAN	`	WESTERN RED CEDAR	ALUMINIUM						
	DOUBLE HUNG	FIBREGLASS MESH SURFMIST		1700Hilli ABOVE FEOR TO COMI EI	WIII NCC.		DOUBLE HUNG	FIBREGLASS MESH SURFMIST						
	OPEN / FIXED						OPEN							
	(W3) CDH 1324	HARDWARE COLOUR	GLAZING	SPECIAL NOTES			(W12) CDH 1309	HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
RF	3511 132 1		SINGLE PYROL' LOW-E, (OR	YTIC RESTRICT BOTTOM SASH OPENING TO COMPLY WITH NCC.	TO 125mm		OBIT 1888		SINGLE CLEAR, (OR U-VALUE: 5.71,	TRANSLUCENT FILM BY	BUILDER.			
	N ELEVATION / BEDROOM 3	INSECT SCREEN	U-VALUE: 3.99	1			S ELEVATION / ENSUITE	INSECT SCREEN	SHGC: 0.66)					
R	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)	RESTRICT TOP SASH OPENING TO N	IV / /		WESTERN RED CEDAR	ALUMINIUM						
	DOUBLE HUNG	FIBREGLASS MESH		1 700mm ABOVE FLOOR TO COMPLY	WITH NCC.		DOUBLE HUNG	FIBREGLASS MESH						
	OPEN / FIXED	SURFMIST					OPEN	SURFMIST						
	(1)	HARDWARE COLOUR	GLAZING	SPECIAL NOTES			(1/13)	HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
	(W4) CDH 1324		SINGLE PYROL	YTIC			(W13) CDH 1309		SINGLE PYROLYTIC					
	N ELEVATION / DINING-LIVING	G	LOW-E, (OR U-VALUE: 3.99	э			W ELEVATION / WIR		LOW-E, (OR U-VALUE: 3.99,					
	WESTERN RED CEDAR	INSECT SCREEN	SHGC: 0.4)	<i>-</i> ,			WESTERN RED CEDAR	INSECT SCREEN	SHGC: 0.4)					
	DOUBLE HUNG	ALUMINIUM FIBREGLASS MESH					DOUBLE HUNG	ALUMINIUM FIBREGLASS MESH						
	OPEN / OPEN / FIXED	SURFMIST					OPEN OPEN	SURFMIST						
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES				HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
	(W5) CDH 1324		SINGLE PYROL			F	W14) CSD 2424		SINGLE PYROLYTIC					
F	N ELEVATION / DINING-LIVING	2	LOW-E, (OR				W ELEVATION / MASTER BEI		LOW-E, (OR					
	WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99 SHGC: 0.4)	9,			WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)					
		ALUMINIUM FIBREGLASS MESH						ALUMINIUM FIBREGLASS MESH		_				
	DOUBLE HUNG OPEN / FIXED	SURFMIST					SLIDING OPEN / FIXED	SURFMIST		_				
		HARDWARE COLOUR	GLAZING	SPECIAL NOTES				HARDWARE COLOUR	GLAZING	SPECIAL NOTES				
	(W6) CST 2436	HARDWARL COLOUR	SINGLE PYROL				(W22) CDH 1312	HARDWARL COLOUR	SINGLE PYROLYTIC		SH OPENING TO 125mm			
	E EL EL ATION / DIMINIO LILVINIO	_	LOW-E, (OR		R		N ELEVATION ANACTED DEF	_	LOW-E, (OR	TO COMPLY WITH NCC				
	E ELEVATION / DINING-LIVING WESTERN RED CEDAR	INSECT SCREEN	U-VALUE: 3.99 SHGC: 0.4)	∍,			N ELEVATION / MASTER BED	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)					
	WESTERN RED CEDAR	ALUMINIUM	31190. 0.4)				WESTERN RED CEDAR	ALUMINIUM	31190. 0.4)		PENING TO NO LESS THAN RECOMPLY WITH NCC.			
	STACKER OPEN / OPEN / FIXED	FIBREGLASS MESH SURFMIST			_		DOUBLE HUNG OPEN	FIBREGLASS MESH SURFMIST			(10 00 m 21 m 1100,			
	OF EN / OF EN / FIXED						OILIN							
F	(W7) CDH 2418	HARDWARE COLOUR	GLAZING SINGLE PYROL	SPECIAL NOTES										
			LOW-E, (OR	THE				_						
	E ELEVATION / DINING-LIVING	INSECT SCREEN	U-VALUE: 3.99 SHGC: 0.4)	9,										
	WESTERN RED CEDAR	ALUMINIUM	311GC: 0.4)											
	DOUBLE HUNG	FIBREGLASS MESH SURFMIST												
	OPEN / FIXED	· ·												
	(W8) CAW 0624	HARDWARE COLOUR	GLAZING	SPECIAL NOTES										
			SINGLE CLEAR U-VALUE: 5.7											
F	S ELEVATION / DINING-LIVING	INSECT SCREEN	SHGC: 0.66)	',					1					
	WESTERN RED CEDAR	ALUMINIUM												
	AWNING	FIBREGLASS MESH												
	OPEN / FIXED	SURFMIST												
	(W9) CDH 1318	HARDWARE COLOUR		SPECIAL NOTES										
F	CDIT 1310		SINGLE CLEAR											
	S ELEVATION / BAR AREA	INSECT SCREEN	U-VALUE: 5.7 SHGC: 0.66)	1,										
	WESTERN RED CEDAR	ALUMINIUM	1											
	DOUBLE HUNG	FIBREGLASS MESH												
	OPEN / FIXED	SURFMIST												
for: MRS \$ MS	S F SLITANITO		<u> </u>	AT: 269 BOTANY STREET KI	NICSFORD NISM/ 201	2		COME I. NITG	a OF a	JOB NO: 7719/15	G Cape Cod			
TUK: IVII\ J I 4 IVI.	J L JUIANIU			AI: 200 DOTANT STREET N	NOULOND NOW ZOO	_	(scale: 1: NTS	ONEEL: O UL D	JOR NO: // 19/12	G Cape Cod			

GROUND FLOOR WINDOW SCHEDULE (A248693)			3)	LIENT.					TIMBER WINDOWS	<u>5:</u>		
STANDARD NOTES:			,	LILNI:					TIMBER WINDOWS, DOOR FRAMES AND DOORS ARE TO BE SUPPLIED CLEAR PRIMED INSIDE AND OUT FOR A PAINT/STAINED FINISH. STANDARD HARDWARE COLOURS: SATIN CHROME, GOLD, MAHOGANY BRONZE & WHITE.			
WINDOWS AND DOORS ARE DRAWN AS VIEWED FROM OUTSIDE ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE			С	CLIENT:								
			TH THE B	NIII DER:	DATE:							
NCC 3.9.2.5				OULDEIN					TERRAIN: 3	WIND LOAD: W 33 N	/ 33 N	
	W16) CDH 1721	COLOUR	GLAZING		SPECIAL NOTES				·			
F			SINGLE PYROLLOW-E, (OR	OLYTIC	TO SUIT EXISTING OPENING. SITE MEASURE.							
	W ELEVATION / LOUNGE	INSECT SCREEN	U-VALUE: 3.9	99,								
	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)		_							
	DOUBLE HUNG OPEN / FIXED	FIBREGLASS MESH			-							
	OTEN / TIMED	COLOUR	GLAZING		SPECIAL NOTES							
	(W17) CDH 1727 SPECIAL	COLOUR	SINGLE PYRO	DLYTIC	HEIGHT TO MATCH WI 6							
	W ELEVATION / STUDY WESTERN RED CEDAR		LOW-E, (OR U-VALUE: 3.9	R 2 99	SITE MEASURE.	1						
		INSECT SCREEN ALUMINIUM	SHGC: 0.4)	,								
	DOUBLE HUNG	FIBREGLASS MESH			1							
	OPEN / FIXED/ OPEN											
	W18) CDH 1733	COLOUR	GLAZING		SPECIAL NOTES							
F			SINGLE PYROLLOW-E, (OR		TO SUIT EXISTING OPENING. SITE MEASURE.							
	N ELEVATION / FAMILY	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)		STE WENCONE.							
	WESTERN RED CEDAR	ALUMINIUM		0.4)								
	DOUBLE HUNG OPEN / FIXED / OPEN	FIBREGLASS MESH										
	+	COLOUR	GLAZING		SPECIAL NOTES							
	W19 CDH 1724	COLODIC	SINGLE PYRO	LYTIC	HEIGHT TO MATCH WI 8							
	N ELEVATION / BEDROOM 4 WESTERN RED CEDAR		LOW-E, (OR U-VALUE: 3.	, (OR	SITE MEASURE.							
		INSECT SCREEN ALUMINIUM	SHGC: 0.4)	<i>,</i>				_				
	DOUBLE HUNG	FIBREGLASS MESH										
	OPEN / FIXED											
	(W20) C5W 1221	COLOUR	GLAZING		SPECIAL NOTES							
		_	SINGLE CLEAR U-VALUE: 5.7	R, (OR 7 I				_				
	S ELEVATION / KITCHEN	INSECT SCREEN	SHGC: 0.66))								
	WESTERN RED CEDAR	ALUMINIUM FIBREGLASS MESH			-							
	SLIDING OPEN / FIXED	I IDRLGLASS MILSH			-							
		COLOUR	GLAZING		SPECIAL NOTES							
	(W21) CDH 1715 SPECIAL	COLOGIC	SINGLE PYRO	DLYTIC	HEIGHT TO MATCH W16							
	N ELEVATION /FAMILY	INSECT SCREEN	LOW-E, (OR U-VALUE: 3.9	99.	SITE MEASURE.							
	WESTERN RED CEDAR	ALUMINIUM	SHGC: 0.4)	,								
	DOUBLE HUNG	FIBREGLASS MESH										
	OPEN / FIXED											
	W23) CDH 1321 SPECIAL	COLOUR	00/2:2		TO SUIT EXISTING OPENING.							
		-	SINGLE CLEAR U-VALUE: 5.7	71,	SITE MEASURE.			-				
	S ELEVATION /STUDY WESTERN RED CEDAR	INSECT SCREEN	SHGC: 0.66))								
	DOUBLE HUNG	ALUMINIUM FIBREGLASS MESH			-							
	OPEN / OPEN				1							
												
		1			†							
					1							
FOR: MRS \$ MS	F SLITANTO		•	AT 20	69 BOTANY STREET KINGSFORD	NISW/ 2022		CALE 1.100	a OF a	IOB NO: 7719/15	G	
IUK: IVIINUJ I 4 IVI. J				TAI: C	ラン レンエスロー フェスレニュ ハロパスカ ヒハコ	INDVV CUUL	15	LAIP I LILILI I G	ロロドロ・ノ しハーニン		. VZ II ADAI OO	