
Electrical Services Layout Legend Symbol No. Nil Light Points (inc switch) 44 OFF Down Lights (inc switch) 6 OFF Wall Lights (inc switch) X-----2 OFF Two way switch Single power points 26 OFF Double power points WO Nil Wall oven - Electric GPO ST Nil Stove - Electric GPO wo Nil Wall oven - Gas \$ GPO ST Nil Stove - Gas & GPO Nil RH^{ullet} Range Hood GPO Nil Refrigerator GPO Microwave GPO Nil DW^ullet Dishwasher GPO 4 OFF \triangle T.V. Point EF_ Ceiling Exhaust Fan EF_ Wall Exhaust Fan 3 IN I 2 OFF Exhaust fan 3 in 1 4 IN I Exhaust fan 4 in 1 Nil Ceiling fan Nil Phone point Nil Data Cable Nil Nil Other Nil Other

- Light switches where possible are placed 1300mm above floor and within 200mm from door architrave. 2. Power points will be placed 300mm above floor unless noted otherwise.
- 3. Owner to please mark up any changes to the layout

DATED:		
OWNER:		
OWNER:		
BUILDER:		




First Floor Electrical Layout

Electrical Services Layout					
Legend					
Item	Symbol	No.			
Light Points (inc switch)	0	Nil			
Down Lights (inc switch)	D	55 OFF			
Wall Lights (inc switch)	\vdash	Nil			
Two way switch	×	3 OFF			
Single power points	•	5 OFF			
Double power points	••	30 OFF			
Wall oven - Electric GPO	WO	I OFF			
Stove - Electric GPO	ST	Nil			
Wall oven - Gas & GPO	₩O •	Nil			
Stove - Gas \$ GPO	ST	Nil			
Range Hood GPO	RH [●]	Nil			
Refrigerator GPO	R [●]	Nil			
Microwave GPO	M [●]	Nıl			
Dishwasher GPO	DW [●]	I OFF			
T.V. Point	Δ	2 OFF			
Ceiling Exhaust Fan	EF.	Nil			
Wall Exhaust Fan	EF ∕∕	Nil			
Exhaust fan 3 in 1	3 IN I	I OFF			
Exhaust fan 4 in 1	4 IN I	Nil			
Ceiling fan	\times	4 OFF			
Phone point	A	Nil			
Data Cable	@	Nil			
External Light Points	0	4 OFF			
Other		Nil			
Other		Nil			
I					

- Light switches where possible are placed 1300mm above floor and within 200mm from door architrave.
 Power points will be placed 300mm above floor unless noted otherwise.
- Owner to please mark up any changes to the layout in red.


DATED:		
OWNER:		
OWNER:		
BUILDER:		



Ground Floor Electrical Layout

FOR: MR A \$ MRS R HEAD

Electrical Services Layout Legend Symbol No. Nil Light Points (inc switch) 15 OFF Down Lights (inc switch) Wall Lights (inc switch) X------2 OFF Two way switch Single power points 10 OFF Double power points WO Nil Wall oven - Electric GPO ST Nıl Stove - Electric GPO wo Nil Wall oven - Gas \$ GPO ST Nil Stove - Gas & GPO Nil RH^{ullet} Range Hood GPO Nil Refrigerator GPO Microwave GPO Nil DW^ullet Dishwasher GPO T.V. Point \triangle EF_ Nil Ceiling Exhaust Fan EF_ Wall Exhaust Fan 3 IN I I OFF Exhaust fan 3 in 1 4 IN I Exhaust fan 4 in 1 Nil Ceiling fan Nil Phone point Nil 4 OFF External Light Points Nil Other Nil Other NOTE:



E Cape Cod

- Light switches where possible are placed 1300mm above floor and within 200mm from door architrave.
 Power points will be placed 300mm above floor unless noted otherwise.
- 3. Owner to please mark up any changes to the layout in red.

DATED:

OWNER:

OWNER:

BUILDER:

Garage & Office/Studio Electrical Layout

AT: 10 TIPPER AVENUE BRONTE NSW 2024 SCALE: 1:50 SHEET: 3 OF 3 JOB NO: 7746/16