

- \* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- \* Provide 100x50 plate to top of steel beams, B3, B4, B7 \$B8 to allow fixing of joists over.

FOR: MR. M. \$ MRS. S. CONNOLLY


FINAL CONSTRUCTION - 13.10.14

AMENDED - 10.10.14 GL PREPARED - 07.10.14 GL SHEET: 10F 12

AT: 75 TORRINGTON ROAD, MAROUBRA. NSW. 2035.

JOB NO: 7549/14

Cope Cod



## FLOOR JOISTS

SCALE 1:100


- \* Set down wet area joists 35mm and shower recess joists an additional 25mm
- \* SJ Denotes tilling smart joists
- \* LVL Denotes tilling smart Ivl


FOR: MR. M. \$ MRS. S. CONNOLLY


FINAL CONSTRUCTION - 13.10.14 AMENDED - 10.10.14 GL PREPARED - 07.10.14 GL


AT: 75 TORRINGTON ROAD, MAROUBRA. NSW. 2035.


JOB NO: 7549/14 C














SECTION B

SCALE 1:50

FOR: MR. M. & MRS. S. CONNOLLY

FINAL CONSTRUCTION - 13.10.14


AMENDED - 10.10.14 GL PREPARED - 07.10.14 GL SHEET: 8 OF 12


AT: 75 TORRINGTON ROAD, MAROUBRA. NSW. 2035.

JOB NO: 7549/14

1 C







FOR: MR. M. & MRS. S. CONNOLLY

FINAL CONSTRUCTION - 13.10.14 AMENDED - 10.10.14 GL

PREPARED - 07.10.14 GL


SHEET: 10 OF 12

AT: 75 TORRINGTON ROAD, MAROUBRA. NSW. 2035.

JOB NO: 7549/14




1000 35





FOR: MR. M. \$ MRS. S. CONNOLLY

FINAL CONSTRUCTION - | 3. | 0. | 4 AMENDED - 10.10.14 GL PREPARED - 07.10.14 GL PREPARED - 07.10.14 GL JOB NO: 7549/14 C 10.10.14 GL JOB NO: 7549/14 C



FOR: MR. M. \$ MRS. S. CONNOLLY FINAL CONSTRUCTION - 13.10.14 AMENDED - 10.10.14 GL PREPARED - 07.10.14 GL SHEET: 12 OF 12

AT: 75 TORRINGTON ROAD, MAROUBRA. NSW. 2035.

JOB NO: 7549/14

Cape Cod®