

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over where shown.

P- 75x75x3 SHS (2 off)
bearing on 230 brick pier &
400square x 500deep
mass concrete pad footing
or existing pier

FOR: MR. T. & MRS. L. REID

FINAL CONSTRUCTION - 28.01.15


AMENDED - 28.01.15 NL
PREPARED - 18.12.14 NL

SHEET: 1 OF 4

AT: 3 MARGUERITE CRESCENT, WEST PENNANT HILLS. NSW. 2125.

JOB NO: 7613/14 B





FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * SJ - Denotes tilling smart joists
- * LVL - Denotes tilling smart lv

FOR: MR. T. & MRS. L. REID

FINAL CONSTRUCTION - 28.01.15


AMENDED - 28.01.15 NL
PREPARED - 18.12.14 NL

SHEET: 2 OF 4

AT: 3 MARGUERITE CRESCENT, WEST PENNANT HILLS. NSW. 2125.

JOB NO: 7613/14 B





LINTEL LAYOUT - First Floor
SCALE 1:100

FOR: MR. T. & MRS. L. REID

FINAL CONSTRUCTION - 28.01.15


AMENDED - 28.01.15 NL
PREPARED - 18.12.14 NL

SHEET: 3 OF 4

AT: 3 MARGUERITE CRESCENT, WEST PENNANT HILLS. NSW. 2125.

JOB NO: 7613/14 B





FOR: MR. T. & MRS. L. REID

FINAL CONSTRUCTION - 28.01.15

AMENDED - 28.01.15 NL
PREPARED - 18.12.14 NL

SHEET: 4 OF 4

AT: 3 MARGUERITE CRESCENT, WEST PENNANT HILLS. NSW. 2125.

JOB NO: 7613/14

B

