

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.
- * 'X' - Denotes to site check for min three (3) stud clusters equal to 3/90x45 F5 to bear on 230 bonded brick work or 230 long x 110 wide attached pier supported onto 400sq x 500 deep mass concrete footing or existing concrete footing.

FOR: MR. D & MRS. M SIMPSON

FINAL CONSTRUCTION - 24.05.16


PREPARED - 12.04.16 CS

SHEET: 1 OF 3


AT: 42 LYTON STREET, BLACKTOWN. NSW. 2148.

JOB NO: 7741/16 C

Cape Cod
AUSTRALIA



BEAM 1: 150 UB 18



STEELWORK DETAIL
SCALE 1:10

FOR: MR. D & MRS. M SIMPSON

FINAL CONSTRUCTION - 24.05.16

PREPARED - 12.04.16 CS

SHEET: 3 OF 3

AT: 42 LYTON STREET, BLACKTOWN. NSW. 2148.

JOB NO: 7741/16 C

Cape Cod
AUSTRALIA