

PACKER LAYOUT

SCALE 1:100

* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.

* Provide 100x50 plate to top of steel beams to allow fixing of joists over.


FOR: TINDENT SUPER FUND No. 2 pty. ltd.

FINAL CONSTRUCTION - 21.06.16

AMENDED - 14.06.16 MJB PREPARED - 01.06.16 MJB SHEET: OF 5

JOB NO: 7749/16

AT: 38 WOODRIFF STREET, PENRITH. NSW. 2750.



FLOOR JOISTS

SCALE 1:100

* Set down wet area joists 35mm and shower recess joists an additional 25mm

* SJ - Denotes tilling smart joists

* LVL - Denotes tilling smart IVI


FOR: TINDENT SUPER FUND No. 2 pty. ltd.


FINAL CONSTRUCTION - 21.06.16

AMENDED - 14.06.16 MJB PREPARED - 01.06.16 MJB SHEET: 2 OF 5

JOB NO: 7749/16

AT: 38 WOODRIFF STREET, PENRITH. NSW. 2750.





SOFFIT DETAIL SCALE 1:100

FOR: TINDENT SUPER FUND No. 2 pty. ltd.


FINAL CONSTRUCTION - 21.06.16 AMENDED - 14.06.16 MJB PREPARED - 01.06.16 MJB

SHEET: 4 OF 5

AT: 38 WOODRIFF STREET, PENRITH. NSW. 2750.

JOB NO: 7749/16





GROUND FLOOR FLOOR FRAME

SCALE 1:100

FOR: TINDENT SUPER FUND No. 2 pty. ltd.

FINAL CONSTRUCTION - 21.06.16

AMENDED - 14.06.16 MJB PREPARED - 01.06.16 MJB

SHEET: 5 OF 5

JOB NO: 7749/16