

## PACKER LAYOUT

SCALE 1:100

- \* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- \* Provide 100x45 plate to top of steel beams to allow fixing of joists over.

FOR: MS V WHYTE

FINAL CONSTRUCTION - 11.07.16


AMENDED - 06.06.16 NL  
PREPARED - 24.05.16 NL

SHEET: 1 OF 3

AT: 82 WILLAN DRIVE, CARTWRIGHT NSW 2168

JOB NO: 7743/16 C

**Cape Cod**  
AUSTRALIA



## FLOOR JOISTS

SCALE 1:100

- \* Set down wet area joists 35mm and shower recess joists an additional 25mm
- \* 5J - Denotes tilling smart joists
- \* LVL - Denotes tilling smart lvi

FOR: MS V WHYTE

FINAL CONSTRUCTION - 11.07.16


AMENDED - 06.06.16 NL  
PREPARED - 24.05.16 NL

SHEET: 2 OF 3

AT: 82 WILLAN DRIVE, CARTWRIGHT NSW 2168

JOB NO: 7743/16 C

**Cape Cod**  
AUSTRALIA



STEEL DETAILS  
SCALE 1:10

FOR: MS V WHYTE

FINAL CONSTRUCTION - 11.07.16

AMENDED - 06.06.16 NL  
PREPARED - 24.05.16 NL

SHEET: 3 OF 3

AT: 82 WILLAN DRIVE, CARTWRIGHT NSW 2168

JOB NO: 7743/16 C

**Cape Cod**  
AUSTRALIA