

Note: Cut away existing joists as required to allow for the steel beams and re-connect

(X) To bear over 3 cluster studs (3/70X45 F5)

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. S LEECH & MS. K TORR

FINAL CONSTRUCTION - 28.07.15


AMENDED- 23.07.15 GJ
PREPARED - 09.06.15 GJ

SHEET: 1 OF 4

AT: 11 STRINGYBARK AVENUE, CRANEBROOK. NSW. 2749.

JOB NO: 7639/15 C





FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * SJ - Denotes tilling smart joists
- * LVL - Denotes tilling smart lvl

DS : Double Stud (2/70x45 F5)
TS : Triple Stud (3/70x45 F5)

FOR: MR. S LEECH & MS. K TORR

FINAL CONSTRUCTION - 28.07.15



AMENDED- 23.07.15 GJ
PREPARED - 09.06.15 GJ

SHEET: 2 OF 4

AT: 11 STRINGYBARK AVENUE, CRANEBROOK. NSW. 2749.

JOB NO: 7639/15 C





STEEL DETAILS
SCALE 1:10

FOR: MR. S LEECH & MS. K TORR

FINAL CONSTRUCTION - 28.07.15


AMENDED- 23.07.15 GJ
PREPARED - 09.06.15 GJ

SHEET: 3 OF 4

AT: 11 STRINGYBARK AVENUE, CRANEBROOK. NSW. 2749.

JOB NO: 7639/15 C





Beam 3, 180 UB 22

STEEL DETAILS

SCALE 1:10

FOR: MR. S LEECH & MS. K TORR

FINAL CONSTRUCTION - 28.07.15

AMENDED- 23.07.15 GJ
PREPARED - 09.06.15 GJ

SHEET: 4 OF 4

AT: 11 STRINGYBARK AVENUE, CRANEBROOK. NSW. 2749.

JOB NO: 7639/15 C

