BASIX (	COMMITMENTS					
CERTIFICATE NO. A277349						
FIXTU	RES AND SYSTEMS					
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS					
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED					
INSUL	ATION REQUIREMENTS					
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL					
EXTERNAL WALL: EXTERNAL INSULATED FACADE SYSTEM (EIFS)(FACADE PANEL:75mm)	NIL					
FLAT CEILING, PITCHED ROOF	CEILING: R 3.00 (UP) ROOF: FOIL/ SARKING DARK (SOLAR ABSORPTANCE >0.70)					
GLAZII	NG REQUIREMENTS					
WINDOWS						
WII	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)					
W2, W3, W4, W5, W6, W7, W8, W9, W10, \$ W12	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)					
SHAD	ING DEVICES					
WINDOWS						
W2, W3, W4, W5, W6, W7, \$ W	EAVE / VERANDAH / PERGOLA / BALCONY >= GOOMM					
W8, W9, W10, \$ W12	PROJECTION /HEIGHT ABOVE SILL RATIO >= 0.36					

EXTERNAL PAINT SCHEDULE

BRAND eg. WATTYL

Taubmans

Taubmans

Taubmans

CODE

COLOUR

Stormy Shadow

Stormy Shadow

Stormy Shadow

ITEM


Soffit Lining


Wall Cladding


Gable Cladding


FINAL CONSTRUCTION.


GRECI	FICATION GUNANAADV	SPE	ECIAL NOTES					
SPECI	FICATION SUMMARY		ROVIDE TWO (2) SMOKE DE	TECTORS AS SHOWN-9-				
	UCTURAL TIMBER - All to ASA   684.2	• F	EUSE EXISTING SMOKE DETE	ECTORS IF POSSIBLE - EL	ECTRICIAN			
WALLS: F5 SOFTWOOD 90 X 35 EXT. STUDS @ 70 X 35 INT. STUDS @	.600 CTS TO MANUFACTURERS	TO CHECK FOR COMPLIANCE WITH NCC.  • AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.  • PROVIDE 300MM BUILD TO 'FLOOR ZONE' FOR AIR CONDITIONING DUCTWORK.						
FLOOR: REFER TO STRU	CTURAL LAYOUTS WIND LOAD W 33 N	• (	REMOVE THE EXISTING HOT V CONNECT/INSTALL TWENTY (2 AN/LIGHT/HEATER UNIT (AS S	O) DOWNLIGHT FITTINGS	\$ ONE (1)			
FINISHES		• F	PROVIDE DUCTED VENTILATION  COOF AS SPECIFIED.					
BRICKWORK	N/A		OUI AS SELCIFIED.					
FLOORING	19MM STRUCTURAL PARTICLEBOARD							
CLADDING	75mm POLYSTYRENE WALL SHEETING WITH APPLIED TEXTURE COAT FINISH FIXED TO 20MM BATTENS OVER POLASTIC INSULATION BLANKET. FC SHEETING WITH DAR TIMBER COVER BATTENS TO GABLE ENDS.							
WINDOWS - TREND KEYED LOCKS (TERRAIN: 3)	FRAME: PREFINISHED ALUMINIUM WITH GLAZING BARS AS SHOWN							
INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS	WC	ORKS BY OWNER					
ROOF COVERING	CONCRETE ROOF TILES TO MATCH EXISTING AS CLOSE AS POSSIBLE, REUSE EXISTING TILES WHERE SHOWN.							
ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL	• F		THE REMOVAL/RELOCAT	ION/ALTERA	TION OF		
INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES I 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES	<ul> <li>ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF THE N SHOWER SCREENS &amp; MIRRORS.</li> <li>SUPPLY OF TOILET SUITE, VANITY UNIT, TAPS &amp; OUTLETS, TOWEL RAILS,</li> </ul>						
NTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. 75x25 COLONIAL ARCHITRAVE: Ex. 75x25 COLONIAL	TOILET ROLL HOLDERS \$ SOAP HOLDERS FOR NEW SHOWER RO  SUPPLY TWENTY (20) DOWNLIGHT FITTINGS \$ ONE (1) FAN/LIGHT/ UNIT.  REMOVAL/RELOCATION OF POOL SOLAR HEATING SYSTEM AS RE						
INTERNAL DOORS	PRIMED HARDBOARD SOLID CORE "FLUSH" (TBC)		MAKING GOOD EXISTING FLO ALTERATIONS.	OR FINISHES AS AFFECTE	iD BY			
STAIRCASE MAPLE TREADS \$ RISERS	TYPE: CLOSED TIMBER WIDTH: 1 000mm							
	RISE: 17 @ 179mm	<u> </u>		uotiou.	T	I		
	GOING: 240mm (260mm TREAD)	H	AMENDED FINAL CONSTR FINAL CONSTRUCTION	UCTION	5.M. 5.C.	29-06-17		
FASCIA #			TO CONTRACTS		5.C.	14-06-17		
BARGE BOARDS	MATERIAL: PREFINISHED ZINCALUME FASCIA COLOUR: WHITE BARGE COLOUR: WHITE		CHECK PLAN		T.A.	04-05-17		
			BASIX, SURVEY ADDED \$	TO COUNCIL	N.E.	04-04-17		
GUTTERS & DOWNPIPES	TYPE: NU-LINE MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: IRON GREY DOWNPIPE COLOUR: ARMOUR GREY		POV 19147		C.S.	21-02-17		
			TO CLIENT		B.P.	20-01-17		
			TECHNICAL		B.P.	19-01-17		
HOT WATER UNIT	CONNECT TO EXISTING		ISSUE		DRAWN	DATE		
			DESIGN CONSULTANT: MARK ALLEN					
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY OWNER	PROPOSED ADDITIONS & ALTERATIONS						
	PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER		R MR N & MRS C					
FINISHED GROUND LEVE CONDITIONS.	ELS SHOWN ON PLAN ARE SUBJECT TO SITE	AT	57 UNIVERSAL GEORGES HALL					
DO NOT SCALE OFF DRA	AWINGS.		INCII CANTEDDUD'S ANTON	OHAL				
ALL DIMENSIONS SHOW MEASURE DURING CONS	'N ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE STRUCTION.		INCIL: CANTERBURY BANKST	OWN 	00 605 40	7		
NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.								
	IGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS	C	Cape Co	BUILDERS LIC	AMATTA 21 9849 444	5 I 4		
WITH THE COMPANY. IT	PURPOSE OF ENTERING INTO A BUILDING CONTRACT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN I PERMISSION FROM THE COMPANY.	SHI	EET: 1 OF 8	JOB NO: 782	 21 <sub>16</sub>	Н		














FOR: MR N & MRS C LYRAS

WINDOW SCHED	ULE (BASIX A2773	349)	CLIENT:		ALUMINIUM TREND WINDOV				
STANDARD NOTES:						L WHITE GLOSS, DUNE, STONI			
	ARE DRAWN AS VIEWED FROM	OUTSIDE	CLIENT:		ANODIC OFF WHITE, ANOD	DIC NATURAL MATT, WOODLAN	D GREY, ULTRA BLACK.		
ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS     WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE     BUILDER:			DATE:		ILABLE: WHITE BIRCH, PRIMRO				
NCC 3.9.2.5					CHARCOAL, IRONSTONE.	WN, TREND SILVER PEARL, DEEP OCEAN, SURF MIST, JASPER, TREND METALLIC COAL, IRONSTONE.			/IND LOAD: W 33 N
	(WI) DELETED					W10 SF 1212	COLOUR PEARL WHITE	GLAZING	SPECIAL NOTES GLAZING BARS
		-					- I LAKE WITTE	SINGLE PYROLYTIC LOW-E, (U-VALUE:	GLAZING DARS
			]			W ELEVATION / STAIRWELL ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)	
		-		_			ALUMINIUM FIBREGLASS MESH	REVEAL	_
				7		FIXED FIXED	PEARL WHITE	I 40mm	_
		COLOUR	GLAZING	SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES
	(W2) SA 0609	PEARL WHITE	SINGLE PYROLYTIC	TRANSLUCENT FILM BY BUILDER.		WII) SA 0618	PEARL WHITE	SINGLE CLEAR,	RESTRICT OPENING TO 125mm TO COMPLY
	N ELEVATION / SHOWER	INSECT SCREEN	LOW-E, (U-VALUE: 5.7, SHGC:0.47)	GLAZING BARS TOUGHENED		S ELEVATION / BEDROOM 2	INSECT SCREEN	(U-VALUE: 7.63, SHGC: 0.75)	WITH NCC. GLAZING BARS
	ALUMINIUM	ALUMINIUM			RF	ALUMINIUM	ALUMINIUM	-	
	AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL			AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL	
	OPEN	FLARL WITTL	I 40mm			OPEN / FIXED	FLARL WITTL	I 40mm	
	(W3) SA 0618	COLOUR PEARL WHITE	GLAZING	SPECIAL NOTES	_	W12) SA 1224	COLOUR PEARL WHITE	GLAZING	SPECIAL NOTES
		- LANE WHILE	SINGLE PYROLYTIC LOW-E, (U-VALUE:	GLAZING BARS			_	SINGLE PYROLYTIC LOW-E, (U-VALUE:	RESTRICT OPENINGS TO 125mm TO COMPLY WITH NCC.
	N ELEVATION / RUMPUS ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)			W ELEVATION / BEDROOM 2	INSECT SCREEN	5.7, SHGC:0.47)	GLAZING BARS
		ALUMINIUM FIBREGLASS MESH	REVEAL	4	VR F VR		ALUMINIUM FIBREGLASS MESH	REVEAL	_
	AWNING OPEN / FIXED	PEARL WHITE	140mm	$\dashv$		AWNING OPEN / FIXED / OPEN	PEARL WHITE	140mm	_
		COLOUR	GLAZING	SPECIAL NOTES					
	(W4) SA 0618	PEARL WHITE	SINGLE PYROLYTIC	GLAZING BARS					
	E ELEVATION / RUMPUS	INSECT SCREEN	LOW-E, (U-VALUE: 5.7, SHGC:0.47)					_	
F	ALUMINIUM	ALUMINIUM	-					-	
	AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL						
	OPEN / FIXED	I LANE WHILE	I 40mm						
	(W5) SA 0618	COLOUR PEARL WHITE	GLAZING	SPECIAL NOTES  GLAZING BARS					
		- LANE WHILE	SINGLE PYROLYTIC LOW-E, (U-VALUE:	GLAZING DARS			_		
	E ELEVATION / RUMPUS ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)						
		ALUMINIUM FIBREGLASS MESH	REVEAL	-			-		_
	AWNING OPEN / FIXED	PEARL WHITE	I 40mm	7					_
		COLOUR	GLAZING	SPECIAL NOTES					
	(WG) SAA 1218	PEARL WHITE	SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY					
	E ELEVATION / BEDROOM 3	INSECT SCREEN	LOW-E, (U-VALUE: 5.7, SHGC:0.47)	WITH NCC. GLAZING BARS				-	
R V R	ALUMINIUM	ALUMINIUM							
	AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL						
	OPEN / OPEN		I 40mm						
	W7) SAA 1218	COLOUR PEARL WHITE	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES  RESTRICT OPENING TO 125mm TO COMPLY					
	E ELEVATION / BEDROOM 4	_	LOW-E, (U-VALUE:	WITH NCC.					
	ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)	GLAZING BARS					
VR VR	AWNING	ALUMINIUM FIBREGLASS MESH	REVEAL	-			_		
	OPEN / OPEN	PEARL WHITE	I 40mm	7					
	(1/8) 64 1664	COLOUR	GLAZING	SPECIAL NOTES					
	(W8) 5A 1224	PEARL WHITE	SINGLE PYROLYTIC	RESTRICT OPENINGS TO 125mm TO COMPLY WITH NCC.					
	W ELEVATION / BEDROOM 4	INSECT SCREEN	LOW-E, (U-VALUE: 5.7, SHGC:0.47)	GLAZING BARS				-	
VR F VR	ALUMINIUM	ALUMINIUM						-	
	AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL 140mm	_					_
	OPEN / FIXED / OPEN	COLOUR		CDECIAL NOTES					
	(W9) SAA 1215	PEARL WHITE	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES GLAZING BARS					
	W ELEVATION / VOID		LOW-E, (U-VALUE:						
	ALUMINIUM	INSECT SCREEN ALUMINIUM	5.7, SHGC:0.47)						
	AWNING	FIBREGLASS MESH	REVEAL	7					
	OPEN / OPEN	PEARL WHITE	I 40mm	<u></u>					
FOR: MR N & MRS	CIYRAS		лт. 5	7 UNIVERSAL AVENUE GEORGES	HALL NSW 2198		acale I. NITS	SHEET SOFS	OB NO. 7822/16 H Cape Cod