

PACKER LAYOUT

SCALE 1:100

- * STEEL BEAM DIMENSIONS SHOWN IN BRACKETS ARE THE DISTANCE BETWEEN TOP OF EXISTING (FRONT) CEILING JOISTS AND TOP OF NEW STEEL BEAM
- * PROVIDE 90 X 45 PLATE TO TOP OF STEEL BEAMS B1 & B4 TO ALLOW FIXING OF JOISTS OVER/ADJACENT

FOR: MR S & MRS F CONGDON

FINAL CONSTRUCTION - 11.11.14


AMENDED - 03.11.14 SDS
PREPARED - 21.10.14 SDS

SHEET: 1 OF 3

AT: 8 BURTON STREET, RANDWICK

JOB NO: 7587/14 C





FLOOR JOISTS

SCALE 1:100

- * SET DOWN WET AREA JOISTS 35mm AND SHOWER RECESS JOISTS AN ADDITIONAL 25mm
- * PROVIDE 70 X 45 TRIMMERS FOR FIXING WET AREA FLOORING WHERE SHOWN DASHED
- * SJ - DENOTES TILLING SMART JOISTS
- * LVL - DENOTES TILLING SMART LVL

FOR: MR S & MRS F CONGDON

FINAL CONSTRUCTION - 11.11.14



AMENDED - 03.11.14 SDS
PREPARED - 21.10.14 SDS

SHEET: 2 OF 3



AT: 8 BURTON STREET, RANDWICK

JOB NO: 7587/14 C






BEAM 1



BEAM 4



BEAMS 2 & 3

STEEL DETAILS
SCALE 1:10

FOR: MR S & MRS F CONGDON

FINAL CONSTRUCTION - 11.11.14

AMENDED - 03.11.14 SDS
PREPARED - 21.10.14 SDS

SHEET: 3 OF 3

AT: 8 BURTON STREET, RANDWICK

JOB NO: 7587/14 C

