BASIX	COMMITMENTS						
CERTIFICATE NO. A269574							
FIXT	URES AND SYSTEMS						
LIGHTING  MIN 40% OF NEW OR ALTERED LIGHT FIXT TO BE FITTED WITH FLUORESCENT, COMP FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS							
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED						
INSL	JLATION REQUIREMENTS						
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL						
EXTERNAL WALL: FRAMED (WEATHERBOARD, FIBRO, METAL CLAD)	R1.30 (or R1.70 INCLUDING CONSTRUCTION)						
FLAT CEILING, PITCHED ROOF	CEILING: R I.45 (UP) ROOF: FOIL BACKED BLANKET (55mm) DARK (SOLAR ABSORPTANCE >0.70)						
GLAZ	ZING REQUIREMENTS						
WINDOWS							
W5, W6, W7, \$ W8	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)						
W1, W2, W3, \$ W4	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)						
SHA	DING DEVICES						
WINDOWS							
W5,	NONE						
W6, W7, \$ W8	EAVE / VERANDAH / PERGOLA / BALCONY >= 450MM						
WI, W2, W3, \$ W4	EAVE / VERANDAH / PERGOLA / BALCONY >= GOOMM						

EXTERNAL PAINT SCHEDULE

BRAND eg. WATTYL

Colorbond

Colorbond

Colorbond

Colorbond

Haymes

CODE

ITEM

Wall Cladding

ascia Board

Soffit Lining

Barge Soaker


Barge Board


FINAL CONSTRUCTION.

LE	
COLOUR	
Windspray (TBC)	

SPECI	FICATION SUNANARY	SPE	ECIAL NOTES						
SFLCI	FICATION SUMMARY		ROVIDE TWO (2) SMOKE DETECT	ORS AS SHOWN-G-					
STR	UCTURAL TIMBER - All to ASA 1684.2	• E	LECTRICIAN TO CHECK/ENSURE T	HE EXISTING SMOKE	DETECTOR	S COMPLY			
WALLS: F5 SOFTWOOD 90 X 35 EXT. STUDS @ 70 X 35 INT. STUDS @	.600 CTS TO MANUFACTURERS	<ul> <li>WITH THE BUILDING CODE OF AUSTRALIA (NCC).</li> <li>AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.</li> <li>CONNECT/INSTALL FOURTEEN (14) DOWNLIGHT FITTINGS \$ TWO (2) LIGHT FITTINGS (AS SUPPLIED BY THE OWNER).</li> </ul>							
FLOOR: 190x45mm MIN	. FLOOR JOISTS WIND LOAD W 33 N	P	ROVIDE I OMM "SOUND CHECK" ROPOSED MASTER BEDROOM W	ALLS & CEILING		GS TO			
FINISHES		• =	QUARE SET CORNERS AT JUNCT	ION OF WALLS & CEI	LINGS				
BRICKWORK	N/A								
EL GORDINA	I 9MM STRUCTURAL PARTICLEBOARD	-							
FLOORING	19MIN STRUCTURAL FARTICLEDOARD								
CLADDING	HARDIES SCYON "AXON" 133 GROOVE SHEET CLADDING "GRAINED"								
WINDOWS - STEGBAR KEYED LOCKS (TERRAIN: 2.5 )	FRAME: PRE-FINISHED ALUMINIUM WESTERN RED CEDAR - LOUVRE								
INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS	WORKS BY OWNER  • REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONNEC							
	DDE EINICHED ZINGALUNE BOOK GUESTING	NEW AND EXISTING TV POINTS.  CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR							
ROOF COVERING	PRE-FINISHED ZINCALUME ROOF SHEETING PROFILE: SPEEDDECK COLOUR: WINDSPRAY	• P	IEW T.V. AERIAL HONE AND/OR DATA CABLING.						
ROOF SARKING	R I.3 ALUMINIUM FOIL BACKED "ANTICON" INSULATION BLANKET	- ALL MORE AGGOCIATED WITH THE GURRIN AND INSTALLATION O							
INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA \$ RE-SHEETED AREAS OF THE EXISTING ROOF R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES\ R2.0 SOUNDSCREEN INSULATION BATTS TO EXTERNAL WALLS AROUND BED I I 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES		ALL WORK ASSOCIATED WITH THE PROPOSED CAT WALKWALKWAY FRO THE FIRST FLOOR TO REAR GROUND LEVEL.      REMOVAL OF THE FYIST RETRACTABLE SHADE AWNING ATTACHED TO THE FYIST RETRACTABLE SHADE SHAD						
INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. 75x25 BULLNOSE	L	TO FINAL CONSTRUCTION		S.M.	17-07-17			
	ARCHITRAVE: Ex. 50x25 BULLNOSE	K	TO CONTRACTS		S.M.	29-06-17			
INTERNAL DOORS	PRIMED HARDBOARD HOLLOW CORE "FLUSH"	J	CONSTRUCTION CERTIFICATE		5.M.	21-06-17			
STAIRCASE	TYPE: CLOSED TIMBER		POV 19648		B.J.P.	09-06-17			
MDF TREADS \$ PINE		Н	PLAN CHECK	J.K.	24-04-17				
RISERS CUPBOARD UNDER	WIDTH: 900mm	G	BASIX ADDED \$ TO COUNCIL		N.E.	21-12-16			
TREADS	RISE: 17 @ 181mm	F	POV 18794	S.C.	04-11-16				
	GOING: 240mm (260mm TREAD)	E	POV 18715	N.E.	10-10-16				
FASCIA \$ BARGE BOARDS	MATERIAL: DAR TIMBER	D	POV 18550 \$ 18366		5.C.	13-09-16			
GUTTERS & DOWNPIPES	TYPE: QUAD	С	CONSULTANT MARKUP		5.C.	01-08-16			
	MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: WOODLAND GREY	В	TO CLIENT		5.C.	04-07-16			
	DOWNPIPE COLOUR: WOODLAND GREY		TECHNICAL		C.W.	06-06-16			
HOT WATER UNIT	CONNECT TO EXISTING		ISSUE		DRAWN	DATE			
		DESIGN CONSULTANT: PAUL WALSH							
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD	PROPOSED ADDITIONS & ALTERATIONS							
	PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER	FOR	R MR M AND MRS A	A PERCY					
FINISHED GROUND LEVE CONDITIONS.	LES SHOWN ON PLAN ARE SUBJECT TO SITE	AT	22 NAREEN PARA NORTH NARRABEE		)				
DO NOT SCALE OFF DRA	AWINGS.								
ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.		COU	NCIL: PITTWATER COUNCIL						
	NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.			A.B.N. 54 OC	00 605 40	7			
		C	Cape Co	SUITE 41, 41 NORTH PARR PHONE: (02)	AMATTA 21 9849 444	5 I 4			
ISSUED FOR THE SOLE WITH THE COMPANY. IT	GN AND PRINT IS THE PROPERTY OF CAPE COD AND IS PURPOSE OF ENTERING INTO A BUILDING CONTRACT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN		AUSTRALIA	BUILDERS LIC	ENCE NO. 5	) 			
PARI WITHOUT WRITTEN	I PERMISSION FROM THE COMPANY.	SHE	ET: 1 OF 8	JOB NO: 776	9/16	11.			

All recommendations outlined in the "Risk Analysis & Management For Proposed First Floor Addition at 22 Nareen Parade North Narrabeen" Prepared by Jack Hodgson Consultants Pty Ltd Dated 5/7/16 are to implemented as required by owner.







Site Plan


No. : 22 Lot. : 47 DP : 11356


AREA: 1334.m<sup>2</sup> (By Tittle)


PITTWATER ROAD











FOR: MR M AND MRS A PERCY

WINDOW SCHEDULE (BASIX A269574)				LIENT.		ALUMINIUM (STEGBAR) WINE	TIMBER WINDOWS:						
STANDARD NOTES:				CLIENT:		STANDARD ALUMINIUM COL PEARL WHITE, PRIMROSE, S	TIMBER WINDOWS, DOOR FRAMES AND DOORS ARE TO BE SUPPLIED CLEAR PRIMED INSIDE AND OUT FOR A PAINT/STAINED FINISH.  STANDARD HARDWARE COLOURS: SATIN CHROME, GOLD, MAHOGANY BRONZE \$ WHITE.						
WINDOWS AND DOORS ARE DRAWN AS VIEWED FROM OUTSIDE			С	CLIENT:		GREY.							
ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS     WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE			H THE B	BUILDER:DATE:		CUSTOM COLOURS AVAILA							
NCC 3.9.2.5						POTTERY.			TERRAIN: 2.5	WIND LOAD	: W 33 N		
	(WI) AAW 0608	COLOUR	GLAZING		SPECIAL NOTES								
	<i>71</i> 3363	PEARL WHITE	SINGLE PYROI LOW-E, (U-VA		TRANSLUCENT FILM BY BUILDER. COMMERCIAL SUB.FRAME								
	NE ELEVATION / ENSUITE	INSECT SCREEN	5.7, SHGC:0.		CONTROLACIONE SOD.I NAME						All recommendati Analysis & Manag	gement For Pr	roposed First
	ALUMINIUM	ALUMINIUM									Floor Addition at 2 Narrabeen" Prepa	22 Nareen Pa ared by Jack I	rade North Hodgson
	AWNING	FIBREGLASS MESH PEARL WHITE	REVEAL					_			Consultants Pty Li implemented as r	td Dated 5/7/	//16 are to
	OPEN		I 40mm								implemented as i	equired by ov	WHEI.
	(W2) AAW 0608	COLOUR PEARL WHITE	GLAZING SINGLE PYROI	LVTIC.	SPECIAL NOTES TRANSLUCENT FILM BY BUILDER.	4							
	NE ELEVATION / W/ID	- LANE WITTE	LOW-E, (U-VA		COMMERCIAL SUB.FRAME			_					
	NE ELEVATION / WIR ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.	.47)									
		ALUMINIUM FIBREGLASS MESH	REVEAL					<b>⊣</b>		$\dashv$			
	AWNING OPEN	PEARL WHITE	140mm					-		$\dashv$			
		COLOUR	GLAZING		SPECIAL NOTES								
	(w3)	PEARL WHITE	SINGLE CLEAR	₹,	ALUMINUM FRAME	-							
	NE ELEVATION / STAIRWELL	INSECT SCREEN	(U-VALUE: 7.6 SHGC: 0.75)		CORINTHIAN BACKDOOR NO. 7 SINGLE CLEAR GLASS								
	ALUMINIUM	ALUMINIUM	31190. 0,737										
	HINGED	FIBREGLASS MESH	REVEAL										
	OPEN	PEARL WHITE	I 40mm										
	(W4) ASW 1318	COLOUR	GLAZING		SPECIAL NOTES								
R F	W-1) ASW 1310	PEARL WHITE	CLEAR/ AIR GA CLEAR, (U-VA		RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.								
	NE ELEVATION / BED I	INSECT SCREEN	5.34, SHGC:	0.67)	COMMERCIAL SUB.FRAME								
	ALUMINIUM	ALUMINIUM											
	SLIDING	FIBREGLASS MESH PEARL WHITE	REVEAL							_			
	OPEN / FIXED		I 40mm										
	(W5) ASW 1310	COLOUR PEARL WHITE	GLAZING  CLEAR/ AIR GA	A D /	SPECIAL NOTES  RESTRICT OPENING TO 125mm TO COMPLY	_				_			
RF	SE ELEVATION / BED	- I LANE WITTE	CLEAR, AIR GA		WITH NCC.			_					
	ALUMINIUM	INSECT SCREEN	5.34, SHGC:	0.67)	COMMERCIAL SUB.FRAME								
		ALUMINIUM FIBREGLASS MESH	REVEAL		-			-					
	SLIDING OPEN / FIXED	PEARL WHITE	I 40mm		1								
		COLOUR	GLAZING		SPECIAL NOTES								
	(W6) ASW 1336 SPECIAL	PEARL WHITE	CLEAR/ AIR GA		COMMERCIAL SUB.FRAME								
F	SW ELEVATION / BED I	INSECT SCREEN	CLEAR, (U-VA 5.34, SHGC:	LUE: 0.67)									
	ALUMINIUM	ALUMINIUM	3.5 1, 51155.	0.07)									
	SLIDING	FIBREGLASS MESH	REVEAL										
	OPEN / FIXED / OPEN	PEARL WHITE	I 40mm										
	(W7) ASW 1312	COLOUR	GLAZING		SPECIAL NOTES								
F		PEARL WHITE	SINGLE CLEAR (U-VALUE: 7.6	₹, 63.	COMMERCIAL SUB.FRAME			_					
	SW ELEVATION / HALLWAY	INSECT SCREEN	SHGC: 0.75)										
	ALUMINIUM	ALUMINIUM FIBREGLASS MESH	DEV/EAT		-								
	SLIDING OPEN / FIXED	PEARL WHITE	REVEAL I 40mm					-					
		COLOUR	GLAZING		SPECIAL NOTES								
	(W8) ASW 0912	PEARL WHITE	SINGLE CLEAR	 ⋜,	TRANSLUCENT FILM BY BUILDER.								
	SW ELEVATION / ENSUITE		(U-VALUE: 7.6 SHGC: 0.75)	63,	COMMERCIAL SUB.FRAME								
	ALUMINIUM	INSECT SCREEN ALUMINIUM	31160: 0.73)										
	SLIDING	FIBREGLASS MESH	REVEAL										
	OPEN / FIXED	PEARL WHITE	I 40mm										
	(W9) CLW 1312	COLOUR	GLAZING		SPECIAL NOTES								
	CLW 1312		SINGLE CLEAR (U-VALUE: 7.6	₹,									
	INTERNAL / STAIRWELL	INSECT SCREEN	SHGC: 0.75)										
	WESTERN RED CEDAR	N/A											
	LOUVRE / INTERNAL OPEN		REVEAL		-								
	OI LIN			1									
for: MR M AND I	MRS A PERCY			AT: 22	2 NAREEN PARADE, NORTH NARE	RABEEN NSW 210	1	scale: 1: NTS s	HEET: 8 OF 8	JOB NO:	7769/16	LC	Cape Cod