

PACKER LAYOUT - FIRST FLOOR

SCALE 1:100

- * STEEL BEAM DIMENSIONS SHOWN IN BRACKETS ARE THE DISTANCE BETWEEN TOP OF EXISTING CEILING JOISTS AND TOP OF NEW STEEL BEAMS
- * PROVIDE 90 X 45 PLATES TO TOP OF STEEL BEAMS B1, B2, B4, B6, B7, B8 \$ B9 TO ALLOW FIXING OF JOISTS OVER
- * SITE WELD CONNECTIONS BETWEEN BEAM 2 \$ 3 AND BEAMS 4 \$ 5
- * PROVIDE FIRE CUT ENDS TO BEAMS WHERE SHOWN CIRCLED

AMENDED FINAL CONSTRUCTION - 16.08.17 AMENDED FINAL CONSTRUCTION - 15.08.17

FOR: MR J & MRS K SWINBURN

FINAL CONSTRUCTION - 10.08.17


AMENDED - 16.08.17 SDS AMENDED - II.07.17 SDS PREPARED - 26.06.17 SDS


SHEET:


OF 9


JOB NO: 7825/16


AT: 62 CARRINGTON ROAD, RANDWICK














COLUMNS 1 - 4 (SC1, SC2, SC3 \$ SC4)

STEEL DETAILS SCALE 1:10

AMENDED FINAL CONSTRUCTION - 16.08.17 AMENDED FINAL CONSTRUCTION - 15.08.17

FOR: MR J & MRS K SWINBURN

FINAL CONSTRUCTION - 10.08.17

AMENDED - 16.08.17 SDS AMENDED - 11.07.17 SDS PREPARED - 26.06.17 SDS

SHEET: 7 OF 9

AT: 62 CARRINGTON ROAD, RANDWICK

JOB NO: 7825/16

