BASIX	COMMITMENTS				
CERTIFICATE NO. A238018					
FIXTL	IRES AND SYSTEMS				
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS				
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED				
INSUI	ATION REQUIREMENTS				
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL				
EXTERNAL WALL: FRAMED (WEATHERBOARD, FIBRO, METAL CLAD)	R1.80 (or R2.20 INCLUDING CONSTRUCTION)				
FLAT CEILING, PITCHED ROOF	CEILING: R3.50 (UP) ROOF: FOIL / SARKING DARK (SOLAR ABSORPTANCE > 0.70)				
GLAZI	NG REQUIREMENTS				
WINDOWS					
W1,W2, W3, \$ W4	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)				
W5,	IMPROVED ALUMINIUM, SINGLE PYROLYTIC LOW- E, (U-VALUE: 4.48, SHGC: 0.46)				
SHAD	DING DEVICES				
WINDOWS					
WI, W2, W3, \$ W4,	EAVE / VERANDAH / PERGOLA / BALCONY >= GOOMM				
W5,	EAVE / VERANDAH / PERGOLA / BALCONY >= 900MM				
	'				

FINAL CONSTRUCTION.

STRI	JCTURAL TIMBER - All to ASA 1684.2		ROVIDE THREE (3) SMOKE DETECTORS AS SH S PER THE NCC - ALL WET AREA WINDOWS TO	OWN & HAVE TOUGHENE	D GLASS.				
WALLS: F5 SOFTWOOD ROOF: ROOF TRUSSES 90 X 35 EXT. STUDS @ .600 CTS TO MANUFACTURERS 70 X 35 INT. STUDS @ .600 CTS DETAILS @ .600 CTS  FLOOR: REFER TO STRUCTURAL LAYOUTS WIND LOAD W 28 N			PROVIDE 300MM BUILD TO 'FLOOR ZONE' FOR AIR CONDITIONING DUCTWORK. CONNECT/INSTALL SIX (6) DOWNLIGHT FITTINGS \$ ONE (1) 3-IN-1 FANLIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER). PROVIDE A VENTIS HOME VENTILATION SYSTEM. METAL LEAF GUARDS TO ALL NEW GUTTERS TO FIRST FLOOR ADDITION.  RE-USE EXISTING SMOKE DETECTORS IF POSSIBLE - ELECTRICIAN TO						
FINISHES			L-USE EXISTING SMORE DETECTORS IT FUSSI HECK FOR COMPLIANCE WITH NCC.	DLL - LLLCTRICIAN	110				
BRICKWORK	N/A	1							
FLOORING	I 9MM STRUCTURAL PARTICLEBOARD								
CLADDING	230mm HARDIPLANK, "SMOOTH" CLADDING FIXED TO 20MM BATTENS OVER POLASTIC INSULATION BLANKET								
WINDOWS - TREND KEYED LOCKS (TERRAIN: 3)	FRAME: PREFINISHED ALUMINIUM								
INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: STAINLESS STEEL	WC	DRKS BY OWNER						
ROOF COVERING	PROVIDE ALL NEW CONCRETE ROOF TILES TO PROPOSED FIRST FLOOR ADDITION	REMOVAL & INSTALLATION OF T.V ANTENNA IF REQUIRED & CONNECT NEW AND EXISTING TV POINTS.     CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/NEW T.V. AERIAL							
ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL	• P	HONE AND/OR DATA CABLING IF REQUIRED. LL WORK ASSOCIATED WITH THE SUPPLY AND	INSTALLATION OF	A DUCTED				
INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES I 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES	• A	AIR CONDITIONING SYSTEM.						
INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. 50x25 BULLNOSE ARCHITRAVE: Ex. 50x25 BULLNOSE	SUPPLY OF STAINLESS STEEL MESHED INSECT SCREEN FOR NEW SLDIIN DOOR.     MAKE GOOD HALL CEILING IN AREA OF SKY TUBE REMOVAL.							
INTERNAL DOORS	PRIMED HARDBOARD HOLLOW CORE CORINTHIAN "COLONIAL"								
STAIRCASE MDF TREADS & PINE	TYPE: CLOSED TIMBER								
RISERS	WIDTH: 900mm								
	RISE: 17 @ 181mm								
	GOING: 240mm (260mm TREAD)	G	FINAL CONSTRUCTION	N.L.	25-02-16				
FASCIA	MATERIAL: PREFINISHED ZINCALUME	F	TO CONTRACTS	5.C.	16-02-16				
	FASCIA COLOUR: DUNE	E	LEVELS ADDED FOR COUNCIL	5.M.	19-01-16				
		D	BASIX ADDED # TO COUNCIL	N.E.	16-12-15				
GUTTERS & DOWNPIPES	= -,	С	DRAFTING AMENDMENTS	5.C.	03-12-15				
(INC: METAL LEAF GUARDS TO GUTTERS)	MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: MANOR RED	В	TO CLIENT	5.C.	16-11-15				
	DOWNPIPE COLOUR: SURFMIST		TECHNICAL	5.C.	29-10-1				
HOT WATER UNIT	CONNECT TO EXISTING	No.	ISSUE	DRAWN	DATE				
			GN CONSULTANT: MARK ALLEN						
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY OWNER	PRO	DPOSED ADDITIONS & ALTERATIC	NS					
THE BRIENT OF WORK	PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER		MS J SNEESBY						
CONDITIONS.	LS SHOWN ON PLAN ARE SUBJECT TO SITE	AT	18 CALVER AVENUE, MOUNT RIVERVIEW, NSW	2774					
DO NOT SCALE OFF DRAWINGS.  ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.		COU	NCIL: BLUE MOUNTAINS						
NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.				54 000 605 40	STREET,				
	GN AND PRINT IS THE PROPERTY OF CAPE COD AND IS PURPOSE OF ENTERING INTO A BUILDING CONTRACT		PHONE	I PARRAMATTA 2 I E: (02) 9849 444 ERS LICENCE NO. I	4				

SHEET: 1 OF 8

G

JOB NO: 7705/15


SPECIAL NOTES


SPECIFICATION SUMMARY


COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.


## EXTERNAL PAINT SCHEDULE


ITEM	BRAND eg. WATTYL	CODE	COLOUR
Balusters	Colorbond		Dune
Soffit Lining	Haymes		Calm
Wall Cladding	Haymes		Calm
Verendah Post	Haymes		Dune














WINDOW SCHED	ULE (BASIX A2380	118)		CLIENT.		ALUMINIUM TREND WINDOWS							
STANDARD NOTES:	,	·		CLILINI:		STANDARD ALUMINUM COLO							
				CLIENT:		EX-STOCK COLOURS: PEARL ANODIC OFF WHITE, ANODI	. WHITE GLOSS, DUNE, STON	IE BEIGE, MONUMENT,					
	ARE DRAWN AS VIEWED FROM	OUTSIDE		OLILIVIT.		ANODIC OFF WHITE, ANODI	C NATORAL MATT, WOODLA	ND GILLI, DETINA DEACK.					
<ul> <li>ALL WINDOWS COME WITH A WINDOW OPENINGS NOT</li> </ul>	TH "REYED ALIRE" LOCKS TED "R" HAVE RESTRICTED OPEN	IINGS TO COMPLY WITE	H THE	BUILDED.	DATE:	DESIGNER'S COLOURS AVAIL	LABLE: WHITE BIRCH, PRIME	OSE GLOSS, HAMMERSLE	Y_				
NCC 3.9.2.5	TED IN TIAVE RESTRICTED OF ER	NINGS TO COMILE WITH	I IIIL	DUILDLK: .	DAIL:	BROWN, TREND SILVER PEA CHARCOAL, IRONSTONE.	ARL, DEEP OCEAN, SURF MIS	T, JASPER, TREND METALLI	C TERRAIN: 3	WIND LC	AD: W 28 N		
		COLOUR	GLAZING		SPECIAL NOTES	CHARCOAL, IRONSTONE.							
	(WI) 55 1224			- A D	SPECIAL NOTES	-							
		ANODIC OIT WIIIL	SINGLE CLI (U-VALUE:	:AK, 7 63									
	N ELEVATION / SITTING	INSECT SCREEN	SHGC: 0.7	7.85, '5)									
	ALUMINIUM	ALUMINIUM	+										
	SLIDING	S/LESS STEEL MESH	REVEAL										
	OPEN / FIXED / OPEN	ANODIC OFF WHITE	I 40mm										
		COLOUR	GLAZING		SPECIAL NOTES								
	(W2) SS 1224	ANODIC OFF WHITE	SINGLE CLI	EAD	RESTRICT OPENING TO 125mm TO COMPLY	+							
		-	(U-VALUE:	-AN, 7.63.	WITH NCC.								
	N ELEVATION / BEDROOM 5	INSECT SCREEN	SHGC: 0.7										
	ALUMINIUM	ALUMINIUM											
	SLIDING	S/LESS STEEL MESH	REVEAL										
	OPEN / FIXED / OPEN	ANODIC OFF WHITE	I 40mm										
		COLOUR	GLAZING		SPECIAL NOTES								
	(W3) 55 06 15	ANODIC OFF WHITE	SINGLE CLI	EAR.	RESTRICT OPENING TO 125mm TO COMPLY								
	E ELEVATION / BEDROOM 5	_	(U-VALUE:	7.63,	WITH NCC.								
R		INSECT SCREEN	SHGC: 0.7	'5)									
	ALUMINIUM	ALUMINIUM											
	SLIDING	S/LESS STEEL MESH											
	OPEN / FIXED	ANODIC OFF WHITE	I 40mm										
		COLOUR	GLAZING		SPECIAL NOTES								
	(W4) 55 0909	ANODIC OFF WHITE	OBSCURE	 D									
	S ELEVATION / SHOWER		TOUGHEN	ED, (OR									
	ALUMINIUM	INSECT SCREEN	U-VALUE: SHGC: 0.7	7.63,									
		ALUMINIUM						┥ ├					
	SLIDING	S/LESS STEEL MESH ANODIC OFF WHITE											
	OPEN / FIXED	/WODIO OTT WITE	I 40mm										
	(W5) QXD 2118	COLOUR	GLAZING		SPECIAL NOTES								
	W3) QXD 2118	ANODIC OFF WHITE	SINGLE PY										
	S ELEVATION / VERENDAH		LOW- E, (U 4.48, SHG	-VALUE:									
	ALUMINIUM	INSECT SCREEN	4.40, 5116	ic: 0.46)									
		BY OWNER	REVEAL		_			-					
	SLIDING OPEN / FIXED		I 40mm		_			-					
	OI EN / I IXED		14011111										
						1							
			-										
			-										
						-							
		_	1										
			<b>L</b> _										
						1							
								_					
								_					
								<u> </u>					
			_										
					_								
					_								
NAC I CNIEEC				1	9 CALL/ED AL/ENLIE NACHAIT DIL/ED		 1	1 1170	0.05.0		7705		
FOR: MS J SNEES	UΙ			AT: I	8 CALVER AVENUE, MOUNT RIVER	VILVV, NUVV 2//4	r	SCALE: 1: NTS SH	HEET: Ø UF Ø	JOB NO:	//05/15	6	Cape Coc
				1									AUSIKALIA