






DP 	Downpipe
MH 	Manhole
RV 	Roof Ventilator
	Smoke Detector
T.V. 	TV Antenna - Owner to relocate as required

**REMOVE & DISPOSE OF
PROBABLE FIBRE-CEMENT
[FC] IN EAVE SOFFITS IN A
MANNER APPROVED BY SAFE
WORK NSW, NSW OEH &
WARRINGAH COUNCIL**

HAZARDOUS MATERIALS SUMMARY

DEMOLITION & DISPOSAL OF PRODUCTS & MATERIAL THAT MAY CONTAIN ASBESTOS [ACM] OR [ACD] IS TO BE "AS FAR AS IS REASONABLY PRACTICABLE" & IN ACCORDANCE WITH SAFE WORK NSW & SAFE WORK AUSTRALIA - CODES OF PRACTICE FOR THE SAFE REMOVAL OF ASBESTOS & ALL OTHER AUTHORITY REQUIREMENTS.

- PROBABLE FIBRE-CEMENT [FC] SHEET TO WET AREA WALLS
- SYNTHETIC MINERAL FIBRE [SMF] BATT INSULATION OVER ALL THE ROOF SPACE
- MINIMUM CEILING DUST OBSERVED WITHIN THE ROOF SPACE
- NIL EXPOSED LEAD BASED PAINTS OBSERVED

REMOVE & DISPOSE OF PROBABLE FIBRE-CEMENT [FC] IN WET AREA WALLS IN A MANNER APPROVED BY SAFE WORK NSW, NSW OEH & WARRINGAH COUNCIL

**REMOVE & DISPOSE
OF SYNTHETIC
MINERAL FIBRE BATT
INSULATION [SMF] IN
ROOF SPACE IN A
MANNER APPROVED
BY NSW OEH &
WARRINGAH COUNCIL**

**REMOVE & DISPOSE OF PROBABLE
FIBRE-CEMENT [FC] IN EAVE SOFFIT,
GABLE ENDS IN A MANNER APPROVED
BY SAFE WORK NSW, NSW OEH &
WARRINGAH COUNCIL**

Proposed First Floor Addition