

SITE SPECIFIC Risk Assessment

Date:		New	✓	Revised		Page	
-------	--	-----	---	---------	--	------	--

TRADE: PAINTER AND DECORATOR

Job No:	7605/14	Client:	STRANG
Address:	44 Newcastle Street, Rose Bay NSW 2029	Supervisor:	Dean Beringer

Key:	"1" action now	"2" action ASAP	"3" action ASAP

- Note 1: Refer to the general Safety Plan and Safe Work Method Statement.
- **Note 2:** Safe work procedures shall be implemented for the supply and use of a *hazardous chemical / substance/s* on site that complies with the material data sheet recommendations and also complies with the requirements of WHS Regulation 2011 Chapter 3 Part 3.2
- **Note 3:** all *manual tasks* to comply with the requirements of Safe Work Australia National Code of Practice for Manual Handling 2009 and /or WorkCover NSW Code of Practice Hazardous manual tasks

Note 4: Review of Control Measures - If there are any tasks that may be included by way of variation to the plans or an alternative approach to the set task, it is a requirement to carry out a "specific Risk Assessment" for the task or tasks.

		Lil	keliho	od		Resu	lt				
Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls	Responsible Person/s	Date
Access to site / work areas - Slips, trips, falls and accessibility - Access ways not clearly defined	Slips, trips and falls		✓			✓		3	Assess travel path and distance to work area Ensure unobstructed access to site and work areas.	Site Supervisor / all 'workers'	
Stored materials - Slips, trips, falls and accessibility - Access ways not clearly defined	Slips, trips and falls		√			✓		2	Assess travel path and distance to work area Ensure unobstructed access to work areas. Provide and maintain barricades to isolate material and to restrict access. Provide designated material storage area.	Site Supervisor / all 'workers'	
Manual tasks	Muscle strain - back injuries and cuts Over exertion or repetitive movements		√			✓		2	Identify the risks and plan the tasks in consultation with the 'workers' Use task specific trained 'workers' and team lifting Rotate 'workers' and vary tasks.	Contractor / all 'workers'	

Job Step / Hazard Potential Harm The state of the state			Lil	celiho	od		Resu	lt				
Plant / equipment Exposure to dust, chemical vapour inhalation / skin and eye allegies irritations. Exposure to lead based paints - Respiratory problems Exposure to lead based paints - respiratory problems Exposure to lead based paints - Skin and eye allegies irritations. Exposure to UV light - glare Biological Exposure to UV light - glare between but yellow allegies irritations. Exposure to UV light - glare between but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to UV light - glare but yellow allegies irritations. Exposure to Light yellow allegies irritations. Exposure to Light yellow allegies irritation with the workers' appropriate PPE. UV light - glare but yellow allegies irritation with the workers' condition with the workers' and plant the tasks in consultation with the workers' contain use I glargies irritations. Exposure to Light yellow allegies irritations and plant the tasks in consu	Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls		Date
Exposure to dust, chemical vapours hazardous chemical vapour inhalation / skin and eye allergies / inhalation / skin and eye allergies / inhalation - problems Exposure to lead based paints - Problems paints paint		Hearing damage		√			✓		2	Use appropriate PPE	All 'workers'	
Exposure to lead based paints - Hazardous chemicals - Biological Hazardous chemicals - Biological Exposure to UV light / weather - UV light / glare temperatures Extreme temperatures Contractor / all workers' Sight damage Leading and survey and the electrical services / point of attachment - Power lines not isolated, covered or enclosed - Working to close to electrical supply - Strong winds causing power lines to swing close to work area - Wet conditions making 'tiger tails' Lasks in consultation with the workers' Apply appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate PPE disposable contact / dust protection. Regularly monitor for airborne dust Reduce exposure where possible. Monitor 'workers' condition Adequate fluid intake Use appropriate sun screen. Wear appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedures necessary to contain dust / Iflaking paint surfaces. Use appropriate procedure necessary to contain dust / Iflaking paint surfaces. Use appropriate procedure necessary to contain dust / Iflaking paint surfaces. Use appropriate procedure necessary to contain dust / Iflaking paint surfaces. Iflaking paint	chemical vapours Hazardous chemical -	vapour inhalation / skin and eye allergies/ irritations. Respiratory		✓			✓		2	and plan the tasks in consultation with the 'workers' Use appropriate PPE - disposable dust / chemical vapour protection. Monitor for chemical vapours / airborne dust/ fibres		
light / weather - UV light - glare Extreme temperatures Sight damage Contact with o/head electrical services / point of attachment - Power lines not isolated, covered or enclosed - Working to close to electrical supply - Strong winds causing power lines to swing close to work area - Wet conditions making 'tiger tails' Skin cancer / sun burn - Dehydration - heat stroke or fatigue 2 Monitor 'workers' condition Adequate fluid intake Use appropriate sun screen. Wear appropriate PPE. Identify that the electrical service is isolated prior to work commencing. Site Supervisor/ Approved person / Contractor / all 'workers' Site Supervisor/ Approved person / Contractor / all 'workers'	based paints - Hazardous chemicals -	respiratory problems Skin and eye		>			✓		2	tasks in consultation with the 'workers' Apply appropriate procedures necessary to contain dust / flaking paint surfaces. Use appropriate PPE - disposable contact / dust protection. Regularly monitor for airborne dust		
Contact with o/head electrical services / point of attachment - Power lines not isolated, covered or enclosed - Working to close to electrical supply - Strong winds causing power lines to swing close to work area - Wet conditions making 'tiger tails' Contract with o/head electrical service is isolated prior to work commencing. Site Supervisor/Approved person / Contractor / all 'workers'	light / weather - UV light - glare Extreme	burn - Dehydration - heat stroke or fatigue		✓			√		2	possible. Monitor 'workers' condition Adequate fluid intake Use appropriate sun screen.	Contractor / all 'workers'	
Carry materials,	o/head electrical services / point of attachment - Power lines not isolated, covered or enclosed - Working to close to electrical supply - Strong winds causing power lines to swing close to work area - Wet conditions making 'tiger tails' ineffective									Identify that the electrical service is isolated prior to work commencing. Provide 'tiger tails' [insulation] - adequately boxed adjacent to scaffold extended an appropriate distance past the boundary	Approved person / Contractor / all 'workers'	

		Lik	keliho	od	I	Result					
Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls	Responsible Person/s	Date
paint tins and tools to ground floor work area - Slips, trips, falls and accessibility -	Muscle strain -back injuries and cuts Slips, trips, falls and accessibility								tasks in consultation with the 'workers' Assess travel path and distance to work area Ensure unobstructed access	'workers'	
Access ways not clearly defined - Manual tasks									to work areas. Use task specific trained 'workers' - rotate 'workers' and vary tasks.		
Carry materials, paint tins and tools up ramp / scaffold - Slips, trips, falls and accessibility - Inadequate fall prevention system - Windy and or wet conditions - Slope of ramp - Manual tasks	Slips, trips and falls from ramp / scaffold/ work platform. Muscle strain - back injuries and cuts		√			✓		2	Identify the risks and plan the tasks in consultation with the 'workers' Assess travel path and distance to work area Ensure unobstructed access to work areas. Guardrails to ramp are in place - ramp surface clean and dry. Scaffold guardrails and work platform is complete - work platform clean and dry. Use task specific trained 'workers' - team lifting and carrying - rotate 'workers' and vary tasks Use smaller container SWMS	Contractor / all 'workers'	
Working at height - scaffold as working platform - Slips, trips, falls and accessibility - Inadequate fall prevention system / working platform Windy and or wet conditions - Gravity - overbalancing Manual tasks	Slips, trips and falls from scaffold / work platform - Fractures, bruises lacerations and personal injuries Muscle sprains / strains		✓			1		3	Identify the risks and plan the tasks in consultation with the 'workers' Assess travel path and distance to work area Ensure unobstructed access to work areas. Scaffold guardrail, work platform and toe boards complete - work platform dry and clean Perimeter and edge protection when working from roof surface.	Site Supervisor / Contractor / all 'workers'	

	Likelihood		od		Resu	lt					
Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls	Responsible Person/s	Date
									Use task specific trained 'workers' in safe working at heights.		
Working at height from roof surface Slips, trips, falls									Identify the risks and plan the tasks in consultation with the 'workers'		
and accessibility -	Slips, trips and falls from work platform / roof								Assess travel path and distance to work area		
/working platform	surface - Fractures, bruises								Ensure unobstructed access to work areas.	Site Supervisor /	
Slips, trips, falls and accessibility -	lacerations and personal injuries		√			✓		3	Perimeter and edge protection when working from roof surface.	Contractor / all 'workers'	
roofing material Windy and or wet conditions -	Muscle sprains / strains								Use task specific trained 'workers' in safe working at		
Gravity - overbalancing									Use appropriate PPE		
Manual tasks									[footwear] Identify the risks and plan the		
Work from extension ladder Slips, trips, falls and accessibility - Windy and or wet conditions Gravity - overbalancing	Fall from ladder.		√		✓			3	task in consultation with the 'workers' Use scaffold as working platform. Use task specific trained and experienced 'workers'. Ensure ladders are at 4:1 slope. Secure ladder at base and top. Ensure workers face the ladder when climbing up and down. Provide and maintain barricades to restrict access to work area. Limit the use of ladders	Contractor / all 'workers'	
Step ladder access to work areas - Slips, trips, falls and accessibility - Gravity - overbalancing	Fall from ladder.		√		✓			2	Identify the risks and plan the task in consultation with the 'workers' Assess travel path and distance to work area Ensure unobstructed access to site and work area. Use trained and experienced	Contractor / all 'workers'	

		Likelihood			Resu	lt					
Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls	Responsible Person/s	Date
									'workers'. Use approved step ladder.		
Carry materials, paint tins and tools up stairs - Slips, trips, falls and accessibility-Manual tasks	Slips, trips and falls on stairs. Back injuries - muscle strain / sprain		✓			✓		2	Limit the use of ladders Identify the risks and plan the task in consultation with the 'workers' Use task specific trained 'workers' and rotate 'workers' SWMS Use smaller containers	Contractor / all 'workers'	
Oil based coatings and solvents - mixing and clean up - Hazardous chemicals - Biological	Inhalation of fumes - respiratory problems. Eye and skin irritations/ allergies		✓			✓		3	Identify the risks / hazards and plan the tasks in consultation with the 'workers' Substitute material with safer low to no volatile organic compounds [VOC] and avoid contact with skin and eyes. Monitor air quality for chemical vapours Use task specific trained 'workers'. Use appropriate PPE. Provide SDS.	Contractor / all 'workers'	
Application of surface coating - Slips, trips, falls and accessibility - Inadequate fall prevention system /working platform Windy and or wet conditions Gravity - overbalancing Manual tasks - Hazardous chemicals - Biological	Slips, trips and falls from scaffold / work platform / roof surface Muscle strain - back injuries Over exertion or repetitive movements. Inhalation of fumes - respiratory problems. Eye and skin irritations/ allergies		✓			✓		3	Identify the risks / hazards and plan the tasks in consultation with the 'workers' Use task specific trained and experienced 'workers'. Rotate 'workers' and vary tasks Ensure adequate ventilation and lighting for internal work. Monitor for chemical vapours and airborne dust Use of appropriate PPE. Provide SDS	Contractor / all 'workers'	

		Likelihood			I	Resu	lt				
Job Step / Hazard	Potential Harm	Likely	Possible	Unlikely	Major	Severe	Minor	Priority	Possible Controls	Responsible Person/s	Date
Painting of gable, barges, eaves, and windows - Slips, trips, falls and accessibility - Inadequate fall prevention system / working platform Gravity - overbalancing - Windy and or wet conditions - Manual tasks	Slips, trips and falls from scaffold / work platform / roof surface Fall from ladder Muscle sprains /strains		\		√			2	Identify the risks and plan the tasks in consultation with the 'workers' Use scaffold as working platform. Perimeter and edge protection when working from roof surface. Use task specific trained and experienced 'workers'. Ensure ladders are at 4:1 slope. Secure ladder at base and top. Ensure 'workers' face the ladder when climbing up and down. Limit the use of ladders	Contractor / all 'workers'	
Site clean up on completion of work Manual tasks Exposure to dust - Hazardous chemicals Biological -	Inhalation of dust - respiratory problems. Eye and skin irritations / allergies Personal injuries - cuts and abrasions.		√			✓		3	Place all associated painting material waste and rubbish in the designated waste area / skip bin Leave site / work area in a clean and tidy condition Remove any temporary barricades if no longer required	Contractor / all 'workers'	

Australia Pty. Limited work site.

Company Name:

Signed by:

for and on behalf of: Cape Cod Australia Pty. Limited

Signed by:

ABN: 54 000 605 407

Builder's Licence No.: 5519

ABN:

Address:

Phone:
Fax:
Email:

I / We have consulted with Cape Cod Australia Pty. Limited and have mutually agreed on the above procedures. This risk assessment provides details on how I / we will manage my / our work on this Cape Cod