

Category 3

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Hydrochloric acid 20-37%

Product Code ACR38779, ACR38780, ACR38930, ACR38931, ACR44439, ACR12462, ACR12463,

> ACR42379, ACR45055, ACR45056, AJA1607, AJA2224, AJA5410, AJA715, AJA1367, APPA2427, FSBH/1100, FSBA466, FSBH/1196, FSBH/1205, FSBH/1111, FSBH/1150, FSBH/1185, FSBH1190, FSBH/1196, FSBH/1200, FSBH/1202, FSBA508, FSBH/1180, ,

ALFL13091, ALF035607, ALF044921, ALF087617, ALF010990

Address ThermoFisher Scientific Australia Pty Ltd

> 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address auinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Acute Inhalation Toxicity - Vapors Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Category 1 A Category 1

Environmental hazards

No hazards identified

Label Elements





AUS-000634 Version 1 19-Sep-2017 Page 1/8

Signal Word Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %		
Hydrogen chloride	7647-01-0	20-37		

Section 4 - First Aid Measures

Inhalation If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move to fresh air. Immediate

medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

AUS-000634 Version 1 19-Sep-2017 Page 2 / 8

Notes to Physician

Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Hydrogen chloride		Ceiling: 5 ppm	Ceiling: 2 ppm	STEL: 5 ppm 15 min	TWA: 2 ppm (8
		Ceiling: 7.5 mg/m ³		STEL: 8 mg/m ³ 15 min	Stunden). AGW -
				TWA: 1 ppm 8 hr	exposure factor 2
				TWA: 2 mg/m ³ 8 hr	TWA: 3 mg/m³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 2 ppm (8
					Stunden). MAK
					TWA: 3.0 mg/m ³ (8
					Stunden). MAK

AUS-000634 Version 1 19-Sep-2017 Page 3/8

	Höhepunkt: 4 ppm Höhepunkt: 6 mg/m³
--	--

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Butyl rubber	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

> other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

> > Method - No information available

and maintenance of repiratory protective devices

Recommended Filter type: Particle filter Particulates filter conforming to EN 143 Acid gases filter Type E Yellow (or

AUS/NZ equivalent)

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) Recommended half mask:-

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

No information available. **Environmental exposure controls**

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear Liquid **Physical State**

Evaporation Rate

No information available Odor **Odor Threshold** No data available рΗ No data available <1.0 **Melting Point/Range** -35 °C / -31 °F **Softening Point** No data available

Boiling Point/Range 57 °C / 134.6 °F Flash Point Not applicable

Flammability (solid,gas) Not applicable Liquid

No data available

AUS-000634 Version 1 19-Sep-2017 Page 4/8 Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density

Bulk Density

No data available

Not applicable

Liquid

Water Solubility
Solubility
Solubility in other solvents
Solubile in water
No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

Other information

Molecular Formula HCI Molecular Weight 36.5

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information (a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met

Inhalation Category 3

Toxicology data for the components

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
I	Hydrogen chloride	LD50 238 - 277 mg/kg (Rat)	LD50 > 5010 mg/kg (Rabbit)	LC50 = 1.68 mg/L (Rat) 1 h	
-					

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratoryNo data availableSkinNo data available

(e) germ cell mutagenicity; No data available

AUS-000634 Version 1 19-Sep-2017 Page 5/8

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available (h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** (i) aspiration hazard; No data available

delaved

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrogen chloride	LC50: = 282 mg/L, 96h			
	static (Gambusia affinis)			

Persistence and Degradability

Persistence Persistence is unlikely, based on information available.

Bioaccumulative Potential Bioaccumulation is unlikely

Mobility The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Disposal Considerations

Waste from Residues / Unused **Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Large

amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

IMDG/IMO

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID

Hazard Class Ш **Packing Group**

ADG

AUS-000634 Version 1 19-Sep-2017 Page 6/8

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID

Hazard Class 8
Packing Group III

Component	Hazchem Code
Hydrogen chloride	2RE
7647-01-0 (20-37)	2R

IATA

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID

Hazard Class 8
Packing Group

Environmental hazards No hazards identified

Special PrecautionsNo special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Hydrogen chloride	Χ	Х	231-595-	-	Х	Х		Χ	Х	Χ	Χ
			7								

Standard for the Uniform Scheduling of Medicines and

Poisons

Component	Standard for the Unifo	rm Scheduling of	Health Surveillance	
	Medicines and	d Poisons		
Hydrogen chlor	ride Schedule 5 listed - ex	cept its salts and		
	derivatives;in prepar	ations except in		
	preparations contai	ning <=0.5% of		
	Hydrochloric acid;or for	or therapeutic use		
	Schedule 6 listed - ex	cept its salts and		
	derivatives;except w	derivatives;except when included in		
	Schedule 5;in preparati	Schedule 5;in preparations for therapeutic		
	use;or in preparations of	ontaining <=0.5% of		
	Hydrochlor	ic acid		
Component	Seveso III Directive (2012/18/EC) - Qualifyi	ng Seveso III Dire	ective (2012/18/EC) - Qualifying Quantities	
	Quantities for Major Accident Notification	n fo	r Safety Report Requirements	
Hydrogen chloride	25 tonne	250 tonne		
	Component	Australian - Illicit I	Drug Precursors/Reagents Substance List	
Ну	drogen chloride	Category 3		

Prohibition or notification/licensing Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

IMO/IMDG - International Maritime Organization/International Maritime

AUS-000634 Version 1 19-Sep-2017 Page 7/8

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

VOC - Volatile Organic Compounds

Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Environmental hazards

On basis of test data
Calculation method
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Revision Date 19-Sep-2017 **Revision Summary** Update to Format.

This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-000634 Version 1 19-Sep-2017 Page 8/8