


BASIX COMMITMENTS (CDC) CERTIFICATE NO. A2277 I FIXTURES AND SYSTEMS			BASIX CO	DMMITMENTS (DA)	SPFC	IFICATION SUMMARY	SPECIAL NOTES PROVIDE THREE (3) SMOKE DETECTORS AS SHOWN			
			CERTIFICATE NO. A228186		_	CUCTURAL TIMBER - All to ASA 684.2				
			<u> </u>	 JRES AND SYSTEMS	WALLS: F5 SOFTWOOD					
LIGHTING	MIN 40% OF NEW OR AL TO BE FITTED WITH FLUC FLUORESCENT OR LIGHT- (LED) LAMPS	RESCENT, COMPACT	LIGHTING	IGHTING MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS MX 35 EXT. STUDS @ .600 CTS TO X 35 INT. STUDS @ .600 CTS 1 I OMM BRICKWORK WITH ENGAGED PIERS WHERE SHOWN (PROPOSED GARAGE) FLOOR: REFER TO STRUCTURAL LAYOUTS		TO MANUFACTURERS DETAILS @ .600 CTS ITH ENGAGED PIERS DETAILS @ .600 CTS WIND LOAD W 33 N	FAN/LIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER). RELOCATE ELECTRICAL POA - PROVIDE TEMPORARY POWER POLE DURING CONSTRUCTION. ROUGH IN SERVICES FOR NEW KITCHEN FIT-OUT BY OWNER. PROVIDE SINGLE SHELF # HANGING RAIL TO WIR # BIR WALLS WHERE SHOWN.			
WET AREAS: NEW OR ALTERED		AR RATED AR RATED	INSULATION REQUIREMENTS		FINISHES		LINEN CUPBOARDS TO HAVE FIVE (5) OFF SHELVES.			
	TAPS 3 ST	TAPS 3 STAR RATED		NIL	BRICKWORK	COMMON BRICKWORK FOR RENDER # PAINT FINISH TO PROPOSED GARAGE				
FLOOR ABOVE EXISTING	NSULATION REQUIREMENTS NIL		EXTERNAL WALL: OTHER/ UNDECIDED	R1.70 (INCLUDING CONSTRUCTION)	LOOKING	I 9MM STRUCTURAL PARTICLEBOARD				
DWELLING OR BUILDING EXTERNAL WALL FLAT CEILING.	NIL CEILING: R 1.45 (UP)		INTERNAL WALL SHARED WITH GARAGE: PLASTERBOARD	NIL	CLADDING	REINFORCED CONCRETE SLAB ON GROUND TO ENGINEERS DETAIL (PRPOSED GARAGE) 75mm POLYSTYRENE WALL SHEETING WITH APPLIED				
PITCHED ROOF	ROOF: FOIL BACKED BLA DARK (SOLAR ABSORPT)		(RO.36) FLAT CEILING, PITCHED ROOF	CEILING: R 1.45 (UP) ROOF: FOIL/ BACKED BLANKET (55MM)	WINDOWS - TREND	TEXTURE PAINT FINISH FIXED TO 20MM BATTENS OVER POLASTIC INSULATION BLANKET FRAME: PREFINISHED ALUMINIUM				
SKYLIGHTS	GLAZING REQUIREMENTS		GLAZ	DARK (SOLAR ABSORPTANCE >0.70) ING REQUIREMENTS	KEYED LOCKS (TERRAIN: 3)					
SI	TIMBER, LOW E INTERNAL/ ARGON FILL/ CLEAR EXTERNAL, (U-VALUE: 2.5, SHGC: 0.456)		WINDOWS		INSECT SCREENS: TO ALL NEW OPERABLE	FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS				
G	LAZING REQUIREMENTS		WI	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)	WINDOW SASHES	WEST. FIBRESE OS	WORKS BY OWNER • REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRE	ED # CONN	NECTION TO	
WINDOWS	CTANDARD AND THE	CINCLE PURCLUSIO	W2- W3	STANDARD ALUMINIUM, SINGLE CLEAR, (OR	ROOF COVERING	PRE-FINISHED ZINCALUME ROOF SHEETING PROFILE: CUSTOM ORB COLOUR: SELECT COLOUR	NEW AND EXISTING TV POINTS. CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR NEW T.V. AERIAL PHONE AND/OR DATA CABLING AS REQUIRED. ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF THE NEW KITCHEN CUPBOARDS AND APPLIANCES INCLUDING CONNECTION TO THE PLUMBING AND DRAINAGE AND SUPPLY/INSTALLATION OF ANY			
W5, W12- W16, W28, W2 W31	STANDARD ALUMINIUM, LOW-E, (OR U-VALUE: 5		W2- W3	U-VALUE: 7.63, SHGC: 0.75)	ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL				
W6- W11, W17- W24 \$ W	/30 STANDARD ALUMINIUM, U-VALUE: 7.63, SHGC:		WINDOWS	DING DEVICES	INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA I 2mm POLASTIC INSULATION BLANKET TO FIRST				
	SHADING DEVICE		WI - W3 EAVE / VERANDAH / PERGOLA / BALCONY		NITERNAL FIVENCE	FLOOR EXTERNAL WALL FRAMES	SPLASHBACKS. SUPPLY SIXTY (60) DOWNLIGHT FITTINGS \$ THREE (3) FAN/LIGHT/HEATER UNIT.			
5KYLIGHTS		>= 450MM		INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. 100x25 HALF SPLAY ARCHITRAVE: Ex. 100x25 HALF SPLAY	RELOCATE PHONE/CABLE POA AS REQUIRED. SAND & FINISH NEW T & G FLOORING AS REQUIRED. ALL WORK ASSOCIATED WITH ALTERATION/RELOCATION OF EXISTING AIR				
SHADING DEVICES				INTERNAL DOORS	PRIMED HARDBOARD HOLLOW CORE CORINTHIAN "STANFORD" CONDITIONER UNITS AS REQUIRED. ALL WORK ASSOCIATED WITH ALTERATION/RELOCATION OF EXIST					
WINDOWS				STAIRCASE	SECURITY / SURVEILLANCE SYSTEM. TAIRCASE TYPE: CLOSED TIMBER					
W5- W7, W12- W14, W16-W 24, W30 \$ W31	EAVE / VERANDAH / PERO >= GOOMM	GOLA / BALCONY			MAPLE TREADS \$ RISER:					
W8-WII	NONE					RISE: 18 @ 181mm				
W 15, W28 \$ W29		GOLA / BALCONY				GOING: 240mm (260mm TREAD)	G FINAL CONSTRUCTION	N.E.	14-10-15	
					FASCIA BOARDS	MATERIAL: PREFINISHED ZINCALUME FASCIA COLOUR: SELECT COLOUR	F TO CONTRACTS	5.C.	02-10-15	
							E PLANS AMENDED TO SUIT DA \$ CDC LODGED PLANS	6 N.L.	14-09-15	
							D POV	S.C.	12-08-15	
					GUTTERS # DOWNPIPES	TYPE: QUAD MATERIAL: PREFINISHED ZINCALUME	C TO CLIENT	S.C.	24-07-15	
						GUTTER COLOUR: SELECT COLOUR	B POV 16730 \$ SURVEY ADDED	5.C.	06-07-15	
						DOWNPIPE COLOUR: SELECT COLOUR	A TECHNICAL	A.M.	20-05-15	
				HOT WATER UNIT	CONNECT TO EXISTING	No. ISSUE DRAWN DATE				
						DESIGN CONSULTANT: PETER BROWN				
				PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD		PROPOSED ADDITIONS & ALTERATIONS				
EXTERNAL P	'AINT SCHEDL	ILE	1			PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER	FOR MR M EADIE & MRS K SMIT-EA	AUIE		
ITEM	BRAND CODE eg. WATTYL	COLOUR	1		FINISHED GROUND LEVE CONDITIONS.	ELS SHOWN ON PLAN ARE SUBJECT TO SITE	AT 45 BAKER STREET OATLEY NSW 2223			
Downpipe (Colorbond				DO NOT SCALE OFF DR	AWINGS.	COLINGIA HUBET WAS			
	Colorbond Colorbond		_		ALL DIMENSIONS SHOW MEASURE DURING CON	VN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE STRUCTION.	COUNCIL: HURSTVILLE			
	Colorbond		-		NO ALLOWANCE HAS BE	EEN MADE FOR SHRINKAGE OR MILLING.	A.B.N. 54 OO			
Soffit Lining			-				Cape Cod SUITE 41, 41	O CHURCH	H STREET,	
Wall Cladding			-		CODYDIANT TWO SEE	ION AND PRINT IS THE PROPERTY OF SUPERCOST.		9849 444	14	
3	Trend		-		ISSUED FOR THE SOLE	IGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS PURPOSE OF ENTERING INTO A BUILDING CONTRACT	A U S T R A L I A BUILDERS LICI	LNCE NO.	2219	
Insect Screen			1			MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PERMISSION FROM THE COMPANY.	700			
			1				SHEET: OF O JOB NO: 766	6/15	G	






Legend

WLy Wall Light











Garage Plan

FOR: MR M EADIE & MRS K SMIT-EADIE









WINDOW SCHED	ULE (BASIX A2277	·)		CLIENT:		ALUMINIUM TREND WINDC				
STANDARD NOTES:					EX-STOCK COLOURS: PEA	STANDARD ALUMINUM COLOURS: EX-STOCK COLOURS: PEARL WHITE GLOSS, DUNE, STONE BEIGE, MONUMENT,				
	ARE DRAWN AS VIEWED FROM	OUTSIDE		CLIENT:		ANODIC OFF WHITE, AND	DIC NATURAL MATT, WOODLAN	ID GREY, ULTRA BLACK.		
 ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE 					DATE:		DESIGNER'S COLOURS AVAILABLE: WHITE BIRCH, PRIMROSE GLOSS, BROWN, TREND SILVER PEARL, DEEP OCEAN, SURF MIST, JASPER, TREND METALLIC			
NCC 3.9.2.5						CHARCOAL, IRONSTONE.	LI OCEAN, SON MIST, SASIEN	, TREND METALLIC	TERRAIN: 3	WIND LOAD: W 33 N
	(WI)	COLOUR	GLAZING		SPECIAL NOTES		SD TO SUIT EXISTING	COLOUR	GLAZING	CITE CHECK TO CHIT EVICTING
		_						_	SINGLE CLEAR, (U-VALUE: 7.63,	SITE CHECK. TO SUIT EXISTING OPENING
DELETED		INSECT SCREEN					SW ELEVATION / LAUNDRY ALUMINIUM	INSECT SCREEN	SHGC: 0.75)	OBSCURE FILM BY BUILDER
		+	REVEAL		_		ALDIVINIDIVI	_	REVEAL	
			INE V ET LE		_	_	FIXED		170mm	
	SS TO SUIT EXISTING	COLOUR	GLAZING		SPECIAL NOTES		66 1218	COLOUR	GLAZING	
	W2 SS TO SUIT EXISTING OPENING		SINGLE CLE		SITE CHECK, TO SUIT EXISTING OPENING		(WII) 55 1218		SINGLE CLEAR,	
	NE ELEVATION / BEDROOM 5	INSECT SCREEN	(U-VALUE: 7 SHGC: 0.75		OFLINING		SW ELEVATION / BEDROOM	1 5 INSECT SCREEN	(U-VALUE: 7.63, SHGC: 0.75)	
	ALUMINIUM	ALUMINIUM					ALUMINIUM	ALUMINIUM		
	SLIDING OPEN / FIXED	FIBREGLASS MESH	REVEAL 170mm		_		SLIDING OPEN / FIXED	FIBREGLASS MESH	REVEAL 170mm	_
	,	COLOUR	GLAZING		SPECIAL NOTES		OF LIN / TIXLD	COLOUR		
	W3 SF TO SUIT EXISTING OPENING	COLOUR	SINGLE CLE	AR	SITE CHECK, TO SUIT EXISTING		(W12) SA 1209	COLOUR	GLAZING SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY
	NE ELEVATION / HALL		(U-VALUE: 7	'.63,	OPENING		NW ELEVATION / BEDROOM	1 4	LOW-E, (U-VALUE:	WITH NCC.
	ALUMINIUM	INSECT SCREEN	SHGC: 0.75	o)			ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)	
	FIXED	N/A	REVEAL			V R	AWNING	ALUMINIUM FIBREGLASS MESH	REVEAL	
	FIXED		170mm		7		OPEN		I 40mm	
	(W4) CF 2109 DS	COLOUR	GLAZING		SPECIAL NOTES		W13) SA 1018	COLOUR	GLAZING	
		_	SINGLE PYRI LOW-E, (U-V						SINGLE PYROLYTIC LOW-E, (U-VALUE:	RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.
	NE ELEVATION / ENTRY	INSECT SCREEN	5.7, SHGC:				NW ELEVATION / BEDROOM	1 3 INSECT SCREEN	5.7, SHGC:0.47)	
	ALUMINIUM		DEVEAT		_		ALUMINIUM	ALUMINIUM FIBREGLASS MESH	REVEAL	_
	HINGED OPEN		REVEAL 170mm		-		AWNING OPEN / FIXED	I IDREGLASS MEST	140mm	
	SSD TO SUIT EXISTING	COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	
	W5 SSD TO SUIT EXISTING OPENING		SINGLE PYR		TO SUIT EXISTING OPENING WIDTH		W14) SA 450 X 1810		SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY
	NW ELEVATION / LIVING	INSECT SCREEN	LOW-E, (U-V 5.7, SHGC:		(SITE CHECK)		NE ELEVATION / BEDROOM	3 INSECT SCREEN	LOW-E, (U-VALUE: 5.7, SHGC:0.47)	WITH NCC.
	ALUMINIUM	INSECT SCIEET		,			ALUMINIUM	ALUMINIUM	,	
	SLIDING		REVEAL				AWNING	FIBREGLASS MESH	REVEAL	
	OPEN / OPEN / FIXED	0010115	170mm				OPEN / FIXED	0010110	I 40mm	
	W6 SS TO SUIT EXISTING OPENING	COLOUR	GLAZING SINGLE CLE	Λ.P.	SPECIAL NOTES SITE CHECK, TO SUIT EXISTING		W15) SA 1218	COLOUR	GLAZING SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY
	SE ELEVATION / LIVING		(U-VALUE: 7	7.63,	OPENING		NE ELEVATION / BEDROOM	2	LOW-E, (U-VALUE:	WITH NCC.
	ALUMINIUM	INSECT SCREEN ALUMINIUM	SHGC: 0.75	o)			ALUMINIUM	INSECT SCREEN ALUMINIUM	5.7, SHGC:0.47)	
	SLIDING	FIBREGLASS MESH	REVEAL				AWNING	FIBREGLASS MESH	REVEAL	
	OPEN / FIXED / OPEN		170mm				OPEN / FIXED		I 40mm	
	(W7) SXD 2118	COLOUR	GLAZING		SPECIAL NOTES		W16 SA 1215	COLOUR	GLAZING	DESTRUCT OPENING TO LOS TO COMPLY
		4	SINGLE CLE (U-VALUE: 7						SINGLE PYROLYTIC LOW-E, (U-VALUE:	RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.
	SW ELEVATION / LIVING ALUMINIUM	INSECT SCREEN	SHGC: 0.75	5)			NE ELEVATION / BEDROOM ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)	
	SLIDING	-	REVEAL		-		AWNING	ALUMINIUM FIBREGLASS MESH	REVEAL	
	OPEN / FIXED		170mm		7		OPEN / FIXED		1 40mm	
	(W8) SSD 2100 X 5420	COLOUR	GLAZING		SPECIAL NOTES		W17) SA 1200 X 3600	COLOUR	GLAZING	
	(W8) SSD 2100 X 5420		SINGLE CLE		SITE CHECK. TO SUIT EXISTING OPENING WIDTH		W17) SA 1200 X 3600		SINGLE CLEAR,	RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.
	SE ELEVATION / DINING	INSECT SCREEN	(U-VALUE: 7 SHGC: 0.75		OF ENING WIDTH		SE ELEVATION / BEDROOM	INSECT SCREEN	(U-VALUE: 7.63, SHGC: 0.75)	Will NOO.
	ALUMINIUM	ALUMINIUM				/ _R	ALUMINIUM R	ALUMINIUM		
	STACKER FIXED / OPEN / OPEN / OPEN /	FIBREGLASS MESH	REVEAL 170mm		_		AWNING OPEN / FIXED / OPEN	FIBREGLASS MESH	REVEAL I 40mm	
	OPEN / FIXED	COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	
	(w9) SF 600 x 3000	COLOUR	SINGLE CLE	AR,	TOUGHENED GLASS		W18) SA 0606	COLODIC	SINGLE CLEAR,	OBSCURE FILM BY BUILDER.
	SW ELEVATION / KITCHEN	INCECT CORES	(U-VALUE: 7 SHGC: 0.75	'.6 ³ ,	OBSCURE FILM BY BUILDER		SW ELEVATION / WIR		(U-VALUE: 7.63, SHGC: 0.75)	
	ALUMINIUM	INSECT SCREEN	100.0.75	· /			ALUMINIUM	INSECT SCREEN ALUMINIUM	5/160. 0.73)	
	FIXED / FIXED / FIXED		REVEAL		7				REVEAL	
FOR: MR M EADIE	# MRS K SMIT-EA	DIE		AT: 4	5 BAKER STREET OATLEY NSV	V 2223	SC	ALE: 1: NTS SHE	ET: 9 OF 10	JOB NO: 7666/15 G Cape Coc

March Marc	WINDOW SCHEDULE (BASIX A2277 I I)						ALUMINIUM TREND WINDOWS:					
Compared Compared Security Compared Secu	STANDARD NOTES: CLIENT:						EX-STOCK COLOURS: PEARL WHITE GLOSS, DUNE, STONE BEIGE, MONUMENT,					
### Company Security 11 (Block of State Security 11 (Block	WINDOWS AND DOORS ARE DRAWN AS VIEWED FROM OUTSIDE											
Commonweal Part Commonweal	WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE					DATE:	TREND SILVER PEARL, DEEP OCEAN, SURF MIST, JASPER, TREND METALLIC			TERRAIN: 3 WIND LOAD: W 33 N		
Company Comp		W19 64 0000	COLOUR	GLAZING				M28 AF TO SUIT EXISTING	COLOUR	GLAZING		
Miles Section Sectio		W19 5A 0606						OPENING				
March Marc		SW ELEVATION / ENSUITE	INSECT SCREEN	SHGC: 0.7	7.63, 75)	TOUGHENED GLASS		NE ELEVATION / HALLWAY	INSECT SCREEN		(STE CILCA)	
March Marc		ALUMINIUM	ALUMINIUM					ALUMINIUM				
December Control Con			FIBREGLASS MESH									
Company Comp		OPEN										
STEEP OF US STEEP STEEP OF US STEEP STEEP OF US		(W20) SA 0606	COLOUR			ORCOURS SHAM BY OMAISE		W29 AF TO SUIT EXISITING	COLOUR		TO 0117 51407110 0 0 511110	
Application Control of Contro			_						-	LOW-E, (U-VALUE:		
Marked Professional Control Professiona			INSECT SCREEN						INSECT SCREEN	5.7, SHGC:0.47)		
Section Sec				DEV/EAT				<u> </u>	N/A	DEV/EAL	_	
Accided Control Accided			I IDRLGLASS MILSII			-				-		
Color Colo			COLOUP						COLOUP			
The Prince Pri		(W21) SA 0606	COLOUR	_	FAR	OBSCURE FILM BY OWNER.		(W30) SA 0618	COLOUR			
MILETER STATE MILETER STAT		SW FLEVATION / BATH		(U-VALUE:	7.63,	TOUGHENED GLASS		SW FLEVATION / RUMPUS	(U-VALUE: 7.63,			
### ALPH				SHGC: 0.75)	75)					SHGC: 0.75)		
CONT				REVEAL		-				REVEAL		
### Secretary Process				I 40mm		7						
March Marc			COLOUR	GLAZING				(4/2)	COLOUR	GLAZING		
Memory M		(W22) SA 0606						W31) SA 1218		SINGLE PYROLYTIC		
Althornia Authoria County Coun		SW ELEVATION / BATH	INGECT SCREEN			TOUGHENED GLASS		NE ELEVATION / RUMPUS	INGECT COREEN			
Manual Control Manu		ALUMINIUM			, 0,			ALUMINIUM		-		
COLOUR C				REVEAL						REVEAL		
Section Sect		OPEN		I 40mm				OPEN / FIXED		I 40mm		
WILENATION WILL		W23) SE 1809	COLOUR	_								
### SECOND SPECIAL STATES SPECIAL ST		31 1000										
First			INSECT SCREEN			TOURIENED OF OR						
FINED		ALUMINIUM										
COLONIX CALANG		FIXED				_						
NECC SA 1215 Set 2012 Set												
WITH NCC.		(W24) SA 1215	COLOUR		EAD	RESTRICT OPENING TO 1.25mm TO COMPLY	4					
AUDWINUM				(U-VALUE:	7.63,				-			
AWAING		· ·	INSECT SCREEN	SHGC: 0.7	75)							
COLUR GLAZING SINGLE PROLYTIC COLUR GLAZING COLUR GLAZING COLUR GLAZING COLUR GLAZING COLUR GLAZING COLUR	V R			RF\/FAI					-		_	
COLOUR GLAZING SINGLE PYROLYTIC SINGLE PYROLYTIC SINGLE PYROLYTIC COVER, (LIVABLE) S. 7, 916C;0.47) SIDDING SIDDING SIDDING SIDDING SIDDING SIDDING SIDDING SIDDING SIDDING SINGLE PYROLYTIC COVER, (LIVABLE) SINGLE PYROLYTIC COVER, (LIVABLE) SINGLE PYROLYTIC COVER, (LIVABLE) SIDDING SIDDIN											1	
SHIGE PROVIDE SHIGE PROVID			COLOUR									
SWEED-ALDMINDM		(W25)										
ALUMINIUM SLIDING OPEN / FIX FIRECALASS MESH SINGLE PROLYTIC LOW-E, (IV-VALUE: S.7, SHGC: 0.47) ALUMINIUM ALUMINUM SUDING OPEN / FIX FIRECALASS MESH FIRECALAS		SW ELEVATION / GARAGE	INSECT SCREEN									
SLIDING		ALUMINIUM										
W2 S 50 91 2 SW ELEVATION / GARAGE ALLUMINIUM SUDING OPEN / FIX W2 S 50 91 2 COLOUR SINGLE PYROLYTIC LOW-E, (LI-VALUE: 5.7, 5HGC:0.47) ALLUMINIUM FIBREGLASS MESH REVEAL COLOUR GLAZING SINGLE PYROLYTIC LOW-E, (LI-VALUE: 5.7, 5HGC:0.47) SINGLE PYROLYTIC LOW-E, (LI-VALUE: LOW-E, (LI-VALUE: 5.7, 5HGC:0.47) ALLUMINIUM SUDING OPEN / FIX ALLUMINIUM ALLUMINIUM FIBREGLASS MESH REVEAL				REVEAL								
SINGLE PYROLYTIC LOW-E, (U-VALUE: S.7, SHGC:0.47) ALUMINIUM ALUMINIUM FIBREGLASS MESH REVEAL Very SS 09 2		OPEN / FIX										
SW ELEVATION / GARAGE INSECT SCREEN 5.7, SHGC:0.47) ALUMINIUM SLIDING OPEN / FIX M22 SS 0912 NE ELEVATION / GARAGE ALUMINIUM SLIDING OPEN / FIX COLOUR SINGLE PROLYTIC LOW-E, U-VALUE: 5.7, SHGC:0.47) SINGLE SCREEN 5.7, SHGC:0.47) SINGLE PROLYTIC LOW-E, U-VALUE: 5.7, SHGC:0.47) SLIDING OPEN / FIX REVEAL REVEAL EVEAL		W26 55 0912	COLOUR									
SW ELEVATION / GARAGE ALUMINUM ALUMINUM FIBREGLASS MESH COLOUR SINGLE PYROLYTIC LOW-E, (I-VALUE: 5.7, SHGC:0.47) ALUMINUM SLIDING OPEN / FIX SINGLE PYROLYTIC LOW-E, (I-VALUE: 5.7, SHGC:0.47) ALUMINUM ALUMINUM FIBREGLASS MESH REVEAL SINGLE PYROLYTIC LOW-E, (I-VALUE: 5.7, SHGC:0.47) ALUMINUM FIBREGLASS MESH REVEAL			_									
SLIDING OPEN / FIX FIREGLASS MESH FIBREGLASS M			INSECT SCREEN							1		
OPEN / FIX OPEN / FIX OPEN / FIX OPEN / FIX COLOUR GLAZING SINGLE PYROLYTIC LOW-E, (U-VALUE: LOW-E, (U-VALUE: S.7, SHGC:0.47) ALUMINIUM ALUMINIUM SLIDING OPEN / FIX FIBREGLASS MESH REVEAL				DE1/541								
COLOUR GLAZING SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) ALUMINIUM ALUMINIUM SLIDING OPEN / FIX COLOUR GLAZING SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) FIBREGLASS MESH REVEAL			FIDREGLASS MESH	REVEAL							\dashv	
NE ELEVATION / GARAGE ALUMINIUM SLIDING OPEN / FIX SINGLE PYROLYTIC LOW-E, (U-VALUE: 5.7, SHGC:0.47) ALUMINIUM FIBREGLASS MESH REVEAL			COLOUP	CLAZING								
NE ELEVATION / GARAGE ALUMINIUM ALUMINIUM SLIDING OPEN / FIX LOW-E, (U-VALUE: 5.7, SHGC:O.47) REVEAL		(W27) 55 09 12	COLOUR		ROLYTIC							
ALUMINIUM ALUMINIUM SLIDING OPEN / FIX STORES S.7, STIGC:0.47) REVEAL		NE FLEVATION / GARAGE		LOW-E, (U-	-VALUE:							
SLIDING OPEN / FIX REVEAL				5./, SHGC	J:U.4 ⁷ /)							
OPEN / FIX				REVEAL		†						
OR: MR M EADIE # MRS K SMIT-EADIE AT: 45 BAKER STREET OATLEY NSW 2223												
	or: MR M FADIF	E \$ MRS K SMIT-FA	DIE	•	Ат. 4	5 BAKER STREET OATLEY NSW 2	223	CCA1	F. . .	FET. IOOF IO	IOB NO: 7666/15 G Cana Cos	