

PACKER LAYOUT

SCALE 1:100

* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.

* Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. J & MRS. C WELLS


FINAL CONSTRUCTION - 17.02.15

AMENDED- 16.02.15 GJ PREPARED - 03.02.15 GJ SHEET:

OF 7

JOB NO: 7598/14

AT: 12 GOONDARI ROAD, ALLAMBIE. NSW. 2100.



FLOOR JOISTS


SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * SJ Denotes tilling smart joists
- * LVL Denotes tilling smart Ivl

FOR: MR. J & MRS. C WELLS

FINAL CONSTRUCTION - 17.02.15 AMENDED- 16.02.15 GJ PREPARED - 03.02.15 GJ SHEET: 2 OF 7

AT: 12 GOONDARI ROAD, ALLAMBIE. NSW. 2100.




SECTION A


SCALE 1:20

FOR: MR. J \$ MRS. C WELLS

FINAL CONSTRUCTION - 17.02.15 AMENDED- 16.02.15 GJ PREPARED - 03.02.15 GJ SHEET: 3 OF 7

AT: 12 GOONDARI ROAD, ALLAMBIE. NSW. 2100.





STEEL FABRICATION DETAILS

SCALE 1:10

FOR: MR. J & MRS. C WELLS

FINAL CONSTRUCTION - 17.02.15 AMENDED- 16.02.15 GJ PREPARED - 03.02.15 GJ PREPARED - 03

AT: 12 GOONDARI ROAD, ALLAMBIE. NSW. 2100.

JOB NO: 7598/14

Cope Code

