


FLOOR BEARER \$ JOIST LAYOUT

SCALE 1:100

- * SET DOWN WET AREA JOISTS 15mm
- * SET DOWN SHOWER JOISTS AN ADDITIONAL 25mm
- * PROVIDE 70 X 45 TRIMMERS FOR WET AREA FLOORING WHERE SHOWN DASHED
- * F5 BEARERS/JOISTS TO BE TREATED PINE
- * LVL I I DENOTES TILLING RED ALERT SMARTFRAME

FOR: MR H PILAVCI & MS D MEHMET	FINAL CONSTRUCTION - 23.12.14	AMENDED - 03.12.14 S PREPARED - 05.11.14		SHEET: 1 OF 5
AT: 8 LAUDER STREET, DOONSIDE		JOB NO: 7576/14	С	Cape Cod



ROOF FRAME LAYOUT

SCALE 1:100

- * PROVIDE 75 SHS POSTS UNDER STEEL BEAM WHERE SHOWN CIRCLED
- * POSTS TO BE FIXED TO FOOTING WITH (2) M I 2 BOLTS CHEMSET MIN. I OOMM INTO FOOTING
- * SITE WELD BEAM TO POST TOP PLATES
- * LAYOUT TO BE READ IN CONJUNCTION WITH DETAIL A


FOR: MR H PILAVCI \$ MS D MEHMET


FINAL CONSTRUCTION - 23.12.14 AMENDED - 03.12.14 SDS PREPARED - 05.11.14 SDS SHEET: 2 OF 5


AT: 8 LAUDER STREET, DOONSIDE

JOB NO: 7576/14

Cope Cod







POST DETAIL PROVIDE (2) OFF

STEEL DETAILS

SCALE 1:10

FINAL CONSTRUCTION - 23.12.14 AMENDED - 03.12.14 SDS PREPARED - 05.11.14 SDS FOR: MR H PILAVCI \$ MS D MEHMET

SHEET: 5 OF 5

JOB NO: 7576/14