

Affiliate Submission API Documentation

Endpoint

POST https://r2r.theclaimsystem.co.uk/api/v1/affiliate/{affiliate_id}

This endpoint allows affiliates to submit claimant details, including personal information, contact details, and address data.

Authentication

Requests must include the following header:

- **API-KEY:** {your_api_key}

Required Headers

Accept: application/json

Content-Type: application/json

API-KEY: {your_api_key}

Request Body

The request body must be a JSON object with the following fields:

Root Fields

Field	Type	Description
first_name	string	Claimant's first name
last_name	string	Claimant's last name
date_of_birth	string (YYYY-MM-DD)	Claimant's date of birth

phone	string	Phone number
email	string	Email address
client_ip	string	IP address of the client submitting the form
user_agent	string	Browser User-Agent string
session_id	string	Unique session identifier
addresses	array of objects	Array of detailed address information (see below)

Address Object Fields

Field	Type	Description
line1	string null	Address line 1
line2	string null	Address line 2
line3	string null	Address line 3
line4	string null	Address line 4
buildingName	string null	Building name - required if buildingNumber not set
buildingNumber	string null	Building number - required if buildingName not set
thoroughfare	string	Street name
townOrCity	string	City or town
district	string null	District
postcode	string	Postal code

Example Request

```
{
  "first_name": "John",
  "last_name": "Doe",
  "date_of_birth": "1985-06-20",
  "phone": "07503 456789",
```

```
{
  "email": "john.doe@example.com",
  "client_ip": "203.0.113.42",
  "user_agent": "Mozilla/5.0",
  "session_id": "session_001",
  "signature": "signature base 64",
  "addresses": {
    "buildingNumber": "12",
    "thoroughfare": "High Street",
    "townOrCity": "London",
    "postcode": "EC1A 1AA"
  }
}
```

OTP Verification Endpoint

POST https://r2r.theclaimsystem.co.uk/api/v1/affiliate/{affiliate_id}/otp

This endpoint is used when the initial affiliate submission response returns a status of **authentication-required**.

You must provide the **challenge_id** returned by the previous API response along with the one-time code entered by the user, **along with everything from the previous request: client personal data, signature, session id and opt-in**.

Request Body

Field	Type	Description
challenge_id	string	The challenge identifier returned from the previous API call
otp_code	string	The one-time passcode provided to the user

Example Request

```
{
  "challenge_id": "chall_1234567890",
  "otp_code": "483920"
}
```

Response

Both endpoints return the same response:

Field	Type	Description
<code>message</code>	String (SUCCESS/NO_STREAM)	SUCCESS = Qualifying client NO_STREAM = Non-qualifying client.