COSBAS Functional Requirements Documentation

 $Git: \ \verb|https://github.com/undecidables/Requirements-Documentation| \\$

<undecidables>

Elzahn Botha 13033922 Jason Richard Evans 13032608 Renette Ros 13007557 Szymon Ziolkowski 12007367 Tienie Pritchard 12056741 Vivian Venter 13238435

March 2015

Contents

1	Intr	roduction	3
2	Don	main Model	3
3	Web	b Authentication	3
4	App	pointments	3
5		ilability	3
	5.1	Choose Calendar	3
		5.1.1 Description	3
		5.1.2 Pre/Post conditions	4
		5.1.3 Functionality	4
		5.1.4 Process Specification	4
	5.2	View Availability	4
		5.2.1 Description	4
		5.2.2 Pre/Post conditions	4
		5.2.3 Functionality	4
		5.2.4 Process Specification	4
	5.3	Set Availability	4
		5.3.1 Description	4
		5.3.2 Pre/Post conditions	4
		5.3.3 Functionality	5
		5.3.4 Process Specification	5
6	Bion	metric Access	5
	6.1	Request Access	5
		6.1.1 Use Case diagram	6
		6.1.2 Pre-/Post-Conditions	6
		6.1.3 Process Specification	7
7	Rep	porting	7
	7.1	getVisitorAccessExitTimes	7
		7.1.1 Service Contract	8
		7.1.2 Pre/Post Conditions	8
	7.2	$getStaffAccessExitTimesReport \dots \dots$	8
		7.2.1 Service Contract	9
		7.2.2 Pre/Post Conditions	9
	7.3	getNotHonouredAppointmentsReport	9
		7.3.1 Service Contract	9
		7.3.2 Pre/Post Conditions	10
	7.4	generateCustomReports	10
			10
		7.4.2 Pre/Post Conditions	10
	7.5	•	10
			11
		1.011 Belilee Colleged 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

9	Use	e Cases / Services Contracts	11
	9.1	Use Cases / Services Contracts	11
	9.2	Authentication	12
		9.2.1 Alter Appointment	13
	9.3	Required Functionality	15
		9.3.1 Authentication	15
		9.3.2 Alter Appointment	16
	9.4	Process Specification	16
		9.4.1 Authentication	16
		9.4.2 Alter Appointment	17


1 Introduction

In this section of the document we will identify and address a high level overview of the COSBAS (Computer Science Biometric Access System) system.

- 2 Domain Model
- 3 Web Authentication
- 4 Appointments

5 Availability

The following functionality of creating and setting will be available to only signed in users. Users who are not authorised or signed into the system will only be granted read-only privileges.



5.1 Choose Calendar

Priority: Critical

5.1.1 Description

An authorised user of the system should be able to select which calendar account to associate with the system. If the user chose a linked service, then that service needs to be authenticated.

5.1.2 Pre/Post conditions

Pre-conditions: The user should be logged into the system and already have a calendar account from the linked services (Google & Outlook).

Post-conditions: Once the user has chosen the calendar to associate with the system, all updates in availability will be amended in that specific calendar.

5.1.3 Functionality

5.1.4 Process Specification

5.2 View Availability

Priority: Critical

5.2.1 Description

Both the authorised user and a non-authorised user (or guest) should be able to have a read-only functionality of viewing the availability of the associated staff member on their calender.

5.2.2 Pre/Post conditions

Pre-conditions: An associated calendar for the staff member should exist.

Post-conditions: Be able to see whether the associated staff member has an appointment at a certain date and time or if they are free for appointments.

5.2.3 Functionality

5.2.4 Process Specification

5.3 Set Availability

Priority: Critical

5.3.1 Description

The authorised user should be able to set whether s/he is available at a certain date or time or if they have an appointment at a specific date or time. This can be set by the staff member himself/herself or by the approval of an appointment.

5.3.2 Pre/Post conditions


Pre-conditions: The user should be authorised and logged in and a calendar should exist. **Post-conditions:** The linked calendar should be updated with the particulars specified by the authorised user. (CRUD of appointments).

5.3.3 Functionality

5.3.4 Process Specification

6 Biometric Access

This module encapsulates functionality regarding validating biometric data or temporary access code to give staff members or visitors access to the Computer Science Department




6.1 Request Access

Priority: Important

Staff Access A staff member can gain access at a door using biometrics.

Visitor Access A visitor can enter the department by entering their temporary access code at the door.

6.1.1 Use Case diagram



6.1.2 Pre-/Post-Conditions

Staff Access Pre-conditions:

- Staff member must be registered on system.
- Biometric data must validate correctly


Visitor Access Pre-conditions:

- Visitor needs to have an appointment
- Temporary access code should be valid


Post-conditions:

- User gains access
- Access logged

6.1.3 Process Specification



7 Reporting




$7.1 \quad getVisitorAccessExitTimes$

Priority: Important

The getVisitorAccessExitTimes function allows a user to query the access and exit times of a specific visitor.

7.1.1 Service Contract



7.1.2 Pre/Post Conditions

Pre-conditions:


- User must be logged in.
- User must have the correct authorization to make use of this function.
- Visitor must exist.
- Date must be valid.

7.2 getStaffAccessExitTimesReport

Priority: Important

The getStaffAccessExitTimes function allows a privileged user(e.g: Head of Department) to query the access and exit times of a specific staff member.

7.2.1 Service Contract



7.2.2 Pre/Post Conditions

Pre-conditions:


- User must be logged in.
- User must have the correct authorization to make use of this function.
- Date must be valid.
- Staff member must exist.

7.3 getNotHonouredAppointmentsReport

Priority: Important

The getNotHonouredAppointments function provides the user with a means of querying a visitor's or staff member's not honoured appointments.

7.3.1 Service Contract



7.3.2 Pre/Post Conditions

Pre-conditions:


- User must be logged in.
- User must have the correct authorization to make use of this function.
- Visitor or Staff must exist.

7.4 generateCustomReports

Priority: Nice to have

The generateCustomReports function allows the user to create a custom report based on a query provided by the user.

7.4.1 Service Contract



7.4.2 Pre/Post Conditions


- User must be logged in.
- User must have the correct authorization to make use of this function.
- Query must be valid.

7.5 exportReportToSpecificFormat

Priority: Important

The exportReportToSpecificFormat function will allow the user to export a report to a specific format which will be specified by the user.

7.5.1 Service Contract




Pre-conditions:

- The format specified by the user is supported by the system.
- User must be logged in.
- 8 Information Portal
- 9 Use Cases / Services Contracts
- 9.1 Use Cases / Services Contracts

9.2 Authentication

The following section will describe functionality around logging staff members in and out.



Authenticate Priority: Critical

A user's details need to be authenticated with LDAP.

Pre-conditions:

- A user must have an EMPLID from the University of Pretoria
- A user must have an associated password for their EMPLID from the University
- A successful connection to LDAP is important
- A user must be registered as a staff member on LDAP
- A successful validation response after an LDAP authentication is needed to authenticate a user

Post-conditions:

• A user is successfully authenticated on the server

Log In Priority: Critical

A user must be logged into the system once they have been authenticated. A user is logged in by creating a cookie containing the session ID.

Pre-conditions:

• A user must have been successfully authenticated by the system to be logged in.

Post-conditions:

- A user is successfully logged in and can thus access features which require authentication.
- A user is taken to the booking management page on the website

Log Out Priority: Critical

The system must be able to log a user out. A user is logged out by destroying the cookie containing their session ID.

Pre-conditions:


• A user must be logged in before they can be logged out

Post-conditions:

• A user's session cookie is destroyed and they are logged out on the system and taken back to the home page.

9.2.1 Alter Appointment

This section will describe the functionality regarding requesting and cancelling an appointment with a lecturer.



Requesting Appointment

Priority: Important

The requestAppointment function allows a user of the system to request an appointment with a staff member that is also making use of the system.

Pre-conditions:

- Lecturer must exist.
- Date and time of the requested appointment must be valid entries.

Post-conditions:

- Appointment will be saved for the lecturer to approve or deny later on.
- User gets an appointment identifier back.
- Lecturer is notified of the requested appointment.

Cancelling Appointment

Priority: Important

The cancel Appointment function allows the user to cancel an appointment if the user is either the staff member who's appointment it is or the user who made the appointment.

Pre-conditions:


- The appointment must exist.
- The user cancelling the appointment has to be the person that the appointment is with or the person who made the appointment.

Post-conditions:


- The appointment will be cancelled.
- Both parties are notified.
- Access that was granted for the appointment is revoked.

9.3 Required Functionality

9.3.1 Authentication




9.3.2 Alter Appointment



9.4 Process Specification

9.4.1 Authentication



9.4.2 Alter Appointment

