# UNDP THEMED UI MIGRATION GUIDE



# **Contents**

1	Inti	Introduction		
2	Mig	Migration guide		
	2.1	Ma	ster Home Template Layout:	2
	2.1	.1	Base responsive Master Home Template Layout	3
	2.1	.2	Home Template Header Section	3
	2.1	.3	Home Template Container section	24
	2.1	.4	Home Template Footer section	32
	2.2	Ma	ster 3 Column Template	34
	2.2	.1	Master 3 column Template - Main sub-navigation Menu (Scrollable links)	35
	2.2	.2	Master 3 column Template – Breadcrumb	39
	2.2	.3	Master 3 column Template - Left List Group	41
	2.2	.4	Master 3 column Template - Middle Content	45
	2.2	.5	Master 3 column Template - Stories Pagination	47
	2.2	.6	Master 3 column Template - Right Section: Latest News	48
	2.2	.7	Master 3 column Template – Right Section: UNDP in Focus	51
	2.2	.8	Master 3 column Template - Right Panel: Find us on	54
	2.2	.9	Master 3 column Template - Info Link Section	55
	2.3	Мо	bile Slide Menu	63
	2.4	Cou	ıntries-Popup	66
	2.5	Java	a Scripts Up gradation	70
	2.6	Styl	ing migration	71



#### 1 Introduction

This document is aimed at helping developers to effectively use the redesigned UNDP (United Nations Development Program) responsive widgets easily for development. This document covers the details new sets of responsive widgets for developing the UNDP website templates and also lists down the UI widgets to be replaced from the existing webpages to make the UI responsive. Starting with components on the UNDP Home page, this document is meant to guide the developers with clear mapping of existing and new widget layouts and HTML.

# 2 Migration guide

All the responsive templates have been developed using Bootstrap 3 as a base framework. The Kitchen Sink provided with this UI guide provides details of the UNDP themed components including the Typography to be used for theme. This document describes different sections of the templates, widgets used in these different section and the styling details used for different sections of the templates. Kitchen sink provided with the package also gives the details of the widget templates that are to be replaced with the older non-responsive widgets. The new UNDP UI widgets are developed using/overriding the basic <u>Bootstrap 3 components</u>.

All the planned templates can be developed using 2 basic templates viz., Home template and 3 column Bootstrap template layout. The following section list the code for existing template and new template so that the older template can be easily replace by new one. Developers can also refer to the Kitchen sink for getting the new widgets template details.

## 2.1 Master Home Template Layout:

The basic Wire-frame for Home Template Layout is as below which should be used to design the basic structure for Home Layout. Developer can add/edit the components inside this Home Template as per the design need/requirement. The older template has to be replaced with eth template shown below. Migration steps/code to be replaced for all the elements in the current design widgets to the new responsive widgets have been stated after the template details. HTML Before in the section to follow represents the current/older code to replace by HTML After, the new code.



# 2.1.1 Base responsive Master Home Template Layout

```
<header class="undp-header">
   <div class="container">
<a href="/" class="box-logo pull-left"></a>
  <div class="box-right clearfix></div>"
   </div>
</header>
<div class="main-content home-main-content">
   <div class="container">
  <!--Row with three columns divided in 1:3 ratio-->
    <div class="row">
     <div class="col-md-3"><!--Column left--></div>
     <div class="col-md-9"><!--Column right--></div>
   </div>
</div>
<footer class="undp-footer">
   <div class="container">
   </div>
</footer>
```



# 2.1.2 Home Template Header Section

Wire-frame for Home Template Header Section is as below:



#### **HTML Before:**

#### **HTML After:**

```
<header class="undp-header">
   <div class="container"><a href="/" class="box-logo pull-left"></a>
    <div class="box-right clearfix">
     <div class="pull-right menu-right-xs box-search-wrap">
<!--search box starts-->
     <div class="box-search">
      <a href="javascript:void(0);">English</a>
       <a href="javascript:void(0);">Español</a>
       <a href="javascript:void(0);">Français</a>
      <form>
       <div class="input-group search-group">
        <input type="text" placeholder="Search" class="form-control"><span class="input-group-btn">
         <button type="submit" class="icon-search btn btn-search"></button></span>
       </div>
      </form>
      <a href="http://www.facebook.com/undp" target="_blank" class="icon-box facebook"></a>
         <svq xmlns="http://www.w3.org/2000/svq" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="Facebook" alt="Facebook" style="width: 25px; height: 25px;">
          <g>
           <path d="M22 5.16c-.406-.054-1.806-.16-3.43-.16-3.4 0-5.733 1.825-5.733</pre>
5.17v2.882H9v3.913h3.837V27h4.604V16.965h3.823l.587-3.913h-4.41v-2.5c0-1.123.347-1.903 2.198-
1.903H22V5.16z" fill-rule="evenodd"></path>
          </q>
```



```
</svq></a>
        <a
href="http://twitter.com/intent/follow?source=followbutton&variant=1.0&screen_name=undp"
target=" blank" class="icon-box twitter">
          <svg xmIns="http://www.w3.org/2000/svg" xmIns:xlink="http://www.w3.org/1999/xlink"</pre>
viewbox="0 0 32 32" title="Twitter" alt="Twitter" style="width: 25px; height: 25px;">
             <path d="M27.996 10.116c-.81.36-1.68.602-2.592.71a4.526 4.526 0 0 0 1.984-2.496 9.037</p>
9.037 0 0 1-2.866 1.095 4.513 4.513 0 0 0-7.69 4.116 12.81 12.81 0 0 1-9.3-4.715 4.49 4.49 0 0 0-.612 2.27
4.51 4.51 0 0 0 2.008 3.755 4.495 4.495 0 0 1-2.044-.564v.057a4.515 4.515 0 0 0 3.62 4.425 4.52 4.52 0 0 1-
2.04.077 4.517 4.517 0 0 0 4.217 3.134 9.055 9.055 0 0 1-5.604 1.93A9.18 9.18 0 0 1 6 23.85a12.773 12.773
0 0 0 6.918 2.027c8.3 0 12.84-6.876 12.84-12.84 0-.195-.005-.39-.014-.583a9.172 9.172 0 0 0 2.252-2.336"
fill-rule="evenodd"></path>
           </g>
          </svg></a>
        <a href="http://www.linkedin.com/company/undp" target=" blank" class="icon-box linkedin"></a>
          <svq xmlns="http://www.w3.org/2000/svq" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="LinkedIn" alt="LinkedIn" style="width: 25px; height: 25px;">
             <path d="M26 25.963h-4.185v-6.55c0-1.56-.027-3.57-2.175-3.57-2.18 0-2.51 1.7-2.51</pre>
3.46v6.66h-4.182V12.495h4.012v1.84h.058c.558-1.058 1.924-2.174 3.96-2.174 4.24 0 5.022 2.79 5.022
6.417v7.386zM8.23 10.655a2.426 2.426 0 0 1 0-4.855 2.427 2.427 0 0 1 0 4.855zm-2.098
1.84h4.19v13.468h-4.19V12.495z" fill-rule="evenodd"></path>
           </q>
          </sva></a>
<a href="http://www.youtube.com/user/undp?sub confirmation=1" target=" blank" class="icon-box</li>
youtube">
          <svq xmlns="http://www.w3.org/2000/svq" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="YouTube" alt="YouTube" style="width: 25px; height: 25px;">
             <path d="M13.73 18.974V12.57l5.945 3.212-5.944 3.192zm12.18-9.778c-.837-.908-1.775-</p>
.912-2.205-.965C20.625 8 16.007 8 16.007 8c-.01 0-4.628 0-7.708.23-.43.054-1.368.058-2.205.966-.66.692-
.875 2.263-.875 2.263S5 13.303 5 15.15v1.728c0 1.845.22 3.69.22 3.69s.215 1.57.875 2.262c.837.908
1.936.88 2.426.975 1.76.175 7.482.23 7.482.15 0 .08 4.624.072 7.703-.16.43-.052 1.368-.057 2.205-.965.66-
.69.875-2.262.875-2.262s.22-1.845.22-3.69v-1.73c0-1.844-.22-3.69-.22-3.69s-.215-1.57-.875-2.262z" fill-
rule="evenodd"></path>
           </q>
          </svg></a>
        <a href="http://instagram.com/undp" target="_blank" class="icon-box instagram"></a>
          <svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="Instagram" alt="Instagram" style="width: 25px; height: 25px;">
           <a>>
             <path d="M23.734 22.9a.79.79 0 0 1-.794.795H9.02a.79.79 0 0 1-.793-.794v-8.436h1.835c-</p>
.17.533-.26 1.12-.26 1.705 0 3.333 2.787 6.028 6.21 6.028 3.44 0 6.225-2.695 6.225-6.03 0-.585-.09-1.17-
.26-1.704h1.757V22.9zm-3.698-6.94c0 2.15-1.796 3.894-4.023 3.894-2.214 0-4.01-1.745-4.01-3.893 0-2.148
1.796-3.892 4.01-3.892 2.227 0 4.023 1.745 4.023 3.893zm3.698-4.687a.9.9 0 0 1-.898.9H20.57a.9.9 0 0 1-
.898-.9V9.125a.9.9 0 0 1 .898-.898h2.266a.9.9 0 0 1 .898.898v2.148zM26 8.565A2.58 2.58 0 0 0 23.435
6H8.565A2.58 2.58 0 0 0 6 8.565v14.87A2.58 2.58 0 0 0 8.565 26h14.87A2.58 2.58 0 0 0 26 23.435V8.565z"
fill-rule="evenodd"></path>
           </a>
          </svg></a>
       </div>
      <!--search box ends--><a href="javascript:void(0);" data-sidemenu class="menubar hidden-lg"><span
class="icon-bar"></span><span class="icon-bar"></span><span class="icon-bar"></a>
     </div>
```



```
<div class="pull-left hidden-md hidden-sm hidden-xs pos-top nav-wrap">
     <!--top navigation starts-->
     data-pop class="dropdown-countries"><a id="MenuContries"</pre>
href="javascript:void(0);"><span>UNDP around the world</span><i class="icon-caret"></i></a>
       <div id="contriesPop" class="smallpop countries-wrap hide clearfix"><a href="javascript:void(0);"</pre>
data-popupmenu class="btn-close">×</a>
       Many of UNDP's relationships with countries and territories on the
ground exceed 60 years. <br/>br>Find details on our successes and ongoing work. 
       <form class="visible-xs visible-sm">
        <div class="input-group search-group">
         <input type="text" placeholder="Search" class="form-control"><span class="input-group-btn">
          <button type="submit" class="icon-search btn btn-search"></button></span>
         </div>
        </form>
        <div class="countries-popup">
         <a href="http://www.af.undp.org/">Afghanistan</a>
         <a href="http://www.al.undp.org">Albania</a>
         <a href="http://www.dz.undp.org/">Algeria</a>
         <a href="http://www.ao.undp.org/">Angola</a>
         <a href="http://www.undp.org.ar/">Argentina</a>
         <a href="http://www.am.undp.org">Armenia</a>
         <a href="http://www.az.undp.org">Azerbaijan</a>
         <a href="http://www.bh.undp.org">Bahrain</a>
         <a href="http://www.bd.undp.org/">Bangladesh</a>
         <a href="http://www.bb.undp.org/">Barbados</a>
         <a href="http://www.by.undp.org/">Belarus</a>
         <a href="http://www.bz.undp.org/">Belize</a>
         <a href="http://www.bj.undp.org/">Benin</a>
         <a href="http://www.bt.undp.org">Bhutan</a>
         <a href="http://www.bo.undp.org/">Bolivia</a>
         <a href="http://www.ba.undp.org">Bosnia and Herzegovina</a>
         <a href="http://www.bw.undp.org">Botswana</a>
         <a href="http://www.pnud.org.br/home/">Brazil</a>
         <a href="http://www.bf.undp.org">Burkina Faso</a>
         <a href="http://www.bi.undp.org/">Burundi</a>
         <a href="http://www.kh.undp.org">Cambodia</a>
         <a href="http://www.cm.undp.org/">Cameroon</a>
         <a href="http://www.un.cv/">Cape Verde</a>
         <a href="http://www.cf.undp.org/">Central African Republic</a>
         <a href="http://www.td.undp.org/">Chad</a>
         <a href="http://www.cl.undp.org">Chile</a>
         <a href="http://www.cn.undp.org">China</a>
         <a href="http://www.co.undp.org">Colombia</a>
         <a href="http://www.km.undp.org/">Comoros</a>
         <a href="http://www.cd.undp.org">Congo (Dem. Republic of)</a>
         <a href="http://www.cg.undp.org/">Congo (Republic of)</a>
         <a href="http://www.cr.undp.org/">Costa Rica</a>
         <a href="http://www.ci.undp.org/">Côte d'Ivoire</a>
         <a href="http://www.hr.undp.org/">Croatia</a>
         <a href="http://www.cu.undp.org/">Cuba</a>
```



```
<a href="http://www.cy.undp.org">Cyprus</a>
       <a href="http://www.kp.undp.org">Democratic People's Republic of
Korea</a>
        <a href="http://www.dk.undp.org/">Denmark (Rep. Office)</a>
        <a href="http://www.di.undp.org/">Diibouti</a>
        <a href="http://www.do.undp.org/">Dominican Republic</a>
      <a href="http://www.undp.org/content/brussels/en/home.html">E.U (Rep. Office)</a>
        <a href="http://www.ec.undp.org/">Ecuador</a>
        <a href="http://www.eg.undp.org/">Egypt</a>
        <a href="http://www.sv.undp.org/">El Salvador</a>
        <a href="http://www.gq.undp.org">Equatorial Guinea</a>
        <a href="http://www.er.undp.org/">Eritrea</a>
        <a href="http://www.et.undp.org/">Ethiopia</a>
       <a href="http://www.fi.undp.org">Finland (Rep. Office)</a>
        <a href="">Fiji (Multi-country Office)</a>
       <a href="http://www.ga.undp.org">Gabon</a>
        <a href="http://www.gm.undp.org/">Gambia</a>
        <a href="http://europe.undp.org/">Geneva (Rep. Office)</a>
        <a href="http://www.ge.undp.org">Georgia</a>
        <a href="http://www.gh.undp.org">Ghana</a>
        <a href="http://www.gt.undp.org/">Guatemala</a>
        <a href="http://www.gn.undp.org/">Guinea</a>
        <a href="http://www.gw.undp.org/">Guinea-Bissau</a>
        <a href="http://www.gy.undp.org/">Guyana</a>
       <a href="http://www.ht.undp.org/">Haiti</a>
        <a href="http://www.hn.undp.org">Honduras</a>
       <a href="http://www.in.undp.org">India</a>
        <a href="http://www.id.undp.org">Indonesia</a>
        <a href="http://www.ir.undp.org">Iran</a>
        <a href="http://www.iq.undp.org">Iraq (Republic of)</a>
       <a href="http://www.jm.undp.org/">Jamaica</a>
        <a href="http://www.jo.undp.org/">Jordan</a>
       <a href="http://www.kz.undp.org/">Kazakhstan</a>
        <a href="http://www.ke.undp.org/">Kenya</a>
        class="txt-lq"><a href="http://www.ks.undp.org">Kosovo (as per UNSCR 1244)</a>
        <a href="http://www.kw.undp.org">Kuwait</a>
        <a href="http://www.kg.undp.org">Kyrgyzstan</a>
       <a href="http://www.ws.undp.org/">Samoa (Multi-country Office)</a>
```



```
<a href="http://www.st.undp.org/">São Tomé and Principe</a>
<a href="http://www.sa.undp.org/">Saudi Arabia</a>
<a href="http://www.sn.undp.org/">Senegal</a>
<a href="http://www.rs.undp.org">Serbia</a>
<a href="http://www.sl.undp.org/">Sierra Leone</a>
<a href="http://www.so.undp.org/">Somalia</a>
<a href="http://www.za.undp.org/">South Africa</a>
<a href="http://www.ss.undp.org/">South Sudan</a>
<a href="http://www.lk.undp.org/">Sri Lanka</a>
<a href="http://www.sd.undp.org/">Sudan</a>
<a href="http://www.sr.undp.org/">Suriname</a>
<a href="http://www.sz.undp.org/">Swaziland</a>
<a href="http://www.se.undp.org">Sweden (Rep. Office)</a>
<a href="http://www.sy.undp.org/">Syria</a>
<a href="http://www.tj.undp.org/">Tajikistan</a>
<a href="http://www.tz.undp.org/">Tanzania</a>
<a href="http://www.th.undp.org/">Thailand</a>
<a href="http://www.mk.undp.org">The former Yugoslav Republic of
 Macedonia</a>
<a href="http://www.tl.undp.org/">Timor-Leste</a>
<a href="http://www.tg.undp.org/">Togo</a>
<a href="http://www.jp.undp.org">Tokyo (Rep. Office)</a>
<a href="http://www.tt.undp.org">Trinidad and Tobago</a>
<a href="http://www.tn.undp.org/">Tunisia</a>
<a href="http://www.tr.undp.org/">Turkey</a>
<a href="http://www.tm.undp.org/">Turkmenistan</a>
<a href="http://www.ug.undp.org/">Uganda</a>
<a href="http://www.ua.undp.org">Ukraine</a>
<a href="http://www.ae.undp.org">United Arab Emirates</a>
<a href="http://www.uy.undp.org/">Uruguay</a>
<a href="http://www.uz.undp.org/">Uzbekistan</a>
<a href="http://www.ve.undp.org/">Venezuela</a>
<a href="http://www.vn.undp.org/">Viet Nam</a>
<a href="http://www.us.undp.org/">Washington (Rep. Office)</a>
<a href="http://www.ye.undp.org/">Yemen</a>
<a href="http://www.zm.undp.org/">Zambia</a>
<a href="http://www.zw.undp.org/">Zimbabwe</a>
<span>Regional Presence</span>
<a href="http://www.africa.undp.org">Africa</a>
<a href="http://arabstates.undp.org">Arab States</a>
```



```
<a href="http://asia-pacific.undp.org/">Asia and the Pacific</a>
        <a href="http://www.eurasia.undp.org">Europe and Central Asia</a>
        <a href="http://www.latinamerica.undp.org">Latin America and the Caribbean</a>
       <span>Global Policy Centres</span>
        <a href="http://www.iicpsd.undp.org">Istanbul</a>
        <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
          centres/sustainable_landmanagement/">Nairobi</a>
        <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
          centres/oslo_governance_centre/">Oslo</a>
        <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
           centres/world-centre-for-sustainable-development---rio--centre/">Rio de Janeiro</a>
        <a href="http://www.undp.org/content/seoul_policy_center/en/home.html">Seoul</a>
        <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
           centres/publicservice/">Singapore</a>
       </div><a href="javascript:void(0)" class="btn-top icon-caret-up"></a>
     </div>
    <a href="javascript:void(0);">About us</a>
    <a href="research-and-publication.html">Publications</a>
    <a href="javascript:void(0);">News Center</a>
    data-popfunding data-target="#dropdown-funding" class="dropdown-funding"><a</p>
      id="dropdownMenuFunding" href="javascript:void(0);"><span>Funding</span><i class="icon-
      caret"></i></a>
     <a href="javascript:void(0);">Top contributors</a>
      <a href="javascript:void(0);">Funding channels</a>
      <a href="javascript:void(0);">Partners</a>
     <!--top navigation ends-->
   <h3 class="wrap-heading">United Nations Development Programme</h3>
   <!--main navigation starts-->
   <a href="our-work.html">Our Work</a>
    <a href="sustainable-development-goals.html">Sustainable Development Goals</a>
    <a href="javascript:void(0);">Blog</a>
   <!--main navigation ends-->
  </div>
  <h3 class="wrap-heading visible-md visible-sm visible-xs">United Nations Development
    Programme</h3>
 </div>
</div>
</header>
```

Header section is common for the templates redesigned. The **CSS class** used is 'undp-header'. Following CSS is used for the Header section:

#### **CSS** for responsive widget:

```
.undp-header {
min-height: 124px;
```




```
border-bottom: 1px solid rgba(38, 95, 145, 0.5);
background: transparent url("../../images/bg-header.png") no-repeat top center;
background-size: cover;
}
@media (max-width: 767px) {
.undp-header {
min-height: 88px;
background: #043264;
}}
```

#### 2.1.2.1 Home Template Header Container section

Standard bootstrap Container is used inside the header section. Header template container contains different components sections. All these widgets along with its CSS are described below:

#### 2.1.2.1.1 Logo Box



#### **HTML Before:**

#### **HTML After:**

```
<a href="/" class="box-logo pull-left"></a>
```

#### **CSS** for responsive widget:

```
.undp-header .box-logo {
   width: 130px;
   height: 112px;
   background-image: url("../../images/logo-undp.png");
   display: block;
   text-indent: -9999px;
   white-space: nowrap;
   overflow: hidden;
}
```



```
@media only screen and (-webkit-min-device-pixel-ratio: 2), only screen and (-moz-min-device-pixel-ratio: 2),
only screen and (-o-min-device-pixel-ratio: 2 / 1), only screen and (min-device-pixel-ratio: 2), only screen and
(min-resolution: 192dpi), only screen and (min-resolution: 2dppx) {
    .undp-header .box-logo {
        background-image: url("../../images/logo-undp@2x.png");
        -webkit-background-size: 130px 112px;
        -moz-background-size: 130px 112px;
        background-size: 130px 112px;
        background-size: 130px 112px;
    }
}
@media (max-width: 767px) {
    .undp-header .box-logo {
        width: 92px;
        height: 80px;
        background-size: 92px 80px;
}}
```

#### 2.1.2.1.2 Search Box



#### **HTML Before:**

```
<div class="globalsearchbox">...
</div>
```

#### **HTML After:**

```
<div class="pull-right menu-right-xs box-search-wrap">
    <!--search box starts-->
    <div class="box-search">

      cli class="active"><a href="javascript:void(0);">English</a>
    <a href="javascript:void(0);">Español</a>
```



```
<a href="javascript:void(0);">Français</a>
       <form>
        <div class="input-group search-group">
         <input type="text" placeholder="Search" class="form-control"><span class="input-group-btn">
          <button type="submit" class="icon-search btn btn-search"></button></span>
        </div>
       </form>
       <a href="http://www.facebook.com/undp" target=" blank" class="icon-box facebook"></a>
          <svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="Facebook" alt="Facebook" style="width: 25px; height: 25px;">
           <q>
            <path d="M22 5.16c-.406-.054-1.806-.16-3.43-.16-3.4 0-5.733 1.825-5.733</pre>
5.17v2.882H9v3.913h3.837V27h4.604V16.965h3.823l.587-3.913h-4.41v-2.5c0-1.123.347-1.903 2.198-
1.903H22V5.16z" fill-rule="evenodd"></path>
           </q>
          </svq></a>
        <a
href="http://twitter.com/intent/follow?source=followbutton&variant=1.0&screen name=undp"
target=" blank" class="icon-box twitter">
          <svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="Twitter" alt="Twitter" style="width: 25px; height: 25px;">
            <path d="M27.996 10.116c-.81.36-1.68.602-2.592.71a4.526 4.526 0 0 0 1.984-2.496 9.037</p>
9.037 0 0 1-2.866 1.095 4.513 4.513 0 0 0-7.69 4.116 12.81 12.81 0 0 1-9.3-4.715 4.49 4.49 0 0 0-.612 2.27
4.51 4.51 0 0 0 2.008 3.755 4.495 4.495 0 0 1-2.044-.564v.057a4.515 4.515 0 0 0 3.62 4.425 4.52 4.52 0 0 1-
2.04.077 4.517 4.517 0 0 0 4.217 3.134 9.055 9.055 0 0 1-5.604 1.93A9.18 9.18 0 0 1 6 23.85a12.773 12.773
0 0 0 6.918 2.027c8.3 0 12.84-6.876 12.84-12.84 0-.195-.005-.39-.014-.583a9.172 9.172 0 0 0 2.252-2.336"
fill-rule="evenodd"></path>
           </g>
          </svq></a>
        <a href="http://www.linkedin.com/company/undp" taraet=" blank" class="icon-box linkedin"></a>
          <svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="LinkedIn" alt="LinkedIn" style="width: 25px; height: 25px;">
            <path d="M26 25.963h-4.185v-6.55c0-1.56-.027-3.57-2.175-3.57-2.18 0-2.51 1.7-2.51</pre>
3.46v6.66h-4.182V12.495h4.012v1.84h.058c.558-1.058 1.924-2.174 3.96-2.174 4.24 0 5.022 2.79 5.022
6.417v7.386zM8.23 10.655a2.426 2.426 0 0 1 0-4.855 2.427 2.427 0 0 1 0 4.855zm-2.098
1.84h4.19v13.468h-4.19V12.495z" fill-rule="evenodd"></path>
          </sva></a>
        <a href="http://www.youtube.com/user/undp?sub_confirmation=1" target="_blank"</pre>
class="icon-box youtube">
          <svq xmlns="http://www.w3.org/2000/svq" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="YouTube" alt="YouTube" style="width: 25px; height: 25px;">
            <path d="M13.73 18.974V12.57l5.945 3.212-5.944 3.192zm12.18-9.778c-.837-.908-1.775-</p>
.912-2.205-.965C20.625 8 16.007 8 16.007 8c-.01 0-4.628 0-7.708.23-.43.054-1.368.058-2.205.966-.66.692-
.875 2.263-.875 2.263S5 13.303 5 15.15v1.728c0 1.845.22 3.69.22 3.69s.215 1.57.875 2.262c.837.908
1.936.88 2.426.975 1.76.175 7.482.23 7.482.15 0 .08 4.624.072 7.703-.16.43-.052 1.368-.057 2.205-.965.66-
.69.875-2.262.875-2.262s.22-1.845.22-3.69v-1.73c0-1.844-.22-3.69-.22-3.69s-.215-1.57-.875-2.262z" fill-
rule="evenodd"></path>
           </g>
          </svg></a>
        <a href="http://instagram.com/undp" target="_blank" class="icon-box instagram"></a>
```



```
<svq xmlns="http://www.w3.org/2000/svq" xmlns:xlink="http://www.w3.org/1999/xlink"
viewbox="0 0 32 32" title="Instagram" alt="Instagram" style="width: 25px; height: 25px;">
             <path d="M23.734 22.9a.79.79 0 0 1-.794.795H9.02a.79.79 0 0 1-.793-.794v-8.436h1.835c-</p>
.17.533-.26 1.12-.26 1.705 0 3.333 2.787 6.028 6.21 6.028 3.44 0 6.225-2.695 6.225-6.03 0-.585-.09-1.17-
.26-1.704h1.757V22.9zm-3.698-6.94c0 2.15-1.796 3.894-4.023 3.894-2.214 0-4.01-1.745-4.01-3.893 0-2.148
1.796-3.892 4.01-3.892 2.227 0 4.023 1.745 4.023 3.893zm3.698-4.687a.9.9 0 0 1-.898.9H20.57a.9.9 0 0 1-
.898-.9V9.125a.9.9 0 0 1 .898-.898h2.266a.9.9 0 0 1 .898.898v2.148zM26 8.565A2.58 2.58 0 0 0 23.435
6H8.565A2.58 2.58 0 0 0 6 8.565v14.87A2.58 2.58 0 0 0 8.565 26h14.87A2.58 2.58 0 0 0 26 23.435V8.565z"
fill-rule="evenodd"></path>
            </g>
           </svg></a>
       </div>
      <!--search box ends--><a href="javascript:void(0);" data-sidemenu class="menubar hidden-lg"><span
class="icon-bar"></span><span class="icon-bar"></span><span class="icon-bar"></span></a>
     </div>
CSS for responsive widget:
@media (max-width: 767px) {
 .undp-header .box-right .menu-right-xs .box-search {
  display: none !important;
.box-search {
 display: inline-block;
 position: relative;
 z-index: 10;
 width: 218px;
}
.box-search .search-group {
 margin-bottom: 16px; }
.box-search .search-group .form-control {
 height: 26px;
font-size: 14px;
border-color: transparent;
.box-search .search-group .btn-search {
 height: 26px;
 padding: 0 6px;
 border-color: transparent;
.list-language {
 padding-top: 8px;
 margin: 0 -8px 16px;
 text-align: center;
.list-language > li {
 position: relative;
padding: 0 8px;
.list-language > li a {
font-size: 11px;
 color: #66C2FF;
```



```
.list-language > li a:hover, .list-language > li a:focus {
 color: #FFFFFF;
 text-decoration: none;
.list-language > li.active a {
cursor: default;
 color: #666666;
 text-decoration: none;
.list-language > li:before {
 content: ";
 position: absolute;
 right: -2px;
 width: 1px;
 top: 7px;
 bottom: 4px;
 background-color: #265F91;
.list-language > li:last-child:before {
 display: none;
.list-social-nav {
text-align: center;
margin: 0 -5px;
.list-social-nav > li a {
 display: block;
. list-social-nav > li .icon-box {
 display: block;
 width: 25px;
 height: 25px;
 background-color: #265F91;
 line-height: 25px;
 color: #FFFFFF;
 opacity: 0.6;
filter: alpha(opacity=60);
fill: #FFFFFF;
.list-social-nav > li .icon-box:hover, .list-social-nav > li .icon-box:focus {
 opacity: 1;
filter: alpha(opacity=100);
.list-social-nav > li .icon-box.facebook {
background-color: #3b5998;
.list-social-nav > li .icon-box.twitter {
background-color: #1da1f2;
.list-social-nav > li .icon-box.linkedin {
background-color: #0077b5;
.list-social-nav > li .icon-box.youtube {
 background-color: #cd201f;
.list-social-nav > li .icon-box.instagram {
```



```
background-color: #125688;
}
```

#### 2.1.2.1.3 Master Home Template Mobile Slide Menu Button

This menu also known as Hamburger menu is a responsive representation of the main navigation menu widget developed. No separate HTML code has to be added for this menu.



#### **CSS** for responsive widget:

```
.menubar {
 display: inline-block;
 margin-left: 28px;
 position: relative;
z-index: 10;
 bottom: 42px;
@media (max-width: 767px) {
.menubar {
  bottom: inherit;
}
.menubar .icon-bar {
 display: block;
 width: 21px;
 height: 3px;
 background-color: #66C2FF;
 margin-top: 4px;
.menubar .icon-bar:last-child {
 margin-bottom: 3px;
```

#### 2.1.2.1.4 Header Menu links

The header has menu items at the top. It contains the list of navigations, heading and the main navigation menus shown below:





#### Top Navigation List

#### **HTML Before:**

```
class="country-list">...
```

#### **HTML After:**

```
data-pop class="dropdown-countries"><a id="MenuContries"</pre>
href="javascript:void(0);"><span>UNDP around the world</span><i class="icon-caret"></i></a>
       <div id="contriesPop" class="smallpop countries-wrap hide clearfix"><a href="javascript:void(0);"</pre>
data-popupmenu class="btn-close">×</a>
        p class="popup-heading">Many of UNDP's relationships with countries and territories on the
ground exceed 60 years. <br/>br>Find details on our successes and ongoing work. 
       <form class="visible-xs visible-sm">
         <div class="input-group search-group">
         <input type="text" placeholder="Search" class="form-control"><span class="input-group-btn">
          <button type="submit" class="icon-search btn btn-search"></button></span>
         </div>
        </form>
        <div class="countries-popup">
         <a href="http://www.af.undp.org/">Afghanistan</a>
         <a href="http://www.al.undp.org">Albania</a>
         <a href="http://www.dz.undp.org/">Algeria</a>
         <a href="http://www.ao.undp.org/">Angola</a>
         <a href="http://www.undp.org.ar/">Argentina</a>
         <a href="http://www.am.undp.org">Armenia</a>
         <a href="http://www.az.undp.org">Azerbaijan</a>
         <a href="http://www.bh.undp.org">Bahrain</a>
         <a href="http://www.bd.undp.org/">Bangladesh</a>
         <a href="http://www.bb.undp.org/">Barbados</a>
         <a href="http://www.by.undp.org/">Belarus</a>
         <a href="http://www.bz.undp.org/">Belize</a>
         <a href="http://www.bj.undp.org/">Benin</a>
         <a href="http://www.bt.undp.org">Bhutan</a>
         <a href="http://www.bo.undp.org/">Bolivia</a>
         <a href="http://www.ba.undp.org">Bosnia and Herzegovina</a>
         <a href="http://www.bw.undp.org">Botswana</a>
         <a href="http://www.pnud.org.br/home/">Brazil</a>
         <a href="http://www.bf.undp.org">Burkina Faso</a>
         <a href="http://www.bi.undp.org/">Burundi</a>
         <a href="http://www.kh.undp.org">Cambodia</a>
         <a href="http://www.cm.undp.org/">Cameroon</a>
```



```
<a href="http://www.un.cv/">Cape Verde</a>
        <a href="http://www.cf.undp.org/">Central African Republic</a>
        <a href="http://www.td.undp.org/">Chad</a>
        <a href="http://www.cl.undp.org">Chile</a>
        <a href="http://www.cn.undp.org">China</a>
        <a href="http://www.co.undp.org">Colombia</a>
        <a href="http://www.km.undp.org/">Comoros</a>
        <a href="http://www.cd.undp.org">Congo (Dem. Republic of)</a>
        <a href="http://www.cg.undp.org/">Congo (Republic of)</a>
        <a href="http://www.cr.undp.org/">Costa Rica</a>
        <a href="http://www.ci.undp.org/">Côte d'Ivoire</a>
        <a href="http://www.hr.undp.org/">Croatia</a>
        <a href="http://www.cu.undp.org/">Cuba</a>
        <a href="http://www.cy.undp.org">Cyprus</a>
        <a href="http://www.kp.undp.org">Democratic People's Republic of
Korea</a>
        <a href="http://www.dk.undp.org/">Denmark (Rep. Office)</a>
        <a href="http://www.dj.undp.org/">Djibouti</a>
        <a href="http://www.do.undp.org/">Dominican Republic</a>
        <a href="http://www.undp.org/content/brussels/en/home.html">E.U (Rep. Office)</a>
        <a href="http://www.ec.undp.org/">Ecuador</a>
        <a href="http://www.eg.undp.org/">Egypt</a>
        <a href="http://www.sv.undp.org/">El Salvador</a>
        <a href="http://www.gq.undp.org">Equatorial Guinea</a>
        <a href="http://www.er.undp.org/">Eritrea</a>
        <a href="http://www.et.undp.org/">Ethiopia</a>
        <a href="http://www.fi.undp.org">Finland (Rep. Office)</a>
        <a href="">Fiji (Multi-country Office)</a>
        <a href="http://www.ga.undp.org">Gabon</a>
        <a href="http://www.gm.undp.org/">Gambia</a>
        <a href="http://europe.undp.org/">Geneva (Rep. Office)</a>
        <a href="http://www.ge.undp.org">Georgia</a>
        <a href="http://www.gh.undp.org">Ghana</a>
        <a href="http://www.gt.undp.org/">Guatemala</a>
        <a href="http://www.gn.undp.org/">Guinea</a>
        <a href="http://www.gw.undp.org/">Guinea-Bissau</a>
        <a href="http://www.gy.undp.org/">Guyana</a>
        <a href="http://www.ht.undp.org/">Haiti</a>
        <a href="http://www.hn.undp.org">Honduras</a>
        <a href="http://www.in.undp.org">India</a>
        <a href="http://www.id.undp.org">Indonesia</a>
        <a href="http://www.ir.undp.org">Iran</a>
        <a href="http://www.iq.undp.org">Iraq (Republic of)</a>
```



```
<a href="http://www.jm.undp.org/">Jamaica</a>
        <a href="http://www.jo.undp.org/">Jordan</a>
        <a href="http://www.kz.undp.org/">Kazakhstan</a>
        <a href="http://www.ke.undp.org/">Kenya</a>
        <|iclass="txt-lg"><a href="http://www.ks.undp.org">Kosovo (as per UNSCR 1244)</a>
        <a href="http://www.kw.undp.org">Kuwait</a>
        <a href="http://www.kg.undp.org">Kyrgyzstan</a>
        <a href="http://www.la.undp.org">Lao PDR</a>
        <a href="http://www.lb.undp.org">Lebanon</a>
        <a href="http://www.ls.undp.org">Lesotho</a>
        <a href="http://www.lr.undp.org/">Liberia</a>
        <a href="http://www.ly.undp.org">Libya</a>
        <a href="http://www.mg.undp.org">Madagascar</a>
        <a href="http://www.mw.undp.org">Malawi</a>
        <a href="http://www.my.undp.org/">Malaysia</a>
        <a href="http://www.mv.undp.org">Maldives</a>
        <a href="http://www.ml.undp.org">Mali</a>
        <a href="http://www.mr.undp.org/">Mauritania</a>
        <a href="http://www.mu.undp.org/">Mauritius & Seychelles</a>
        <a href="http://www.mx.undp.org/">Mexico</a>
        <a href="http://www.md.undp.org">Moldova</a>
        <a href="http://www.mn.undp.org">Mongolia</a>
        <a href="http://www.me.undp.org/">Montenegro</a>
        <a href="http://www.ma.undp.org/">Morocco</a>
        <a href="http://www.mz.undp.org">Mozambique</a>
        <a href="http://www.mm.undp.org/">Myanmar</a>
        <a href="http://www.na.undp.org">Namibia</a>
        <a href="http://www.np.undp.org">Nepal</a>
        <a href="http://www.ni.undp.org">Nicaragua</a>
        <a href="http://www.ne.undp.org">Niger</a>
        <a href="http://www.ng.undp.org/">Nigeria</a>
        <a href="http://www.no.undp.org">Norway (Rep. Office)</a>
        <a href="http://www.pacific.undp.org">Pacific Office</a>
        <a href="http://www.pk.undp.org/">Pakistan</a>
        <a href="http://www.pa.undp.org/">Panama</a>
        <a href="http://www.pg.undp.org">Papua New Guinea</a>
        <a href="http://www.py.undp.org">Paraguay</a>
        <a href="http://www.pe.undp.org">Peru</a>
        <a href="http://www.ph.undp.org">Philippines</a>
        <a href="http://www.ps.undp.org">Programme of Assistance to the Palestinian</a>
People</a>
        <a href="http://www.undp.ru/">Russian Federation</a>
        <a href="http://www.rw.undp.org/">Rwanda</a>
```



```
<a href="http://www.ws.undp.org/">Samoa (Multi-country Office)</a>
        <a href="http://www.st.undp.org/">São Tomé and Principe</a>
        <a href="http://www.sa.undp.org/">Saudi Arabia</a>
        <a href="http://www.sn.undp.org/">Senegal</a>
        <a href="http://www.rs.undp.org">Serbia</a>
        <a href="http://www.sl.undp.org/">Sierra Leone</a>
        <a href="http://www.so.undp.org/">Somalia</a>
        <a href="http://www.za.undp.org/">South Africa</a>
        <a href="http://www.ss.undp.org/">South Sudan</a>
        <a href="http://www.lk.undp.org/">Sri Lanka</a>
        <a href="http://www.sd.undp.org/">Sudan</a>
        <a href="http://www.sr.undp.org/">Suriname</a>
        <a href="http://www.sz.undp.org/">Swaziland</a>
        <a href="http://www.se.undp.org">Sweden (Rep. Office)</a>
        <a href="http://www.sy.undp.org/">Syria</a>
       <a href="http://www.tj.undp.org/">Tajikistan</a>
        <a href="http://www.tz.undp.org/">Tanzania</a>
        <a href="http://www.th.undp.org/">Thailand</a>
        <a href="http://www.mk.undp.org">The former Yugoslav Republic of
Macedonia</a>
        <a href="http://www.tl.undp.org/">Timor-Leste</a>
        <a href="http://www.tg.undp.org/">Togo</a>
        <a href="http://www.jp.undp.org">Tokyo (Rep. Office)</a>
       <a href="http://www.tt.undp.org">Trinidad and Tobago</a>
        <a href="http://www.tn.undp.org/">Tunisia</a>
        <a href="http://www.tr.undp.org/">Turkey</a>
        <a href="http://www.tm.undp.org/">Turkmenistan</a>
       <a href="http://www.ug.undp.org/">Uganda</a>
        <a href="http://www.ua.undp.org">Ukraine</a>
        <a href="http://www.ae.undp.org">United Arab Emirates</a>
        <a href="http://www.uy.undp.org/">Uruguay</a>
        <a href="http://www.uz.undp.org/">Uzbekistan</a>
       <a href="http://www.ve.undp.org/">Venezuela</a>
        <a href="http://www.vn.undp.org/">Viet Nam</a>
       <a href="http://www.us.undp.org/">Washington (Rep. Office)</a>
       <a href="http://www.ye.undp.org/">Yemen</a>
       <a href="http://www.zm.undp.org/">Zambia</a>
        <a href="http://www.zw.undp.org/">Zimbabwe</a>
```



```
<span>Regional Presence</span>
          <a href="http://www.africa.undp.org">Africa</a>
          <a href="http://arabstates.undp.org">Arab States</a>
          <a href="http://asia-pacific.undp.org/">Asia and the Pacific</a>
          <a href="http://www.eurasia.undp.org">Europe and Central Asia</a>
          <a href="http://www.latinamerica.undp.org">Latin America and the Caribbean</a>
         <span>Global Policy Centres</span>
          <a href="http://www.iicpsd.undp.org">Istanbul</a>
          <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
centres/sustainable_landmanagement/">Nairobi</a>
          <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
centres/oslo_governance_centre/">Oslo</a>
          <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-
centres/world-centre-for-sustainable-development---rio--centre/">Rio de Janeiro</a>
          <a href="http://www.undp.org/content/seoul_policy_center/en/home.html">Seoul</a>
          <a href="http://www.undp.org/content/undp/en/home/ourwork/global-policy-</a>
centres/publicservice/">Singapore</a>
         </div><a href="javascript:void(0)" class="btn-top icon-caret-up"></a>
       </div>
      <a href="javascript:void(0);">About us</a>
      <a href="research-and-publication.html">Publications</a>
      <a href="javascript:void(0);">News Center</a>
      data-popfunding data-target="#dropdown-funding" class="dropdown-funding"><a</p>
id="dropdownMenuFunding" href="javascript:void(0);"><span>Funding</span><i class="icon-
caret"></i></a>
       <a href="javascript:void(0);">Top contributors</a>
        <a href="javascript:void(0);">Funding channels</a>
        <a href="javascript:void(0);">Partners</a>
       CSS for responsive widget:
.pos-top .list-top-nav {
padding-top: 4px;
margin: 0 -10px 22px;
padding-left: 0;
list-style: none;
.pos-top .list-top-nav > li {
padding: 4px 10px;
display: inline-block;
.pos-top .list-top-nav > li > a {
font-size: 11.5px;
color: #66C2FF;
.pos-top .list-top-nav > li > a:hover, .pos-top .list-top-nav > li > a:focus {
color: #FFFFFF;
text-decoration: none;
```



```
}
.pos-top .list-top-nav > li > a i {
    vertical-align: middle;
    padding-left: 5px;
}
.pos-top .list-top-nav > li.dropdown-funding {
    position: relative;
}
```

#### **UNDP** Heading

#### **HTML Before:**

```
<div class="countrypageheadertext">...
</div>
```

#### **HTML After:**

<h3 class="wrap-heading visible-md visible-sm visible-xs">United Nations Development Programme</h3>

#### **CSS for responsive widget:**

```
.undp-header .box-right {
 position: relative;
 margin-left: 186px;
@media (max-width: 1199px) {
.undp-header .box-right {
 margin-left: 160px;
@media (min-width: 768px) and (max-width: 991px) {
.undp-header .box-right {
 margin-left: 150px;
@media (max-width: 767px) {
.undp-header .box-right {
 margin-left: 102px;
 height: 88px;
.undp-header .box-right .wrap-heading {
font-size: 13px;
color: #FFFFFF;
 margin: 0 0 21px;
font-weight: normal;
@media (max-width: 1199px) {
```



```
.undp-header .box-right .wrap-heading {
  position: relative;
  top: 52px;
  margin: 0;
  font-size: 16px;
@media (min-width: 768px) and (max-width: 991px) {
 .undp-header .box-right .wrap-heading {
  top: 40px;
  width: 200px;
  line-height: 22px;
@media (max-width: 767px) {
 .undp-header .box-right .wrap-heading {
  margin-bottom: 0;
  position: absolute;
  left: 0;
  top: 50%;
  -webkit-transform: translate(0%, -50%);
  -moz-transform: translate(0%, -50%);
  -ms-transform: translate(0%, -50%);
  -o-transform: translate(0%, -50%);
  font-size: 13px;
  width: 160px;
  line-height: 18px;
}
```

#### Main Navigation

#### **HTML Before:**

#### **HTML After:**

```
    <a href="our-work.html">Our Work</a>
    <a href="sustainable-development-goals.html">Sustainable Development Goals</a>
    <a href="javascript:void(0);">Blog</a>
```



```
CSS for responsive widget:
.list-main-nav {
padding-left: 0;
 list-style: none;
 margin-bottom: 0;
.list-main-nav > li {
 display: inline-block;
padding: 8px 0 6px;
 margin: 0 10px -1px;
 border-top: 1px solid #265F91;
.list-main-nav > li a {
font-size: 17px;
 color: #66C2FF;
font-weight: bold;
.list-main-nav > li a:hover, .list-main-nav > li a:focus {
 color: #FFFFFF;
text-decoration: none;
.list-main-nav > li.disabled {
border-top: 1px solid #999;
.list-main-nav > li.disabled a, .list-main-nav > li.disabled:hover, .list-main-nav > li.disabled:focus, .list-main-
nav > li.disabled:active {
 color: #999;
 pointer-events: none;
.list-main-nav > li.active {
 border-top: 3px solid #6690aa;
 padding: 8px 10px 6px;
 margin: 0 -2px -1px;
 /* Background Gradient */
 background: #ffffff;
 /* Old browsers */
 background: -moz-linear-gradient(top, #edf6fe 0%, #ffffff 100%);
 /* FF3.6-15 */
 background: -webkit-linear-gradient(top, #edf6fe 0%, #ffffff 100%);
 /* Chrome10-25,Safari5.1-6 */
 background: linear-gradient(to bottom, #edf6fe 0%, #ffffff 100%);
 /* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#edf6fe', endColorstr='#ffffff',
GradientType=0);
/* IE6-9 */
.list-main-nav > li.active a {
color: #444444;
.list-main-nav > li.dropdown .caret {
 margin-left: 7px;
.list-main-nav > li.dropdown .dropdown-menu {
 -webkit-border-radius: 0;
```




```
-moz-border-radius: 0;
 border-radius: 0:
 border-color: #0A294E;
 background-color: #11294F;
.list-main-nav > li.dropdown .dropdown-menu li a {
 color: #FFFFFF;
font-size: 12px;
list-main-nav > li.dropdown .dropdown-menu li a:active, .list-main-nav > li.dropdown .dropdown-menu li
a:active:hover, .list-main-nav > li.dropdown .dropdown-menu li a:active:focus, .list-main-nav > li.dropdown
.dropdown-menu li a:hover, .list-main-nav > li.dropdown .dropdown-menu li a:focus, .list-main-nav >
li.dropdown .dropdown-menu li a.active {
 background-color: transparent;
 text-decoration: underline;
.list-main-nav > li.dropdown.disabled {
pointer-events: none;
.list-main-nav > li.dropdown.open .caret {
 border-top: none;
 border-bottom: 4px dashed;
```

This is a main tab navigation menu, a standard Bootstrap navigation widget which gets converted into hamburger menu in mobile or tablet view. The 'Navs' section in the Kitchen sink has details of this widget.

## 2.1.3 Home Template Container section

Wire-frame for Home Template Header Container is:





The content of the page is shown in the container. The **CSS classes** used for this are

- .main-content .home-main-content
- .container

```
. main-content {
    padding: 38px 0 0;
}
```

The container section shown in the image contains basically 2 sections viz., Left Panel and article grid.

#### 2.1.3.1 Master Home Template Left Panel:



#### **CSS** for responsive widget:


```
.list-unstyled {
    padding-left: 0;
    list-style: none;
}
.main-content {
    padding: 38px 0 0;
}

@media (min-width: 768px) and (max-width: 991px) {
```



```
.list-left-nav {
  margin-bottom: 38px;
@media (max-width: 767px) {
 .list-left-nav {
  margin-bottom: 38px;
  width: 300px;
.list-left-nav > li {
margin-bottom: 18px;
.list-left-nav > li a {
font-size: 16px;
font-weight: bold;
 color: #66C2FF;
 position: relative;
 padding-left: 44px;
 display: inline-block;
.list-left-nav > li a .icon-sprite {
position: absolute;
 left: 0;
 top: -6px;
.list-left-nav > li a:hover, .list-left-nav > li a:focus {
 text-decoration: none;
 color: #FFFFF;
.list-left-nav > li a:hover .icon-sprite, .list-left-nav > li a:focus .icon-sprite {
 background-position-x: -36px;
```

#### 2.1.3.2 Article Grid:





#### **HTML Before:**

#### **HTML After:**

```
<div data-hover data-map="images/xmap-america-north.png" class="feature-wrap">
         <div class="feature-box"><imq src="images/undp-feature-img01.jpg" alt="UNDP Feature Image"</pre>
class="ima-responsive">
          <h3 class="feature-heading">International Women's Day: Voices of 50 women</h3>
          </div>
         <div class="hover-content"><span>UNDP in</span><strong>Eurasia</strong></div>
         <div class="feature-txt-box visible-md visible-sm visible-xs"><span class="txt-article">UNDP
Event</span>
           <div class="article-para">
           <This International Women's Day, the world stands well positioned to move forward on</p>
gender equality. The 2030 Agenda for Sustainable Development, adopted by the UN General Assembly last
year, asserts that gender equality is not only as a human right, but also a necessary foundation for a
peaceful and inclusive world.<a href="javascript:void(0);" class="link-more">more &raquo;</a>
           </div>
         </div>
        </div>
```

#### **CSS classes** for 'feature-wrap' are as follows:

```
.row-eq-height > div > div {
 -webkit-box-flex: 1;
 -webkit-flex-grow: 1;
 -moz-flex-grow: 1;
 -ms-flex-positive: 1;
flex-grow: 1;
@media (max-width: 767px) {
 .row-eq-height {
  display: block;
.feature-wrap {
 margin-bottom: 38px;
 min-height: 338px;
@media (max-width: 1199px) {
.feature-wrap {
  min-height: initial;
}
.feature-wrap.hover {
 background: #02346a url("../../images/xmap-america-north.png") no-repeat top center;
 background-size: cover;
 /* For landscape layouts only */
}
.feature-wrap.hover .feature-box {
```



```
display: none;
}
.feature-wrap.hover .hover-content {
 display: block;
 padding: 10px 10px 0 10px;
.feature-wrap.hover .feature-txt-box {
 display: block !important;
 padding: 0 10px;
.feature-wrap.hover .article-para p {
 color: #FFF;
font-size: 13px;
@media (min-width: 768px) and (max-width: 991px) {
.feature-wrap.hover {
  display: none;
}
}
@media only screen and (min-device-width: 481px) and (max-device-width: 1024px) and (orientation:
landscape) {
.feature-wrap.hover {
  display: none;
}
@media (max-width: 767px) {
 .feature-wrap.hover {
  display: none;
}
}
.feature-box {
position: relative;
@media (max-width: 1199px) {
 .feature-box {
  margin-bottom: 4px;
@media (max-width: 767px) {
 .feature-box {
  margin-bottom: 10px;
}
@media (max-width: 767px) {
 .feature-box img {
  width: 100%;
}
.feature-box .feature-heading {
 position: absolute;
 left: 0;
 right: 0;
 bottom: 0;
 background-color: rgba(10, 41, 78, 0.8);
 min-height: 60px;
```



```
line-height: 60px;
 font-size: 18px;
 margin: 0;
 padding: 0 20px;
 color: #FFFFF;
@media (min-width: 768px) and (max-width: 991px) {
 .feature-box .feature-heading {
  min-height: 40px;
  line-height: 40px;
  font-size: 14px;
  padding: 0 10px;
}
@media (max-width: 767px) {
 .feature-box .feature-heading {
  font-size: 14px;
  min-height: 34px;
  line-height: 34px;
  text-overflow: ellipsis;
  white-space: nowrap;
  overflow: hidden;
  padding: 0 5px;
}
.feature-txt-box {
 margin-bottom: 32px;
```

#### CSS classes for 'article-box' are as follows:

```
.row-eq-height {
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-flex;
 display: -ms-flexbox;
 display: flex;
.row-eq-height > div {
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-flex;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-direction: normal;
 -webkit-box-orient: vertical;
 -webkit-flex-direction: column;
 -moz-flex-direction: column;
 -ms-flex-direction: column;
flex-direction: column;
.row-eq-height > div > div {
 -webkit-box-flex: 1;
 -webkit-flex-grow: 1;
 -moz-flex-grow: 1;
```



```
-ms-flex-positive: 1;
flex-grow: 1;
@media (max-width: 767px) {
.row-eq-height {
 display: block;
}
.article-box {
margin-bottom: 38px;
min-height: 290px;
@media (max-width: 1199px) {
.article-box {
 min-height: 100%;
@media (min-width: 768px) and (max-width: 991px) {
 .article-box {
 min-height: 100%;
@media (max-width: 767px) {
 .article-box {
 margin-bottom: 32px;
 min-height: 100%;
.article-box img {
margin-bottom: 4px;
@media (max-width: 767px) {
 .article-box img {
  width: 100%;
.article-box .article-heading {
font-size: 16px;
font-weight: normal;
 color: #FFFFF;
 letter-spacing: 0.04em;
 margin: 0;
 line-height: 22px;
@media (max-width: 1199px) {
 .article-box .article-heading {
 margin-bottom: 8px;
@media (min-width: 768px) and (max-width: 991px) {
.article-box .article-heading {
 font-size: 14px;
 line-height: 18px;
```



```
@media (max-width: 767px) {
 .article-box .article-heading {
  font-size: 20px;
  line-height: 24px;
  margin-bottom: 10px;
@media (max-width: 767px) {
 .article-box.speakers-box {
  margin-bottom: 0;
}
.article-box.speakers-box img {
 margin-bottom: 23px;
.article-box.hover {
padding: 10px;
 background-color: #02346a;
 background-repeat: no-repeat;
 background-position: center center;
 -webkit-background-size: cover;
 -moz-background-size: cover;
 -o-background-size: cover;
 background-size: cover;
 /* For landscape layouts only */
.article-box.hover > img {
 display: none;
.article-box.hover .article-heading {
margin-bottom: 10px;
.article-box.hover .hover-content {
 display: block;
.article-box.hover .article-para {
 display: block !important;
.article-box.hover .article-para p {
 color: #FFF;
font-size: 13px;
@media (min-width: 768px) and (max-width: 991px) {
 .article-box.hover {
  display: none;
@media only screen and (min-device-width: 481px) and (max-device-width: 1024px) and (orientation:
landscape) {
 .article-box.hover {
  display: none;
@media (max-width: 767px) {
 .article-box.hover {
  display: none;
```



```
}

.txt-article {
  font-size: 10px;
  color: #66C2FF;
  text-transform: uppercase;
  display: block;
  margin-bottom: 5px;
}

@media (max-width: 1199px) {
  .txt-article {
   font-size: 12px;
  }
}
```

# 2.1.4 Home Template Footer section

Wire-frame for Home Template Footer is as below:



Footer is globally used in all the templates. The **CSS class** used is 'undp-footer'. The Home Template Footer section has two sub-sections viz., Footer navigation links and copyright section which are shown as below.



Following are the **CSS** used for the same:

#### **HTML Before:**

#### **HTML After:**



```
<footer class="undp-footer">
  <div class="container">
   <a href="javascript:void(0);">Jobs</a>
    <a href="javascript:void(0);">Tenders</a>
    <a href="javascript:void(0);">Terms of use</a>
    <a href="javascript:void(0);">Transparency</a>
    <a href="javascript:void(0);">Anti-Fraud Hotline</a>
    <a href="javascript:void(0);">Social & Environmental Hotline</a>
    <a href="javascript:void(0);">Scam Alert</a>
    <a href="javascript:void(0);">Projects</a>
    <a href="javascript:void(0);">Get Involved!</a>
    <a href="javascript:void(0);">Contact us</a>
   © 2016 United Nations Development Programme.
  </div>
 </footer>
```

```
.undp-footer {
 position: relative;
 bottom: 0;
 width: 100%;
 min-height: 100px;
 border-top: 1px solid rgba(38, 95, 145, 0.5);
 padding: 28px 0 15px;
 background-color: #0A294E;
.undp-footer .list-footer-nav {
margin: 0 -7px 14px;
.undp-footer .list-footer-nav > li {
padding: 0 7px;
@media (max-width: 991px) {
.undp-footer .list-footer-nav > li {
  margin-bottom: 20px;
.undp-footer .list-footer-nav > li a {
font-size: 11.5px;
 color: #66C2FF;
.undp-footer .list-footer-nav > li a:hover, .undp-footer .list-footer-nav > li a:focus {
 color: #FFFFF;
 text-decoration: none;
.undp-footer .txt-copyright {
font-size: 12px;
 margin-bottom: 0;
 color: #666666;
```




# 2.2 Master 3 Column Template

Master 3 Column Template is used to make the UI responsive and manageable. The basic template structures for the same is shown as below, and in the next sections the components and widgets which can be added into the 3 Column templates, are introduced. All the templates apart from Home can be developed using this basic layout. Depending on the need different widgets can be added in the basic layout shown below,

```
<header class="undp-header">
   <div class="container"><a href="/" class="box-logo pull-left"></a>
  </div>
</header>
<div class="main-content main-content-work">
  <div class="main-subnav">
    <div class="container">
    </div>
   </div>
<div class="container">
   <div class="row">
       <!--Row with three columns divided in 1:2:1 ratio-->
    <div class="col-md-3"><!--Column left--></div>
    <div class="col-md-6"><!--Column middle--></div>
    <div class="col-md-3"><!--Column right--></div>
</div>
<div class="info-link-box">
    <div class="container">
    </div>
</div>
</div>
<footer class="undp-footer">
   <div class="container">
   </div>
</footer>
```





# 2.2.1 Master 3 column Template - Main sub-navigation Menu (Scrollable links)

**Scrollable Links/Main navigation menu** provides the main navigation panel for the page. This widget can be seen as '**our-work**' page template. The widget is documented in the Kitchen sink.

This widget is created using **jQuery plugin** to scroll the links. The detailed documentation for the same can be found at <a href="http://kenwheeler.github.io/slick/">http://kenwheeler.github.io/slick/</a>.

#### **HTML Before:**

```
<div class="subnav">
      <div id="nav-sub">
            <a class="first"
href="/content/india/en/home/ourwork/povertyreduction" style="font-size: 16px;">Poverty Reduction</a>
                  <a class=""
href="/content/india/en/home/ourwork/democraticgovernance" style="font-size: 16px;">Democratic
Governance</a>
<a class=""
href="/content/india/en/home/ourwork/environmentandenergy" style="font-size: 16px;">Environment and
Energy</a>
                  <a class=""
href="/content/india/en/home/ourwork/humandevelopment" style="font-size: 16px;">Human
Development</a>
```



While making the CSS responsive, the main sub-navigation menu list is being replaced by the following:

### **HTML After:**

The respective **CSS classes** are shown below:

```
.main-subnav {
 overflow: hidden;
 height: 57px;
@media (max-width: 767px) {
.main-subnav .container {
  padding: 0;
.main-subnav .main-subnav-tabs {
height: 57px;
 max-height: 57px;
 margin: 0;
 list-style: none;
padding: 0;
.main-subnav .main-subnav-tabs .slick-track {
height: 57px;
.main-subnav .main-subnav-tabs .slick-track:after {
content: "";
 display: table;
 clear: both;
.main-subnav .main-subnav-tabs .slick-list {
margin: 0 25px;
.main-subnav .main-subnav-tabs .slick-prev, .main-subnav .main-subnav-tabs .slick-next {
 height: 55px;
 width: 25px;
 z-index: 9;
 top: 0;
 -webkit-transform: translate(0, 0);
 -moz-transition: unset;
 transform: unset;
```



```
.main-subnav .main-subnav-tabs .slick-prev:before, .main-subnav .main-subnav-tabs .slick-next:before {
 content: ";
 display: none;
.main-subnav .main-subnav-tabs .slick-prev.slick-disabled, .main-subnav .main-subnav-tabs .slick-next.slick-
disabled {
background: transparent !important;
.main-subnav .main-subnav-tabs .slick-prev {
left: 0;
 background: #def3ff url("../../images/arrow-left.svg") 3px center no-repeat;
 margin-left: -3px;
@media (max-width: 1199px) {
.main-subnav .main-subnav-tabs .slick-prev {
  margin-left: 0;
}
.main-subnav .main-subnav-tabs .slick-next {
 background: #def3ff url("../../images/arrow-right.svg") 3px center no-repeat;
 margin-right: -3px;
@media (max-width: 1199px) {
 .main-subnav .main-subnav-tabs .slick-next {
  margin-right: 0;
.main-subnav .main-subnav-tabs .slick-slide {
 position: relative;
 line-height: 57px;
.main-subnav .main-subnav-tabs .slick-slide a {
 display: table;
 width: 100%;
 line-height: 110%;
 padding: 0 20px;
 font-size: 15px;
font-weight: bold;
 color: #0055aa;
 text-decoration: none;
 height: 57px;
.main-subnav .main-subnav-tabs .slick-slide a:focus, .main-subnav .main-subnav-tabs .slick-slide a:active {
 outline: none;
 border: none;
.main-subnav .main-subnav-tabs .slick-slide a span {
 display: table-cell;
 vertical-align: middle;
@media (max-width: 991px) {
 .main-subnav .main-subnav-tabs .slick-slide a {
  padding: 0 10px;
  line-height: 110%;
```




```
}
@media (max-width: 767px) {
 .main-subnav .main-subnav-tabs .slick-slide a {
  font-size: 12px;
@media (max-width: 767px) and (orientation: landscape) {
 .main-subnav .main-subnav-tabs .slick-slide a {
 font-size: 14px;
@media (max-width: 320px) {
  .main-subnav .main-subnav-tabs .slick-slide a {
  font-size: 11px;
  line-height: 115%;
.main-subnav .main-subnav-tabs .slick-slide:before {
 position: absolute;
 content: ";
 left: 0;
 top: 0;
 bottom: 0;
 width: 1px;
 background: #def3ff;
 /* Old browsers */
 background: -moz-linear-gradient(top, #ffffff 0%, #99d6ff 100%);
 /* FF3.6-15 */
 background: -webkit-linear-gradient(top, #ffffff 0%, #99d6ff 100%);
 /* Chrome10-25,Safari5.1-6 */
 background: linear-gradient(to bottom, #ffffff 0%, #99d6ff 100%);
/* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
filter: progid:DXImageTransform.Microsoft.gradient( startColorstr='#ffffff',
endColorstr='#99d6ff',GradientType=0);
 /* IE6-9 */
}
@media (max-width: 767px) {
.main-subnav .main-subnav-tabs .slick-slide:before {
  /* Permalink - use to edit and share this gradient: http://colorzilla.com/gradient-
editor/#fffff+0,99d6ff+25,99d6ff+75,99d6ff+100&0.01+0,1+25,1+75,0.01+100 */
  background: -moz-linear-gradient(top, rgba(255, 255, 255, 0) 0%, #99d6ff 25%, #99d6ff 75%, rgba(153,
214, 255, 0) 100%);
  /* FF3.6-15 */
  background: -webkit-linear-gradient(top, rgba(255, 255, 255, 0) 0%, #99d6ff 25%, #99d6ff 75%, rgba(153,
214, 255, 0) 100%);
  /* Chrome10-25, Safari 5.1-6 */
  background: linear-gradient(to bottom, rgba(255, 255, 255, 0) 0%, #99d6ff 25%, #99d6ff 75%, rgba(153,
214, 255, 0) 100%);
  /* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
  filter: progid:DXImageTransform.Microsoft.gradient( startColorstr='#03ffffff',
endColorstr='#0399d6ff',GradientType=0);
  /* IE6-9 */
.main-subnav .main-subnav-tabs .slick-slide:last-child:after {
```



```
position: absolute;
 content: ";
 right: 0;
 top: 0;
 bottom: 0;
 width: 1px;
 background: #def3ff;
 /* Old browsers */
 background: -moz-linear-gradient(top, #ffffff 0%, #99d6ff 100%);
 /* FF3.6-15 */
 background: -webkit-linear-gradient(top, #ffffff 0%, #99d6ff 100%);
 /* Chrome10-25,Safari5.1-6 */
 background: linear-gradient(to bottom, #ffffff 0%, #99d6ff 100%);
 /* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
 filter: progid:DXImageTransform.Microsoft.gradient( startColorstr='#ffffff',
endColorstr='#99d6ff',GradientType=0);
/* IE6-9 */
@media (max-width: 767px) {
 .main-subnav .main-subnav-tabs .slick-slide:last-child:after {
  /* Permalink - use to edit and share this gradient: http://colorzilla.com/gradient-
editor/#fffff+0,99d6ff+25,99d6ff+75,99d6ff+100&0.01+0,1+25,1+75,0.01+100 */
  background: -moz-linear-gradient(top, rgba(255, 255, 255, 0) 0%, #99d6ff 40%, #99d6ff 60%, rgba(153,
214, 255, 0) 100%);
  /* FF3.6-15 */
  background: -webkit-linear-gradient(top, rgba(255, 255, 255, 0) 0%, #99d6ff 40%, #99d6ff 60%, rgba(153,
214, 255, 0) 100%);
  /* Chrome10-25,Safari5.1-6 */
  background: linear-gradient(to bottom, rgba(255, 255, 255, 0) 0%, #99d6ff 40%, #99d6ff 60%, rgba(153,
214, 255, 0) 100%);
  /* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
  filter: progid:DXImageTransform.Microsoft.gradient( startColorstr='#03ffffff',
endColorstr='#0399d6ff',GradientType=0 );
  /* IE6-9 */
```

# 2.2.2 Master 3 column Template – Breadcrumb





#### **HTML Before:**

#### **HTML After:**

```
    <a href="home.html">Home</a></span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">News Center</a></span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">Press releases</a></span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">2016</a></span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">05</a></span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">25</a><<span class="icon-arrow-right"></span>
    <a href="javascript:void(0);">25</a><<span class="icon-arrow-right"></span>
```


The UI widget **Breadcrumb** can be seen in the 'our-work' page template.

```
.undp-breadcrumb {
 background-color: transparent;
 -webkit-border-radius: 0;
 -moz-border-radius: 0;
 border-radius: 0;
 padding: 0;
 margin: 0 0 18px;
 padding-top: 18px;
.undp-breadcrumb > li {
margin-bottom: 5px;
.undp-breadcrumb > li a {
 display: inline-block;
 color: #0055aa;
font-size: 13px;
padding: 5px 0;
.undp-breadcrumb > li span {
font-size: 15px;
 vertical-align: text-bottom;
 margin-left: 5px;
 color: #666666;
.country-pg .undp-breadcrumb > li a {
 color: #5a90da;
}
```




# 2.2.3 Master 3 column Template - Left List Group

## On Desktop:



#### On Touch devices:



#### **HTML Before:**



```
<1i>>
                       <a
href="/content/india/en/home/operations/projects/poverty_reduction">Poverty Reduction</a>
                       <1i>>
                       <a
href="/content/india/en/home/operations/projects/democratic governance">Democratic Governance</a>
                       <a
href="/content/india/en/home/operations/projects/environment_and_energy">Environment and
Energy</a>
                       <1i>
                       <a href="/content/india/en/home/operations/projects/human-
development">Human Development</a>
                       <1i>
                       <a href="/content/india/en/home/operations/projects/health">Health</a>
                       </div>
       </div>
</div>
```

### **HTML After:**

```
    <a href="javascript:void(0);"><i class="icon-sprite icon-1"></i><span>Transform
    development</span></a>
    <a href="javascript:void(0);"><i class="icon-sprite icon-2"></i><span>Strengthen governance and peacebuilding</span></a>
    <a href="javascript:void(0);"><i class="icon-sprite icon-3"></i><span>Prevent crisis, help recovery</span></a>
```

```
.aside-link {
    margin-bottom: 20px;
}
.aside-link ul {
    margin: 0;
}
.aside-link ul > li {
    position: relative;
}
.aside-link ul > li > a {
    font-size: 13px;
    padding: 15px 20px 15px 40px;
    display: block;
    color: #666666;
    line-height: 19px;
    border-top: 1px solid transparent;
    border-bottom: 1px solid transparent;
    text-decoration: none;
}
```



```
.aside-link ul > li > a > i {
 padding-right: 5px;
 margin-left: -9px;
.aside-link ul > li > a .badge {
float: right;
padding: 0;
 width: 27px;
 margin-top: -5px;
 line-height: 27px;
 text-align: center;
 -webkit-border-radius: 50%;
 -moz-border-radius: 50%;
 border-radius: 50%;
 background-color: #666666;
 color: #fff;
font-size: 13px;
font-weight: bold;
.aside-link ul > li:hover > a, .aside-link ul > li:focus > a {
 background-color: #434c54;
 text-decoration: none;
 color: #FFFFF;
}
.aside-link ul > li.active > a {
 background-color: #434c54;
 color: #FFFFF;
 border-top-color: #5E676F;
 border-bottom-color: #5E676F;
.aside-link ul > li.active > a i {
 color: #FFFFFF;
.aside-link ul > li.active:before {
content: ";
 position: absolute;
 right: -8px;
 border-top: 8px solid transparent;
 border-left: 8px solid #434c54;
 border-bottom: 8px solid transparent;
 top: 25px;
 margin-top: -8px;
@media (min-width: 768px) and (max-width: 991px) {
 .aside-link ul > li.active:before {
  display: none;
@media (max-width: 767px) {
.aside-link ul > li.active:before {
  display: none;
.aside-link ul > li.active .badge, .aside-link ul > li:hover .badge {
 background-color: #fff;
 color: #666666;
```



```
.aside-link ul > li.has-child i {
 margin-left: -12px;
 -webkit-transform: translate(0, 20);
 -moz-transform: translate(0, 20);
 -ms-transform: translate(0, 20);
 -o-transform: translate(0, 20);
.aside-link ul > li.has-child i:before {
content: "\f0d7";
}
.aside-link ul ul {
list-style: none;
 display: none;
 padding: 0;
.aside-link ul ul li a {
padding: 10px 10px 10px 60px;
 color: #666666;
.aside-link ul ul li:hover a, .aside-link ul ul li:focus a, .aside-link ul ul li:active a {
 background-color: #434c54;
 color: #FFFFF;
}
.aside-link ul ul li.active:before {
 display: none;
.aside-link .box-collapse {
 padding: 0;}
```



## 2.2.4 Master 3 column Template - Middle Content



The CSS class 'form-wrap' is used for the stories filter form. And CSS for all the classes mentioned in the image are as follows:

```
.stories-wrap {
padding: 0 10px;
@media (min-width: 768px) and (max-width: 991px) {
 .stories-wrap {
  padding: 0;
@media (max-width: 767px) {
 .stories-wrap {
  padding: 0;
.stories-wrap .btn-subscribe {
font-size: 13px;
font-weight: normal;
 color: #666666;
 text-decoration: none;
 display: block;
 text-align: right;
 margin-bottom: 8px;
.stories-wrap .btn-subscribe img {
```



```
width: 15px;
 margin-left: 5px;
.stories-wrap .form-wrap {
 background-color: #f2faff;
 padding: 20px;
 margin-bottom: 30px;
 border: 1px solid rgba(179, 179, 179, 0.5);
.stories-wrap .form-wrap label {
font-size: 12.5px;
 color: #666666;
font-weight: normal;
.stories-wrap .form-wrap .select-box {
background-color: #FFFFFF;
.stories-wrap .form-wrap .select-box > i {
color: #0055aa;
.stories-wrap .form-wrap .form-control {
-webkit-border-radius: 0;
-moz-border-radius: 0;
 border-radius: 0;
 color: #000000;
font-size: 12.5px;
.stories-wrap .form-wrap .form-control:focus, .stories-wrap .form-wrap .form-control:active {
 -webkit-box-shadow: none;
 box-shadow: none;
 border-color: #ccc;
.media-stories {
margin-bottom: 20px;
.media-stories .media-left {
padding-right: 20px;
@media (max-width: 767px) {
.media-stories .media-left {
  padding-right: 15px;
.media-stories .media-object {
width: 130px;
@media (max-width: 767px) {
 .media-stories .media-object {
  width: 80px;
.media-stories .media-heading {
 display: block;
 font-size: 16px;
 margin-bottom: 16px;
 color: #0055aa;
```



```
font-weight: bold;
line-height: 18px;
}
.media-stories .media-body {
 height: 130px;
}
.media-stories .media-body p {
 font-size: 13px;
 color: #333333;
 margin-bottom: 0;
}
```

# 2.2.5 Master 3 column Template - Stories Pagination

# .nav-pagination 1 2 3 4 Next »

```
.nav-pagination {
 text-align: center;
 margin-bottom: 36px;
@media (max-width: 767px) {
 .nav-pagination {
  padding: 10px;
  margin-bottom: 10px;
.undp-pagination {
 margin: 0;
 -webkit-border-radius: 0;
 -moz-border-radius: 0;
 border-radius: 0;
}
.undp-pagination > li > a {
font-size: 13px;
 color: #0055aa;
 border: none;
 padding: 0 8px;
 line-height: 23px;
 margin: 0 1px;
.undp-pagination > li > a:hover, .undp-pagination > li > a:focus {
color: #0055aa;
@media (min-width: 768px) and (max-width: 991px) {
 .undp-pagination > li > a {
  margin: 0 5px;
@media (max-width: 767px) {
 .undp-pagination > li > a {
  margin: 0 5px;
```



```
.undp-pagination > li.active a {
  background-color: #eeeeee;
  color: #0055aa;
}
.undp-pagination > li.active a:hover, .undp-pagination > li.active a:focus {
  background-color: #eeeeee;
  color: #0055aa;
}
```

# 2.2.6 Master 3 column Template - Right Section: Latest News

### On Desktop:

```
Latest news

10 Mar 2016: Helen Clark: Speech on "Sustainable development for all - how will the vision become reality?"

10 Mar 2016: Additional EUR 59 million boost fight against malaria in Chad

09 Mar 2016: Helen Clark: Speech on SDGs at the Danish Ministry of Foreign Affairs

08 Mar 2016: Helen Clark: Speech at the "Women - the Key to a Sustainable World" event

10 Mar 2016: Helen Clark: Statement on International Women's Day 2016

View more »
```

### On Touch devices:

```
10 Mar 2016: Helen Clark: Speech on "Sustainable development for all - how will the vision become reality?"

10 Mar 2016: Additional EUR 59 million boost fight against malaria in Chad

09 Mar 2016: Helen Clark: Speech on SDGs at the Danish Ministry of Foreign Affairs

08 Mar 2016: Helen Clark: Speech at the "Women - the Key to a Sustainable World" event

10 Mar 2016: Helen Clark: Statement on International Women's Day 2016

View more »
```

```
@media (min-width: 768px) and (max-width: 991px) {
    .aside-collapse-wrap {
    margin-bottom: 10px;
    }
}
@media (max-width: 767px) {
```



```
.aside-collapse-wrap {
  margin-bottom: 10px;
.box-toggle {
float: inherit;
 min-height: 40px;
 background-color: #0A294E;
 margin: 0;
 width: 100%;
 -webkit-border-radius: 0;
 -moz-border-radius: 0;
 border-radius: 0;
 color: #FFFFF;
 text-align: left;
 font-size: 18px;
line-height: 20px;
@media (min-width: 768px) and (max-width: 991px) {
 .box-toggle {
  display: block;
}
.latest-box {
 border-top: 2px solid #b3b3b3;
padding: 15px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box {
  padding-top: 10px;
 .latest-box.box-collapse {
  padding: 0 15px;
  background-color: #f2faff;
@media (max-width: 767px) {
 .latest-box {
 padding-top: 10px;
 .latest-box.box-collapse {
  padding: 0 15px;
  background-color: #f2faff;
.latest-box > h4 {
font-size: 17px;
font-weight: bold;
 color: #333;
margin: 0 0 12px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box > h4 {
  display: none;
```



```
@media (max-width: 767px) {
 .latest-box > h4 {
  display: none;
.latest-box .link-view {
 display: inline-block;
font-size: 13px;
 margin-bottom: 20px;
 color: #0055aa;
}
.latest-box.news-box > p {
font-size: 13px;
margin-bottom: 18px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box.news-box > p {
  padding-top: 15px;
@media (max-width: 767px) {
.latest-box.news-box > p {
  padding-top: 15px;
.latest-box.news-box > p span {
 color: #666666;
 padding-right: 5px;
font-weight: bold;
.latest-box.news-box > p a {
color: #0055aa;
.latest-box.social-box {
padding-bottom: 5px;
@media (min-width: 768px) and (max-width: 991px) {
 .latest-box.social-box {
  padding-bottom: 0;
@media (max-width: 767px) {
 .latest-box.social-box {
  padding-bottom: 0;
}
.latest-box.social-box > h4 {
 margin-bottom: 12px;
.latest-box.social-box .list-social-nav {
text-align: left;
 margin: 0;
@media (min-width: 768px) and (max-width: 991px) {
 .latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
```



```
}
}
@media (max-width: 767px) {
.latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
}
}
.latest-box.social-box .list-social-nav > li {
  margin-bottom: 15px;
}
.latest-box.social-box .list-social-nav > li a {
  color: #0055aa;
}
.latest-box.social-box .list-social-nav > li .icon-box {
  display: inline-block;
  vertical-align: middle;
}
.latest-box.social-box .list-social-nav > li span {
  vertical-align: middle;
  padding-left: 8px;
  font-size: 13px;
}
```

# 2.2.7 Master 3 column Template – Right Section: UNDP in Focus

### On Desktop:

### **UNDP in Focus**

In Cuba, a UNDP programme is promoting partnerships between governments and scientific institutions in order to connect people with the knowledge they need in order to actively and consistently participate in the development of their municipality.



View more »

## On Touch devices:





```
.latest-box {
border-top: 2px solid #b3b3b3;
 padding: 15px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box {
  padding-top: 10px;
 .latest-box.box-collapse {
  padding: 0 15px;
  background-color: #f2faff;
@media (max-width: 767px) {
 .latest-box {
  padding-top: 10px;
 .latest-box.box-collapse {
  padding: 0 15px;
  background-color: #f2faff;
.latest-box > h4 {
font-size: 17px;
font-weight: bold;
 color: #333;
 margin: 0 0 12px;
@media (min-width: 768px) and (max-width: 991px) {
 .latest-box > h4 {
  display: none;
@media (max-width: 767px) {
.latest-box > h4 {
  display: none;
.latest-box .link-view {
display: inline-block;
font-size: 13px;
margin-bottom: 20px;
 color: #0055aa;
.latest-box.news-box > p {
font-size: 13px;
margin-bottom: 18px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box.news-box > p {
  padding-top: 15px;
@media (max-width: 767px) {
.latest-box.news-box > p {
  padding-top: 15px;
```




```
.latest-box.news-box > p span {
 color: #666666;
 padding-right: 5px;
font-weight: bold;
.latest-box.news-box > p a {
color: #0055aa;
.latest-box.social-box {
padding-bottom: 5px;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box.social-box {
  padding-bottom: 0;
@media (max-width: 767px) {
 .latest-box.social-box {
  padding-bottom: 0;
.latest-box.social-box > h4 {
margin-bottom: 12px;
.latest-box.social-box .list-social-nav {
text-align: left;
margin: 0;
@media (min-width: 768px) and (max-width: 991px) {
 .latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
@media (max-width: 767px) {
 .latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
.latest-box.social-box .list-social-nav > li {
margin-bottom: 15px;
.latest-box.social-box .list-social-nav > li a {
color: #0055aa;
.latest-box.social-box .list-social-nav > li .icon-box {
 display: inline-block;
 vertical-align: middle;
.latest-box.social-box .list-social-nav > li span {
vertical-align: middle;
 padding-left: 8px;
 font-size: 13px;
```



# 2.2.8 Master 3 column Template - Right Panel: Find us on

### On Desktop:



### On Touch devices:




```
.latest-box.social-box {
padding-bottom: 5px;
@media (min-width: 768px) and (max-width: 991px) {
 .latest-box.social-box {
  padding-bottom: 0;
@media (max-width: 767px) {
.latest-box.social-box {
  padding-bottom: 0;
.latest-box.social-box > h4 {
margin-bottom: 12px;
.latest-box.social-box .list-social-nav {
text-align: left;
 margin: 0;
@media (min-width: 768px) and (max-width: 991px) {
.latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
@media (max-width: 767px) {
.latest-box.social-box .list-social-nav {
  padding: 15px 0 0;
.latest-box.social-box .list-social-nav > li {
margin-bottom: 15px;
```



```
| latest-box.social-box.list-social-nav > li a {
    color: #0055aa;
| latest-box.social-box.list-social-nav > li.icon-box {
    display: inline-block;
    vertical-align: middle;
| latest-box.social-box.list-social-nav > li span {
    vertical-align: middle;
    padding-left: 8px;
    font-size: 13px;
| }
```

# 2.2.9 Master 3 column Template - Info Link Section

### 2.2.9.1 Info-Link Box



### **HTML Before:**



#### **HTML After:**

```
<div class="row-eq-height clearfix">
      <div class="col-md-4 col-sm-4 one">
       <div class="info-wrap work-wrap">
        <h4><a href="javascript:void(0);">Our Work &raquo;</a></h4><imq src="images/undp-footer-
logo.png" alt="UNDP Logo" class="pull-right img-responsive">
        <a href="javascript:void(0);">History</a>
         <a href="javascript:void(0);">Africa</a>
         <a href="javascript:void(0);">Arab States</a>
         <a href="javascript:void(0);">Asia and the Pacific</a>
         <a href="javascript:void(0);">Europe and Central Asia</a>
         <a href="javascript:void(0);">Latin America and the Caribbean</a>
         <a href="javascript:void(0);">Looking forward</a>
        </div>
      </div>
      <div class="col-md-4 col-sm-4 two">
       <div class="info-wrap goal-wrap">
        <h4><a href="javascript:void(0);">Sustainable Development Goals &raquo;</a></h4><img
src="images/goals.png" alt="Sustainable Development Goals" class="img-responsive">
       </div>
      </div>
      <div class="col-md-4 col-sm-4 three">
       <div class="info-wrap prespective-wrap">
        <h4><a href="javascript:void(0);">Our Perspectives &raquo;</a></h4><a
href="javascript:void(0);">Transforming local communities amidst conflict</a>
        <div class="media">
         <div class="media-body">
          <h4 class="media-heading">03 Mar 2016</h4>
          Looking back 50 years, the concept of development has shifted.
         <div class="media-right"><a href="javascript:void(0);"><img src="images/img-prespective.png"</pre>
alt="Perspectives" class="media-object"></a></div>
        </div>
       </div>
      </div>
     </div>
```

### **CSS** for 'info-link-box' contains the following:

```
.info-link-box {
   background-color: #f2faff;
   padding: 30px 0;
}
@media (max-width: 767px) {
   .info-link-box {
    padding-top: 0;
   }
}
```



Info-link Box contains 3 sections viz., Our Work, Sustainable Development Goals and Our Perspectives. Following is the CSS for respective sections:

```
.info-link-box .row-eq-height > div {
float: none;
-webkit-box-flex: 1;
-webkit-flex-grow: 1;
-moz-flex-grow: 1;
-ms-flex-positive: 1;
flex-grow: 1;
.info-link-box .row-eq-height {
display: -webkit-box;
display: -webkit-flex;
display: -moz-flex;
display: -ms-flexbox;
display: flex;
display: -webkit-flex;
-webkit-box-direction: normal;
-webkit-box-orient: horizontal;
-webkit-flex-direction: row;
-moz-flex-direction: row;
-ms-flex-direction: row;
flex-direction: row;
-webkit-flex-direction: row;
-webkit-flex-wrap: nowrap;
-moz-flex-wrap: nowrap;
-ms-flex-wrap: none;
flex-wrap: nowrap;
margin-left: -10px;
margin-right: -10px;
@media (max-width: 767px) {
.info-link-box .row-eq-height {
  -webkit-box-direction: normal;
  -webkit-box-orient: vertical;
  -webkit-flex-direction: column;
  -moz-flex-direction: column;
  -ms-flex-direction: column;
  flex-direction: column;
  -webkit-flex-direction: column;
```



### 2.2.9.1.1 Our Work Section:



#### **HTML Before:**

```
<div id="our-work" class="column" style="min-height: 199px;">
                       <h3>
                                <a href="/content/india/en/home/ourwork">Our Work</a>
                       </h3>
                        class="first">
                       <a href="/content/india/en/home/ourwork/povertyreduction">Poverty
Reduction</a>
            <a href="/content/india/en/home/ourwork/democraticgovernance">Democratic</a>
Governance</a>
            <a href="/content/india/en/home/ourwork/environmentandenergy">Environment and
Energy</a>
            <a href="/content/india/en/home/ourwork/humandevelopment">Human</a>
Development</a>
           <a href="/content/india/en/home/ourwork/health">Health</a>
            <div class="report">
                                <a class="bold" href="/content/dam/india/docs/GHDR2015/GHDR-2015-</pre>
English.pdf">Human Development Report 2015 - Work for Human Development</a>
                               <a class="bold" href="#"> </a>
                                <br>
                                <imq src="/content/dam/india/img/GHDR-2015-english-</pre>
grab.JPG/jcr:content/renditions/cq5dam.web.60.80.jpeg" alt=" " data-pagespeed-url-hash="261011929"
onload="pagespeed.CriticalImages.checkImageForCriticality(this);">
                                </div>
               </div>
```

### **HTML After:**



```
<a href="javascript:void(0);">History</a>
<a href="javascript:void(0);">Africa</a>
<a href="javascript:void(0);">Arab States</a>
<a href="javascript:void(0);">Arab States</a>
<a href="javascript:void(0);">Asia and the Pacific</a>
<a href="javascript:void(0);">Europe and Central Asia</a>
<a href="javascript:void(0);">Latin America and the Caribbean</a>
<a href="javascript:void(0);">Looking forward</a>
</di>
</di>
</di>
</di>
</di>
</di>
</di>
```

```
.info-link-box {
 background-color: #f2faff;
padding: 30px 0;
@media (max-width: 767px) {
 .info-link-box {
 padding-top: 0;
.info-wrap.work-wrap {
padding-left: 0;
@media (min-width: 768px) and (max-width: 991px) {
 .info-wrap.work-wrap {
 padding: 0;
@media (max-width: 767px) {
 .info-wrap.work-wrap {
 padding: 25px 0 0;
.info-wrap.work-wrap > img {
 width: 158px;
padding-top: 6px;
@media (min-width: 768px) and (max-width: 991px) {
.info-wrap.work-wrap > img {
  width: 118px;
```



### 2.2.9.1.2 Sustainable Development Goals Section:



#### **HTML Before:**

### HTML After:

```
.info-wrap.goal-wrap {
    text-align: center;
    /* For landscape layouts only */
}
.info-wrap.goal-wrap > h4 {
    margin-bottom: 8px;
    text-align: left;
}
.info-wrap.goal-wrap img {
    margin: 0 auto;
}
@media (min-width: 768px) and (max-width: 991px) {
    .info-wrap.goal-wrap {
        margin: 0;
        padding: 0;
    }
}
```



```
@media only screen and (min-device-width: 481px) and (max-device-width: 1024px) and (orientation:
landscape) {
    .info-wrap.goal-wrap {
        padding: 0;
    }
}
@media (max-width: 767px) {
    .info-wrap.goal-wrap {
        margin: 30px 0;
        border-bottom: 1px solid #99d6ff;
        border-top: 1px solid #99d6ff;
        padding: 30px 0;
        text-align: left;
}
.info-wrap.goal-wrap img {
        margin: 0 auto;
}
```

## 2.2.9.1.3 Our Perspectives Section:



#### **HTML Before:**

```
<div id="about-country" class="bosnia column">
                        <img class="png" width="239" height="205"
src="/content/dam/undp/images/design_images/country_office_maps/light_blue/png/239x205xindia.png.
pagespeed.ic.SFGnzTgtW6.webp" alt=" " data-pagespeed-url-hash="2970463606"
onload="pagespeed.CriticalImages.checkImageForCriticality(this);">
                        <div style="position: relative;">
                                <imq class="flag" width="72pixels" height="36pixels"
src="/content/dam/undp/images/design_images/flags/xindia.png.pagespeed.ic.h6loo_gUpp.webp" alt=" "
data-pagespeed-url-hash="184444690" onload="pagespeed.CriticalImages.checkImageForCriticality(this);">
                                <h3>
                                        <a href="/content/india/en/home/countryinfo">About
India</a>
                                </h3>
                                <span class="title">Population</span>
                                                <span class="amount">1.21</span>
                                                <span class="val">billion</span>
                                        <span class="title">Poverty Rate</span>
```



### **HTML After:**

### **CSS for responsive widget:**

```
.info-wrap.prespective-wrap {
    padding-right: 0;
}
@media (min-width: 768px) and (max-width: 991px) {
    .info-wrap.prespective-wrap {
        padding: 0;
    }
}
@media (max-width: 767px) {
    .info-wrap.prespective-wrap {
        margin-bottom: 30px;
    }
}
.info-wrap.prespective-wrap:before {
        border-right: none;
}
```



## 2.3 Mobile Slide Menu

There is no separate HTML to be written for this component this responsive representation of the sliding sub-nav



```
.off-canvas#slide-menu.open {
 right: 0;
 -webkit-transition: 0.6s ease-in-out right;
 -o-transition: 0.6s ease-in-out right;
 transition: 0.6s ease-in-out right;
.off-canvas#slide-menu {
 background: #11294f;
 -webkit-box-shadow: -1px 0px 18px 1px rgba(0, 0, 0, 0.75);
 box-shadow: -1px 0px 18px 1px rgba(0, 0, 0, 0.75);
 position: fixed;
 z-index: 9999;
 top: 0;
 right: -350px;
 bottom: 0;
 width: 320px;
 -webkit-transition: 0.6s ease-in-out right;
```



```
-o-transition: 0.6s ease-in-out right;
 transition: 0.6s ease-in-out right;
.off-canvas#slide-menu.open {
 right: 0;
 -webkit-transition: 0.6s ease-in-out right;
 -o-transition: 0.6s ease-in-out right;
transition: 0.6s ease-in-out right;
.off-canvas#slide-menu {
overflow-y: scroll;
off-canvas#slide-menu .canvas-scroll .list-main-nav li, .off-canvas#slide-menu .canvas-scroll .list-top-nav li
 border: none;
 padding: 0;
 display: block;
.off-canvas#slide-menu .canvas-scroll .btn-top {
z-index: 10001;
 cursor: pointer;
.canvas-header {
height: 170px;
 width: 100%;
padding: 20px 20px 0;
.canvas-header .btn-close {
position: absolute;
 top: 12px;
 right: 10px;
 font-size: 36px;
 line-height: 20px;
 color: #0088ff;
z-index: 11;
}
.canvas-header .btn-close:hover, .canvas-header .btn-close:focus {
 text-decoration: none;
 outline: none;
.canvas-header .box-search {
 display: block;
 margin: 0 auto 16px;
 padding: 0;
text-align: center;
.canvas-header .box-search .search-group {
margin-bottom: 13px;
.canvas-header h4 {
 margin: 0;
 color: #BBBBBB;
font-size: 14px;
 border-bottom: 1px solid #21537f;
 padding-bottom: 10px;
 text-align: left;
 font-weight: normal !important;
```




```
.canvas-scroll {
 width: 100%;
 position: relative;
 top: 5px;
.canvas-scroll .list-main-nav, .canvas-scroll .list-top-nav {
list-style-type: none;
 padding: 0;
 margin: 0 20px 0;
 border-bottom: 1px solid #21537f;
.canvas-scroll .list-main-nav > li, .canvas-scroll .list-top-nav > li {
 margin: 0 -20px;
.canvas-scroll .list-main-nav > li > a, .canvas-scroll .list-top-nav > li > a {
 display: block;
 padding: 12px 20px;
 color: #66C2FF;
 font-size: 14.5px;
 text-decoration: none;
}
.canvas-scroll .list-main-nav > li.active > a, .canvas-scroll .list-top-nav > li.active > a {
 color: #666;
 border-top: 3px solid #6690aa;
 background: #ffffff;
 /* Old browsers */
 background: -moz-linear-gradient(top, #edf6fe 0%, #ffffff 100%);
 /* FF3.6-15 */
 background: -webkit-linear-gradient(top, #edf6fe 0%, #ffffff 100%);
 /* Chrome10-25,Safari5.1-6 */
 background: linear-gradient(to bottom, #edf6fe 0%, #ffffff 100%);
/* W3C, IE10+, FF16+, Chrome26+, Opera12+, Safari7+ */
filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#edf6fe', endColorstr='#ffffff',
GradientType=0);
/* IE6-9 */
}
.canvas-scroll .list-top-nav {
border-bottom: none;
.canvas-scroll .list-top-nav > li > a i {
 vertical-align: middle;
 padding-left: 5px;
.canvas-scroll .list-top-nav .dropdown-funding {
position: relative;
 padding: 0;
 -webkit-box-shadow: none;
 box-shadow: none;
.canvas-scroll .list-top-nav .dropdown-funding > li > a {
padding: 20px 0;
.canvas-scroll .list-top-nav .dropdown-funding > li > a:first-child {
 padding-top: 10px;
```



```
.canvas-scroll .list-top-nav .dropdown-funding > li > a:hover, .canvas-scroll .list-top-nav .dropdown-funding >
li > a:focus {
    color: #FFFFFF;
}
.canvas-scroll .list-top-nav .dropdown-funding .funding-popup {
    top: 30px;
}
```

# 2.4 Countries-Popup

There is no separate HTML to be written for this component this responsive representation of the pop-up



```
.countries-wrap {
    position: absolute;
    min-width: 1054px;
    background-color: #11294F;
    padding: 18px 23px 0;
    -webkit-box-shadow: 0px 0px 10px 0px rgba(0, 0, 0, 0.45);
    box-shadow: 0px 0px 10px 0px rgba(0, 0, 0, 0.45);
    z-index: 10000;
    margin-top: 0;
    top: 28px;
    -webkit-transform: translateZ(0);
    right: 0;
}
@media (max-width: 1199px) {
    .countries-wrap {
```



```
position: fixed;
  min-width: 100%;
  top: 0;
  bottom: 0;
  min-height: 100%;
  margin: 0;
  overflow-x: hidden;
  overflow-y: scroll;
@media (max-width: 767px) {
 .countries-wrap {
  padding: 15px;
.countries-wrap .popup-heading {
font-size: 13px;
 color: #BBBBBB;
 margin-bottom: 5px;
@media (min-width: 768px) and (max-width: 991px) {
.countries-wrap .popup-heading {
  margin-bottom: 14px;
@media (max-width: 767px) {
 .countries-wrap .popup-heading {
  margin-bottom: 10px;
  padding-right: 20px;
}
.countries-wrap .countries-popup {
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-flex;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-direction: normal;
 -webkit-box-orient: vertical;
 -webkit-flex-direction: column;
 -moz-flex-direction: column;
 -ms-flex-direction: column;
 flex-direction: column;
 -webkit-flex-wrap: wrap;
 -moz-flex-wrap: wrap;
 -ms-flex-wrap: wrap;
 flex-wrap: wrap;
 height: 850px;
 margin: 0 -10px;
 -webkit-box-flex: 1;
 -webkit-flex: 1 100%;
 -moz-box-flex: 1;
 -moz-flex: 1 100%;
 -ms-flex: 1 100%;
flex: 1 100%;
```



```
@media (max-width: 1199px) {
 .countries-wrap .countries-popup {
  min-height: 1600px;
@media (max-width: 767px) {
 .countries-wrap .countries-popup {
  min-height: 2960px;
.countries-wrap .countries-popup.no-border {
border-bottom: none;
.countries-wrap .list-countries {
 width: 185px;
 margin: 0 10px 8px 10px;
padding: 5px 0;
@media (max-width: 1199px) {
 .countries-wrap .list-countries {
  margin: 0 10px;
@media (min-width: 768px) and (max-width: 991px) {
 .countries-wrap .list-countries {
  width: 165px;
@media (max-width: 767px) {
 .countries-wrap .list-countries {
  width: 135px;
}
.countries-wrap .list-countries:last-child {
border-bottom: none;
.countries-wrap .list-countries > li > a {
 color: #FFFFF;
font-size: 12px;
 line-height: 22px;
 display: inline-block;
@media (max-width: 1199px) {
.countries-wrap .list-countries > li > a {
  line-height: 14px;
  padding: 10px 0;
.countries-wrap .list-countries > li > a:hover, .countries-wrap .list-countries > li > a:focus {
 color: #FFFFF;
text-decoration: underline;
.countries-wrap .list-countries > li span {
font-size: 13px;
 line-height: 22px;
 color: #BBBBBB;
```



```
font-weight: bold;
.countries-wrap .list-countries > li.txt-lg a {
line-height: 16px;
.countries-wrap .list-countries.bt-border {
border-bottom: 1px solid #013770 !important;
.countries-wrap .list-countries.no-border {
 border-bottom: none;
}
.countries-wrap .btn-close {
display: none;
@media (max-width: 1199px) {
.countries-wrap .btn-close {
  position: absolute;
 top: 12px;
  right: 10px;
  font-size: 36px;
  line-height: 20px;
  color: #0088ff;
  display: block;
 .countries-wrap .btn-close:hover, .countries-wrap .btn-close:focus {
  text-decoration: none;
  outline: none;
.countries-wrap .search-group {
 margin-bottom: 7px;
.countries-wrap .search-group .form-control {
border-color: transparent;
font-size: 17px;
 color: #666666;
 height: 34px;
.countries-wrap .search-group .btn-search {
height: 34px;
 border-color: transparent;
font-size: 22px;
padding: 0 5px;
.countries-wrap .search-group .form-control::-webkit-input-placeholder {
font-style: italic;
.countries-wrap .search-group .form-control:-moz-placeholder {
/* Firefox 18- */
font-style: italic;
.countries-wrap .search-group .form-control::-moz-placeholder {
/* Firefox 19+ */
font-style: italic;
.countries-wrap .search-group .form-control:-ms-input-placeholder {
```



```
font-style: italic;
}
.countries-wrap .search-group .form-control-feedback {
    color: #999;
    font-size: 22px;
}
```

# 2.5 Java Scripts Up gradation

The older Javascript files/plugins used has to be replaced with new set of files. These files are provided with the developer guide package. Following files and plugins are provided as a part of the package.

Sr. No	Template Name	JS file(s) used
1	Master Home Template Mobile Slide Menu Button	off-canvas.js
2	Header Menu links- UNDP around the world	countries-pop.js
3	Header Menu links- Funding	header.js
4	Header Menu links- UNDP around the world- Go to	go-to-top.js
	Top Button	
5	Hover effect	card-flip.js
6	jQuery Plugin used for Scrollable Links	slick.min.js
7	Add this file along with the slick.min.js (for Scrollable	ltr-slick.js
	Links from Left to Right scrolling)	
8	Add this file along with the slick.min.js (for Scrollable	rtl-slick.js
	Links from Right to Left scrolling)	
9	It is the external JS library (jQuery and bootstrap	vendor.min.js
	combined) and necessary before any JS on every	
	template.	
10	It contains the bootstrap functions and the demo is	popover.js
	shown in the kitchen sink.	
11	It contains the bootstrap functions and the demo is	tooltip.js
	shown in the kitchen sink.	

For any new functionality (out of those provided with Mock-ups) developer can add new Javascript files or plugins along with these files.



# 2.6 Styling migration

The document above describes the styling (CSS) for all the components those has to be migrated. The development UI package is also provided with a separate UNDP UI theme guide which can be used as a reference for the migration.