


Convention APp


Case assignment

By Kasper Brohus Allerslev

System Context



Container View



System Architecture

- Back-end/front-end separation
- Private database
 - Only web api has access
 - Easy schema changes
- Docker
 - Containerize applications separately
 - Web API
 - Website
 - Admin Panel

Software Architecture

- Service-oriented
 - Low logic in controllers
 - Easier testing through decoupling
- Client-side interfaces
 - Components define their required interfaces
- Outside-in development
 - Implement from "top level"
 - Define and implement new interfaces as necessary
 - Test all "levels" of logic separately
 - Controllers
 - Services
 - Database

Testing

- Unit testing
 - Controllers
 - Services
- Integration testing
 - Database integrations
 - Foreign API
- System testing
 - Test at system boundary
 - Mock external API's
- End-to-end testing

Security

- Participants: Require signup
- Speakers and talks: Approval
- Non-discoverable admin functionality
- Permission-based access control
- Network zones
 - DMZ: Web API and front-ends
 - Secured: Database

Authentication and Authorization

- Authority: Auth0
- Machine-to-Machine (front-ends & Postman)
- Roles and permissions
 - Administrators
 - Manage avenues & events
 - Elevate user to speaker at event
 - Speakers
 - Register talks for event
 - Participants
 - Register for events
 - Reserve seats for talks at own registered events

Privacy & Legal Constraints

- GDPR
 - Personally identifying data
 - Logs
- 3rd party Cookies

Final remarks

- SQLite was used for demonstration purposes
- Split up WebApi assembly
 - Domain logic
 - Database
 - Services
 - Integrations
- Use solution for secrets management