

Axial Spine and Ribs, Screening and Diagnosis OMM Exam 26-27

	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct
COMMUNICATION: Appropriately communicates to patient about the physical exam being done (uses lay terms, speaks to pt, assures understanding).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Obtains consent before doing the exam AND again with any particularly sensitive parts of the exam.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
WASHES HANDS: Prior to technique (may do at beginning of encounter) – hand sanitizer, or at least 20s with soap and water (if student is cued to do this task, then no credit will be given).	100% Correct	N/A-DO NOT SELECT	N/A-DO NOT SELECT	Less than 75% Correct- Must CAP Line
HEAD/CERVICAL SPINE SCREENING: Effectively segmentally screens the entire cervical spine (OA-C7) with appropriate contact and force vector bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
HEAD/CERVICAL SPINE SEGMENTAL DIAGNOSIS: Correctly performs a 3-positional segmental diagnosis of the OA, AA, and most restricted lower cervical (C2-C7) segment AND is accurate with the diagnosis.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
THORACIC SPINE SCREENING: Effectively segmentally screens the entire thoracic spine (T1-T12) AND the thoracic outlet with appropriate contact and force vector bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
THORACIC SPINE SEGMENTAL DIAGNOSIS: Correctly performs a 3-positional segmental diagnosis of the most restricted thoracic (T1-T12) segment AND the thoracic outlet AND is accurate with the diagnosis.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
RIB CAGE SCREENING: Effectively screens the entire rib cage (ribs 1-12) for respiratory (inhaled/exhaled) AND mechanical (anterior/posterior) dysfunctions with appropriate contact and force vector bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
RIB CAGE DIAGNOSIS: Correctly performs a positional segmental diagnosis of the most restricted ribs AND is accurate with the diagnosis.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line

Did the Student have to CAP this Rubric? (Less than 75% Correct in any Line)	NO, DOES NOT need to CAP	N/A-DO NOT SELECT	N/A-DO NOT SELECT	YES, DOES need to CAP
Was the CAP completed successfully?	YES, CAP was completed successfully	Partially Completed, student must complete CAP process	N/A- SELECT IF STUDENT DID NOT HAVE TO CAP	NO, CAP was NOT completed successfully

Lumbar Spine, Pelvis, and Sacrum, Screening and Diagnosis OMM Exam 26-27

	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct
COMMUNICATION: Appropriately communicates to patient about the physical exam being done (uses lay terms, speaks to pt, assures understanding).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Obtains consent before doing the exam AND again with any particularly sensitive parts of the exam.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
WASHES HANDS: Prior to technique (may do at beginning of encounter) – hand sanitizer, or at least 20s with soap and water (if student is cued to do this task, then no credit will be given).	100% Correct	N/A-DO NOT SELECT	N/A-DO NOT SELECT	Less than 75% Correct- Must CAP Line
LUMBAR SPINE SCREENING: Effectively segmentally screens the entire lumbar spine (L1-L5) with appropriate contact and force vector bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
LUMBAR SPINE SEGMENTAL DIAGNOSIS: Correctly performs a 3-positional segmental diagnosis of the most restricted lumbar (L1-L5) segment AND is accurate with the diagnosis.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
INNOMINATE SCREENING: Standing Flexion Test is performed correctly (correct landmarks, patient instructions, and procedure) AND Positive side is correctly identified.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line

Supine exam performed correctly (reseats pelvis, evaluates asymmetry of ASIS/pubis tubercles, ASIS or SI compression test).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Prone exam performed correctly (accurately identifies asymmetry in PSIS).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accuracy of Innominate Diagnosis.	100% Correct	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
SACRUM SCREENING: Seated Flexion Test is performed correctly (feet on floor, correct landmarks, patient instructions, and procedure) AND Positive side/Axis is correctly identified.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Prone exam performed correctly (bony landmarks correct, identifies asymmetry at sacral base/ILA statically and dynamically).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Spring AND Sphinx Tests are performed correctly (patient instruction, correct landmarks, appropriate force) AND are correct with interpretation (positive or negative).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accuracy of Sacrum Diagnosis.	100% Correct	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Did the Student have to CAP this Rubric? (Less than 75% Correct in any Line)	NO, DOES NOT need to CAP	N/A-DO NOT SELECT	N/A-DO NOT SELECT	YES, DOES need to CAP
Was the CAP completed successfully?	YES, CAP was completed successfully	Partially Completed, student must complete CAP process	N/A- SELECT IF STUDENT DID NOT HAVE TO CAP	NO, CAP was NOT completed successfully

Upper Extremity, Screening and Diagnosis OMM Exam 26-27

	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct
COMMUNICATION: Appropriately communicates to patient about the physical exam being done (uses lay terms, speaks to pt, assures understanding).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Obtains consent before doing the exam AND again with any particularly sensitive parts of the exam.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
WASHES HANDS: Prior to technique (may do at beginning of encounter) – hand sanitizer, or at least 20s with soap and water (if student is cued to do this task, then no credit will be given).	100% Correct	N/A-DO NOT SELECT	N/A-DO NOT SELECT	Less than 75% Correct- Must CAP Line
DEMONSTRATES CORRECT SEQUENCE/PROCEDURE FOR UPPER EXTREMITY SCREENING EXAM: Accurately evaluates the SC joint for restriction in anterior/posterior, superior/inferior restriction in motion bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the AC joint for restriction in external/internal rotation bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the elbow for restriction in flexion/extension, abduction/adduction (valgus/varus) bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the radial head for restriction in posterior/anterior glide with pronation/supination bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the wrist for restriction in flexion/extension, abduction/adduction bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the wrist for restriction in the carpal bones, metacarpals, and phalanges bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line

Accurately evaluates the hand for restriction in the metacarpals bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
ACCURATELY IDENTIFIES THE MOST RESTRICTED SOMATIC DYSFUNCTION OF THE UPPER EXTREMITY: Correctly performs a positional diagnosis of the most restricted somatic dysfunction in the upper extremity.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accuracy of the Specific Upper Extremity Diagnosis.	100% Correct	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Did the Student have to CAP this Rubric? (Less than 75% Correct in any Line).	NO, DOES NOT need to CAP	N/A-DO NOT SELECT	N/A-DO NOT SELECT	YES, DOES need to CAP
Was the CAP completed successfully?	YES, CAP was completed successfully	Partially Completed, student must complete CAP process	N/A- SELECT IF STUDENT DID NOT HAVE TO CAP	NO, CAP was NOT completed successfully

Lower Extremity, Screening and Diagnosis OMM Exam 26-27

	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct
COMMUNICATION: Appropriately communicates to patient about the physical exam being done (uses lay terms, speaks to pt, assures understanding).	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Obtains consent before doing the exam AND again with any particularly sensitive parts of the exam.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
WASHES HANDS: Prior to technique (may do at beginning of encounter) – hand sanitizer, or at least 20s with soap and water (if student is cued to do this task, then no credit will be given).	100% Correct	N/A-DO NOT SELECT	N/A-DO NOT SELECT	Less than 75% Correct- Must CAP Line

DEMONSTRATES CORRECT SEQUENCE/PROCEDURE FOR LOWER EXTREMITY SCREENING EXAM: Accurately evaluates hip in flexion/extension, internal/external rotation, abduction/adduction bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the knee in flexion/extension, internal/external rotation, abduction/adduction (valgus/varus), anterior/posterior glide bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the fibular head for anterolateral/posteromedial restrictions bilaterally, AND is able to discriminate between articular or soft tissue barriers.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the talocrural and subtalar joints of the foot for dorsiflexion, plantarflexion, inversion, and eversion bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the navicular, cuboid, and cuneiforms for restricted motion bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accurately evaluates the metatarsals and phalanges for restricted motion bilaterally.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
ACCURATELY IDENTIFIES THE MOST RESTRICTED SOMATIC DYSFUNCTION OF THE LOWER EXTREMITY: Correctly performs a positional diagnosis of the most restricted somatic dysfunction in the lower extremity.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Accuracy of the Specific Lower Extremity Diagnosis.	100% Correct	88% Correct	75% Correct	Less than 75% Correct- Must CAP Line
Did the Student have to CAP this Rubric? (Less than 75% Correct in any Line)	NO, DOES NOT need to CAP	N/A-DO NOT SELECT	N/A-DO NOT SELECT	YES, DOES need to CAP
Was the CAP Completed Successfully?	YES, CAP was completed successfully	Partially Completed, student must complete CAP process	N/A- SELECT IF STUDENT DID NOT HAVE TO CAP	NO, CAP was NOT completed successfully

OMM Treatment 26-27

	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct
Write in Diagnosis and Modality of Treatment. This line is worth 0%. -Faculty May Choose: FPR, Still, BLT, MFR, or Soft Tissue, CS, Lymphatic, ME, Articulatory, or HVLA (not cervical)	MUST SELECT	N/A-DO NOT SELECT	N/A-DO NOT SELECT	N/A-DO NOT SELECT
COMMUNICATION: -Appropriately communicates to patient, clinical reasoning for treatment including: what they are doing, why they are doing it, and what they expect to achieve.	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
OMM TREATMENT: -Anatomic precision of both hands (location and quality of contact)	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
-Adherence to treatment principles (stepwise order of operations)	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
-Force magnitude (patient/operator force is the minimum required for effective treatment)	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
-Force direction (forces of both hands are precisely localized to the somatic dysfunction)	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
-Timing (treatment forces are maintained for an appropriate time based on modality and dysfunction)	100% Correct and Fluid	88% Correct	75% Correct	Less than 75% Correct-Must CAP Line
-Recheck	RECHECKED	N/A-DO NOT SELECT	N/A-DO NOT SELECT	DID NOT RECHECK
-Treatment efficacy (tissue texture change post-treatment)	75-100% Resolved	N/A-DO NOT SELECT	50-74% Resolved	Less than 50% Resolved-Must CAP Line
Did the Student have to CAP this Rubric?	NO, DOES NOT need to CAP	N/A-DO NOT SELECT	N/A-DO NOT SELECT	YES, DOES need to CAP
Was the CAP completed successfully?	YES, CAP was completed successfully	Partially Completed, student must complete CAP process	N/A- SELECT IF STUDENT DID NOT HAVE TO CAP	NO, CAP was NOT completed successfully