



Report from Apr 19, 2026, 10:53:56 PM

https://mygamepadtester.vercel.app/

Analyze



Mobile



Desktop



Discover what your real users are experiencing



No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0-49



50-89



90-100



METRICS

Expand view

●

First Contentful Paint

1.4 s

■

Total Blocking Time

210 ms

■

Speed Index

5.5 s

●

Largest Contentful Paint

2.4 s

▲

Cumulative Layout Shift

0.304

 Captured at Apr 19, 2026, 10:54 PM GMT+5


 Emulated Moto G Power with Lighthouse 13.0.1

 Single page session

 Initial page load

 Slow 4G throttling

 Using HeadlessChromium 146.0.7680.177 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲

Render blocking requests — Est savings of 320 ms

^

URL	Transfer Size	Duration
vercel.app 1st Party	1.8 KiB	160 ms
...css/3cd0fc7531dce2ff.css (mygamepadtester.vercel.app)	1.8 KiB	160 ms

▲ Layout shift culprits

^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS
Unscored

Element	Layout shift score
Total	0.304
 Gamepad #1 Not Detected Gamepad #2 Not Detected Gamepad #3 Not Detected G... <main style="flex: 1 1 0%; width: 100%; display: flex; flex-direction: column; align-items: center;">	0.304


▲ Network dependency tree

^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **589 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://www.googletagmanager.co m/	head > link <link rel="preconnect" href="https://www.googletagmanager.com">

https://www.google-analytics.com/ <link rel= "preconnect" href= "https://www.google-analytics.com">

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

■ Use efficient cache lifetimes — Est savings of 17 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP

Unscored

Request	Cache TTL	Transfer Size
Google/DoubleClick Ads Ad		178 KiB
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	14d	178 KiB

■ Legacy JavaScript — Est savings of 12 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored


URL	Wasted bytes
vercel.app 1st Party	11.6 KiB
...chunks/2117-245cea98bc661966.js (mygamepadtester.vercel.app)	11.6 KiB
...chunks/2117-245cea98bc661966.js:1:1276 (mygamepadtester.vercel.app)	Array.prototype.at
...chunks/2117-245cea98bc661966.js:1:664 (mygamepadtester.vercel.app)	Array.prototype.flat
...chunks/2117-245cea98bc661966.js:1:777 (mygamepadtester.vercel.app)	Array.prototype.flatMap
...chunks/2117-245cea98bc661966.js:1:1153 (mygamepadtester.vercel.app)	Object.fromEntries

...chunks/2117- 245cea98bc661966.js:1:1411 (mygamepadtester.vercel.app)	Object.hasOwnProperty
...chunks/2117- 245cea98bc661966.js:1:406 (mygamepadtester.vercel.app)	String.prototype.trimEnd
...chunks/2117- 245cea98bc661966.js:1:321 (mygamepadtester.vercel.app)	String.prototype.trimStart

☐ Optimize DOM size

^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored


Statistic	Element	Value
Total elements		537
DOM depth	 FEATURE <th>	15
Most children	body.__className_96d275 <body class="__className_96d275">	18

☐ LCP breakdown

^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms
Element render delay	2,400 ms

	MyGamepadTester
---	---

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	154 KiB	205 ms
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	154 KiB	205 ms
Google/DoubleClick Ads Ad	261 KiB	190 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	178 KiB	103 ms
...js/adsbygoogle.js (pagead2.googlesyndication.com)	55 KiB	65 ms
/bg/jtP_XiYJV...js (pagead2.googlesyndication.com)	23 KiB	17 ms
...r20190131/zrt_lookup_fy2021.html (pagead2.googlesyndication.com)	4 KiB	5 ms
/pagead/ads?client=... (pagead2.googlesyndication.com)	0 KiB	0 ms
/pagead/ads?client=... (pagead2.googlesyndication.com)	0 KiB	0 ms
/getConfig/abg_config?client=... (pagead2.googlesyndication.com)	1 KiB	0 ms
adtrafficquality.google	28 KiB	19 ms
/sodar/sodar2.js (ep2.adtrafficquality.google)	8 KiB	10 ms
...254/runner.html (ep2.adtrafficquality.google)	6 KiB	8 ms
/getConfig/sodar? sv=200&tid=gda&tv=r20260415&st=env&sjk=651... (ep1.adtrafficquality.google)	13 KiB	1 ms
/generate_204?6jybSw (ep2.adtrafficquality.google)	0 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms
/g/collect?v=... (www.google-analytics.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Minimize main-thread work — 3.1 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Other	535 ms
Style & Layout	509 ms
Script Parsing & Compilation	301 ms
Rendering	288 ms
Garbage Collection	47 ms
Parse HTML & CSS	22 ms

Reduce unused JavaScript — Est savings of 220 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored

URL	Transfer Size	Est Savings
Google/DoubleClick Ads Ad	231.5 KiB	156.5 KiB
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	177.4 KiB	132.3 KiB
...js/adsbygoogle.js (pagead2.googlesyndication.com)	54.1 KiB	24.2 KiB
Google Tag Manager Tag-Manager	153.0 KiB	63.7 KiB
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	153.0 KiB	63.7 KiB

Avoid long main-thread tasks — 6 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (4)

URL	Start Time	Duration
vercel.app 1st Party		264 ms
https://mygamepadtester.vercel.app	962 ms	173 ms
...chunks/webpack-37123f8e6614c45c.js (mygamepadtester.vercel.app)	3,151 ms	91 ms

/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	4,543 ms	124 ms
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	4,667 ms	118 ms
Google/DoubleClick Ads Ad		141 ms
...js/adsbygoogle.js (pagead2.googlesyndication.com)	4,237 ms	71 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	5,822 ms	70 ms

User Timing marks and measures — 5 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Unscored


Name	Type	Start Time	Duration
GTM-G-765PK89FYV:15:17	Measure	0.00 ms	2,391.20 ms
GTM-G-765PK89FYV:9:17:14	Measure	2,391.20 ms	294.88 ms
GTM-G-765PK89FYV:15	Mark	0.00 ms	
GTM-G-765PK89FYV:17	Mark	2,391.20 ms	
GTM-G-765PK89FYV:9:14	Mark	2,686.07 ms	

Avoid non-composited animations — 4 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#)


CLS

Unscored

Element	Name
	Final Step: Press any button on your controller to wake up the browser Gamepad ... <p class="action-prompt">
Target has another animation which is incompatible	fadeInUp
	🎮 Ready to Test? Connect your controller via USB or Bluetooth to begin. This t...




Target has another animation which is incompatiblefadeInUp



div.sc-87e1198-0 > span.sc-db7b555a-1 > div.sc-db7b555a-0 > div
<div>

Unsupported CSS Properties: height, widthclaudeRipple



div.sc-87e1198-0 > span.sc-db7b555a-1 > div.sc-db7b555a-0 > div
<div>

Unsupported CSS Properties: height, widthclaudeRipple

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAMES AND LABELS

 Buttons do not have an accessible name

▼

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

 Background and foreground colors do not have a sufficient contrast ratio.

▼

These are opportunities to improve the legibility of your content.

NAVIGATION

 Heading elements are not in a sequentially-descending order

▼

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24)

Show

NOT APPLICABLE (32)

Show



Best Practices

GENERAL

-  Browser errors were logged to the console
- ▼

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks
- ▼
- ☐ Ensure proper origin isolation with COOP
- ▼
- ☐ Mitigate clickjacking with XFO or CSP
- ▼
- ☐ Mitigate DOM-based XSS with Trusted Types
- ▼

PASSED AUDITS (12)

Show

NOT APPLICABLE (3)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- ☐ Structured data is valid

▼

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Show

NOT APPLICABLE (1)

Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube



For details, see the [Google Developers Site Policies](#).