



Report from Apr 19, 2026, 10:53:56 PM

https://mygamepadtester.vercel.app/

Analyze



Discover what your real users are experiencing

[No Data](#)



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)




0–49



50–89



90–100



METRICS

Expand view

●

First Contentful Paint

0.4 s

●

Total Blocking Time

100 ms

■

Speed Index

1.7 s

●

Largest Contentful Paint

0.6 s

■

Cumulative Layout Shift

0.112

 Captured at Apr 19, 2026, 10:53 PM GMT+5


 Emulated Desktop with Lighthouse 13.0.1

 Single page session

 Initial page load

 Custom throttling

 Using HeadlessChromium 146.0.7680.177 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. [CLS](#)

Total0.071



Gamepad #1 Not Detected Gamepad #2 Not Detected Gamepad #3 Not Detected G...

ElementLayout shift score

Total0.112



Gamepad #1 Not Detected Gamepad #2 Not Detected Gamepad #3 Not Detected G...

ElementLayout shift score


▲ Network dependency tree

^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 1,202 ms

Initial Navigation



Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

https://www.googletagmanager.com/	head > link<link rel="preconnect" href="https://www.googletagmanager.com">
Origin	Source
https://www.google-analytics.com/	<link rel="preconnect" href="https://www.google-analytics.com">

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes — Est savings of 17 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP
Unscored

Request	Cache TTL	Transfer Size
---------	-----------	---------------

Improve image delivery — Est savings of 31 KiB

^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

vercel.app	1st Party	60.8 KiB	31.0 KiB
	Disassembled modern gaming controller showing internal circuit board and analog...		
 homepage/controller_repair_1.png (mygamepad tester.vercel.app)			
URL		Resource Size	Est Savings
style="color:transparent;width:h:100%;height:auto" src="/images/homepage/controller_repair_1.png"> This image file is larger than it needs to be (640x640) for its displayed dimensions			31.0 KiB

image download size.

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP Unscored


URL	Transfer Size	Duration
	Size	Est Savings

Legacy JavaScript — Est savings of 12 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

vercel.app	1st Party		11.6 KiB
...chunks/2117-245cea98bc661966.js (mygamepadtester.vercel.app)			11.6 KiB
...chunks/2117-245cea98bc661966.js:1:1276	(mygamepadtester.vercel.app)	Array.prototype.at	
...chunks/2117-245cea98bc661966.js:1:664	(mygamepadtester.vercel.app)	Array.prototype.flat	
...chunks/2117-245cea98bc661966.js:1:777	(mygamepadtester.vercel.app)	Array.prototype.flatMap	
URL			Wasted bytes
...chunks/2117-245cea98bc661966.js:1:1411	(mygamepadtester.vercel.app)	Object.hasOwnProperty	
...chunks/2117-245cea98bc661966.js:1:406	(mygamepadtester.vercel.app)	String.prototype.trimEnd	
...chunks/2117-245cea98bc661966.js:1:321	(mygamepadtester.vercel.app)	String.prototype.trimStart	

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Total elements		537
DOM depth		15
Most children		18
Statistic	Element	Value


☐ LCP breakdown

^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Time to first byte	0 ms
--------------------	------

Subpart	Duration
---------	----------



MyGamepadTester

☐ 3rd parties

^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

Google Tag Manager	Tag-Manager	154 KiB	176 ms
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)		154 KiB	176 ms

Google/DoubleClick Ads Ad	201 KiB	142 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	178 KiB	74 ms
...js/adsbygoogle.js (pagead2.googlesyndication.com)	55 KiB	53 ms
/bg/jtP_XiYJV....js (pagead2.googlesyndication.com)	23 KiB	12 ms
...r20190131/zrt_lookup_fy2021.html (pagead2.googlesyndication.com)	4 KiB	3 ms
/pagead/ads?client=...	0 KiB	0 ms
/pagead/ads?client=...	0 KiB	0 ms
/getConfig/abg_config?client=...	1 KiB	0 ms
adtrafficquality.google	28 KiB	15 ms
/sodar/sodar2.js (ep2.adtrafficquality.google)	8 KiB	9 ms
...254/runner.html (ep2.adtrafficquality.google)	6 KiB	6 ms
3rd party	Transfer size	Main thread time
/generate_204?G1cf3A (ep2.adtrafficquality.google)	0 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms
/a/collect?v= (www.google-analytics.com)	1 KiB	0 ms
3rd party	Transfer size	Main thread time

These insights are also available in the Chrome DevTools Performance Panel. [Record a trace](#) to view more detailed information.

DIAGNOSTICS

Reduce unused JavaScript — Est savings of 220 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored

Google/DoubleClick Ads Ad	231.5 KiB	156.4 KiB
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	177.4 KiB	131.6 KiB
...js/adsbygoogle.js (pagead2.googlesyndication.com)	54.1 KiB	24.8 KiB
Google Tag Manager Analytics	158.4 KiB	93.7 KiB
URL	Transfer Size	Est Savings

/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	153.1 KiB	63.7 KiB
---	-----------	----------

Avoid long main-thread tasks — 7 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

URL	Transfer Size	Est Savings
Show 3rd party resources (3)		
Google/DoubleClick Ads Ad		
		175 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	1,392 ms	72 ms
...js/adsbygoogle.js (pagead2.googlesyndication.com)	1,046 ms	52 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	1,464 ms	51 ms
Google Tag Manager Tag-Manager		
		172 ms
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	1,165 ms	95 ms
/gtag/js?id=G-765PK89FYV (www.googletagmanager.com)	1,260 ms	77 ms
vercel.app 1st Party		
		164 ms
https://mygamepadtester.vercel.app	265 ms	100 ms
URL	Start Time	Duration

User Timing marks and measures — 5 user timings





Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Unscored

GTM-G-765PK89FYV:15:17	Measure	0.00 ms	1,709.60 ms
GTM-G-765PK89FYV:9:17:14	Measure	1,709.60 ms	293.34 ms
GTM-G-765PK89FYV:15	Mark	0.00 ms	
GTM-G-765PK89FYV:17	Mark	1,709.60 ms	

Avoid non-composited animations — 4 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Inscored

Name	Type	Start Time	Duration
	Final Step: Press any button on your controller to wake up the browser Gamepad ... <p class="action-prompt">		
Target has another animation which is incompatible			fadeInUp
	 Ready to Test? Connect your controller via USB or Bluetooth to begin. This t... 		
Target has another animation which is incompatible			fadeInUp
	div.sc-87e1198-0 > span.sc-db7b555a-1 > div.sc-db7b555a-0 > div <div>		
Unsupported CSS Properties: height, width			claudeRipple
	div.sc-87e1198-0 > span.sc-db7b555a-1 > div.sc-db7b555a-0 > div <div>		
Element			Name

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

Show



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ARIA

▲ [\[aria-*\]](#) attributes do not have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)



Gamepad #1 Not Detected

```
<button role="tab" aria-selected="true" aria-controls="gamepad-panel-0" id="gamepad-tab-0" class="sc-87e1198-3 duQbfQ">
```

Not Detected

Failing Elements


These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST


▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)



```
<button role="tab" aria-selected="true" aria-controls="gamepad-panel-0" id="gamepad-tab-0" class="sc-87e1198-3 duQbfQ">
```




GLOBAL TELEMETRY DATA

```
<div style="color: rgb(232, 98, 42); font-weight: 800; text-transform: uppercase; letter-spacing: 1px;">
```




GLOBAL TELEMETRY DATA Total Controllers Tested: 2,450 I track anonymous reliab...

```
<div class="sc-ff593d9c-0 fECpIp">
```




#1

```
<div class="rank">
```




MOST TESTED HARDWARE #1 DualSense Wireless Controller 854 Tests #2 Xbox Wireles...

```
<div class="sc-ff593d9c-4 cxuMYZ">
```




#2

```
<div class="rank">
```




MOST TESTED HARDWARE #1 DualSense Wireless Controller 854 Tests #2 Xbox Wireles...

```
<div class="sc-ff593d9c-4 cxuMYZ">
```




#3

```
<div class="rank">
```




MOST TESTED HARDWARE #1 DualSense Wireless Controller 854 Tests #2 Xbox Wireles...

```
<div class="sc-ff593d9c-4 cxuMYZ">
```




#4

```
<div class="rank">
```




MOST TESTED HARDWARE #1 DualSense Wireless Controller 854 Tests #2 Xbox Wireles...
<div class="sc-ff593d9c-4 cxuMYZ">




RECOMMENDED REPAIR PARTNERS
<h3 class="sc-c49de9ff-1 kzpCrx">




body.__className_96d275
<body class="__className_96d275">




PS5 DualSense




PS4 DualShock




Xbox Series




Xbox One



Switch Pro




Generic PC




Modded JoyCons

```
<span class="sc-8048feb3-9 dnmJkt">
```




PS3 Gear

```
<span class="sc-8048feb3-9 dnmJkt">
```




WINDOWS

```
<div class="fix-label">
```



WINDOWS Close Exclusive-Mode Apps If Gamepad Tester fails to detect your pad o...

```
<div class="sc-8048feb3-20 UMkqy">
```



MACOS

```
<div class="fix-label">
```



MACOS Use Chrome or Firefox On macOS, stick to Chrome or Firefox since Safari ...

```
<div class="sc-8048feb3-20 UMkqy">
```



ALL PLATFORMS

```
<div class="fix-label">
```

Failing Elements




ALL PLATFORMS Vibration Not Triggering If vibration fails to trigger, make sur...

```
<div class="sc-8048feb3-20 UMkqy">
```

These are opportunities to improve the legibility of your content.

NAVIGATION

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)



Live via HTML5 Gamepad API
<h3>

Failing Elements

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

 Mobile

 **Desktop**

PASSED AUDITS (25)

Show

NOT APPLICABLE (32)

Show

Failing Elements



Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks
- ☐ Ensure proper origin isolation with COOP
- ☐ Mitigate clickjacking with XFO or CSP
- ☐ Mitigate DOM-based XSS with Trusted Types

PASSED AUDITS (12)

Show

NOT APPLICABLE (3)

Show



Failing Elements

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

PASSED AUDITS (9)

Show

NOT APPLICABLE (1)

Show

- More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list
- Related Content

Updates

Web Fundamentals

Case Studies

Podcasts
- Connect

Twitter

Youtube

 for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).