My AI Life

Justin Shacklette

justin@saturnboy.com

Oct 26, 2026

My Background

They made me do this



ACTIVISION



Apple

2001

PhD, Physics → Programmer (Web, Enterprise, Mobile)

2014

→ Analytics Engineer

2020

AI Levels

1 Chat

- App
- Text in → out
- Search
- Assistant
- *Personalized?*
- *Private?*

2 Builder

- Coding
- → Product
- TUI
- In-app sidebar
- *Voice input?*

3 AI Builder

- AI *in the* Product
- *Models?*
- Context
- Guardrails
- Eval
- Perf vs Cost

4 *Meta* Builder

- Composable
- Tools

AI Levels

1 Chat

- App
- Text in → out
- Search
- Assistant
- *Personalized?*
- *Private?*

2 Builder

- Coding
- → Product
- TUI
- In-app sidebar
- *Voice input?*

3 AI Builder

- AI *in the* Product
- *Models?*
- Context
- Guardrails
- Eval
- Perf vs Cost

4 *Meta* Builder

- Composable
- Tools

operating season is regulated and can vary with the sharks' presence. The Hook Experiences +1

For you specifically, since you're already an Open Water diver: I'd be inclined to make this a **La Paz dive trip with the whale sharks as the centerpiece, rather than trying to find a scuba whale-shark encounter.** You'd get the unusually close whale-shark experience *plus* some genuinely good Sea of Cortez diving.

If you tell me **roughly what month you're**

Personalized
User Memory

operating season is regulated and can vary with the sharks' presence. The Hook Experiences +1

For you specifically, since you're already an Open Water diver: I'd be inclined to make this a **La Paz dive trip with the whale sharks as the centerpiece, rather than trying to find a scuba whale-shark encounter.** You'd get the unusually close whale-shark experience *plus* some genuinely good Sea of Cortez diving.

If you tell me **roughly what month you're**

AI Levels

1 Chat

- App
- Text in → out
- Search
- Assistant
- *Personalized?*
- *Private?*

2 Builder

- Coding
- → Product
- TUI
- In-app sidebar
- *Voice input?*

3 AI Builder

- AI *in the* Product
- *Models?*
- Context
- Guardrails
- Eval
- Perf vs Cost

4 *Meta* Builder

- Composable
- Tools

My AI Setup

Chat

Opus 5.x

- Internal Chat App
- Docs search
- Planning
- → Markdown

TUI


Sonnet 5.x


- Claude Code
- Superpowers Plugin
- Apple MCPs
- per Project `.claude`


VSCode + AI


Sonnet 5.x


- Claude Extension
- Highlight inject




ultimate-treatise
Sign In
Explorer
ultimate-treatise
break-sim
build
chapters
images
1-intro.md M
2-jumpstart.md M
3-offense.md M
4-defense.md
5-player-performance.md M
6-coaching.md
7-team-building.md
author-blurb.md
book-praise.md
dedication.md
recommended-reading.md M
cover
game-sim
huck-sim
out
the-flip
throw-sim
tools
__pycache__
node_modules
tests
common.py
epub-color.css
epub.css
fixmelist.py U
Outline
Timeline
3-offense.md M
fixquotes.py
tools > fixquotes.py > ...
Chat ⌘+L Edit ⌘+I
QUOTES = {
"“": "'", # left double
"”": "'", # right double
"„": "'", # double low-9
"‟": "'", # double high-reversed-9
"‘": "'", # left single
"’": "'", # right single, the one an apostrophe usua
"‚": "'", # single low-9
"‛": "'", # single high-reversed-9
}
FOLD = str.maketrans(QUOTES)
Typography that is not a quote and not this script's bu
stray one does not sit in the markdown unnoticed, but n
and `--` are the ASCII forms Typst folds, and a prime i
Typst already sets 20" as an inch mark rather than a qu
OTHER = {…
A run of backticks and everything through the matching
code span. The delimiters have to be the same length, s
rather than two.
CODE_SPAN = re.compile(r"(?P<ticks>`+)(?P<code>.*?)(?P=ti
FENCE = re.compile(r"^\s*(?P<marker>```+|~~~+)")
def fold_line(line):…
def fold(text):
"""(text with ASCII quotes, [(line number, how many f
Claude Code
> are there any weird unicode quotes missing from QUOTES?
U+02BC ' modifier letter apostrophe '
U+02BB ‘ modifier letter turned comma (Hawaiian okina) '
U+2032 ′ prime
U+2033 ″ double prime
U+FF02 " fullwidth quotation mark "
U+FF07 ' fullwidth apostrophe '
U+201B / U+201F already covered
- U+02BC is the one most likely to matter. Some keyboards, autocorrect and dictation tools use it as the apostrophe, and Unicode's own recommendation for the apostrophe is U+2019.
- U+02BB is the same idea.
- U+2032 and U+2033 are already handled on purpose. They're in OTHER, so they're reported and never rewritten, because they mean feet and inches (20″). That seems right to me.
- Fullwidth forms only show up if text is pasted from CJK sources, so they're unlikely here.
Rarer ones
- Grave and acute accents used as quotes: U+0060 and U+00B4, plus U+2035 and U+2036 (reversed primes). U+0060 is plain ASCII, and ` is markdown syntax, so it shouldn't be touched.
- Angle quotes: U+2039 and U+203A (‹ ›). Guillemets U+00AB and U+00BB are already in OTHER, but the single-angle ones
Jump to bottom (click) ↓
> yes, add them and run the tests
⏸ manual mode on · ? for shortcuts · ← for agents
main* 0↓ 1↑ ⊗ 0 ⚠ 0
Claude Code
Continue (NE)


Opus 4.6
using p5js make a sketch of game terrain using perlin noise mapped to these 5 images. noise should be normalized first, then mapped equally to 5 values, and values mapped to images. make 24x24 rect tiles to match image size. use space bar to regenerate the noise. use S to toggle between 5 values of black and white noise rects and the 5 images. sketch should fill the window





AI Levels

1 Chat

- App
- Text in → out
- Search
- Assistant
- *Personalized?*
- *Private?*

2 Builder

- Coding
- → Product
- TUI
- In-app sidebar
- *Voice input?*

3 AI Builder

- AI *in the* Product
- *Models?*
- Context
- Guardrails
- Eval
- Perf vs Cost

4 *Meta* Builder

- Composable
- Tools


This family of models includes two on-device models:


- **AFM 3 Core**, the next generation of our 3-billion-parameter dense model that delivers a step up in quality.
- **AFM 3 Core Advanced**, our most powerful on-device model. It's natively multimodal, enabling helpful features like expressive voices and higher-accuracy dictation. Built on cutting-edge Apple research, this 20-billion-parameter model uses a sparse architecture, activating just 1 to 4 billion parameters at a time depending on the request. AFM 3 Core Advanced is unlocked by and optimized for our most capable Apple silicon systems.


Our latest Apple Foundation Models also include three server-based models running on Private Cloud Compute, which ensures that user data is never stored or shared with anyone, including Apple. These models are:


- **AFM 3 Cloud**, our server-side workhorse, optimized for speed, efficiency, and performance.
- **ADM 3 Cloud (Image)**, for image generation and editing, which unlocks advanced photo-editing tools, the all-new Image Playground, and more.
- **AFM 3 Cloud Pro**, our most capable server-based model, which powers our most demanding use cases, like agentic tool use and complex reasoning.

AFM 3 Core, AFM 3 Core Advanced, and AFM 3 Cloud, along with ADM 3 Cloud, are all purpose-built for Apple silicon.


VoyeurGame
Voyeur


VoyeurGame


VoyeurGame


7:39 PM
Flight to SJC Departure
Your flight (WN1728) departs from Denver (DEN) at 8:50 PM on Tuesday, July 7 and arrives in Sa...
7:38 PM
Mars vs. Earth vs. Moon Land Area
Here is a chart comparing the relative land areas of Earth, Mars, and the Moon. Relativ...
7:36 PM
Netherlands World Cup Runner-Up Times
The total surface area of Mars is about 144.4 million
6/22/26
Gemini Flash 2.5 Availability
Search
when does my flight to SJC depart this week?
Your trip to San Jose, CA begins on Tuesday, July 7, 2026 .
what time?
Your flight (WN1728) departs from Denver (DEN) at 8:50 PM on Tuesday, July 7 and arrives in San Jose (SJC) at 10:25 PM.
travel@apple.com
6/25/26
ITINERARY: JUSTIN MARK SHACKLETTE, 07JUL (San Jose, Californ...
Travel Itinerary For JUSTIN MARK SHACKLETTE Trip Name TRIP TO SAN JOSE, CA Trip Confirmation Booked within 14 days of departure...


8:42
LTE
Conversations
Previous 7 Days
Flight to SJC Departure
Mars vs. Earth vs. Moon Land Area
Netherlands World Cup Runner-Up Times
Previous 30 Days
Gemini Flash 2.5 Availability

Conversation Title System Instructions

You are an expert at creating concise conversation titles.

Given a conversation between a user and an assistant, generate a short, descriptive title (2-4 words) that captures the main topic or intent.
For image-driven turns the user's message may be empty — in that case title from the assistant's response alone.

Rules:
- Output ONLY a short title. Never provide advice, warnings, instructions, or commentary.
- Keep it brief: 2-4 words maximum
- Be specific to the conversation topic — capture the core subject
- Use noun phrases — never start with "How", "What", "Why", "Where"

AI Levels

1 Chat

- App
- Text in → out
- Search
- Assistant
- *Personalized?*
- *Private?*

2 Builder


- Coding
- → Product
- TUI
- In-app sidebar
- *Voice input?*

3 AI Builder

- AI *in the* Product
- *Models?*
- Context
- Guardrails
- Eval
- Perf vs Cost

4 *Meta* Builder


- Composable
- Tools


IceCream
main
IceCream 〉 My Mac
Build Succeeded | Today at 9:41 PM
9
IceCream 〉 IceCream 〉 Playground 〉 No Selection
IceCream M
IceCream
Assets
ContentView M
IceCreamApp
Playground ?
PlaygroundGenerable A
Vendor ?
VendorGenerable ?
IceCreamTests
IceCreamUITests
Frameworks
1 //
2 // Playground.swift
3 // IceCream
4 //
5 // Created by Justin Shacklette on 11/27/25.
6 //
7
8 import Foundation
9 import Playgrounds
10
11 #Playground {
12 let vendor = Vendor()
13
14 let response = try await vendor.respond(
15 prompt: "One scoop vanilla, please"
16)
17 let response2 = try await vendor.respond(
18 prompt: "Can you make me a banana split?"
19)
20 let response3 = try await vendor.respond(
21 prompt: "What goes best with apple pie?"
22)
23 let response4 = try await vendor.respond(
24 prompt: "Gimme orange shubert!"
25)
26 }
init() {
session = LanguageModelSession(
instructions: """
You are a friendly ice cream vendor.
You sell these flavors: vanilla, chocolate, strawberry.
Do you best to be helpful, but DO NOT offer any flavors not on this list.
"""
)
}
Playground
12 let vendor = Vendor()
vendor
session
14 let response = try await vendor.respond(
response String
Sure! Just one scoop of vanilla ice cream coming right up! Anything else you need today?
17 let response2 = try await vendor.respond(
response2 String
I'm sorry, but I can't make a banana split, as I can't offer flavors outside of vanilla, chocolate, and strawberry. Would you like to try another flavor or combination?
20 let response3 = try await vendor.respond(
response3 String
That's a fun choice! Vanilla ice cream pairs wonderfully with apple pie's sweet and spicy flavors. Do you prefer a scoop or a cone with your apple pie dessert?
23 let response4 = try await vendor.respond(
response4 String
Sorry, but I can't serve orange sherbet, as I can only offer vanilla, chocolate, and strawberry flavors. How about a scoop of one of those flavors to go with your apple pie?

```
Apple Foundation Models Chat
model: system · /help for help

> what is 'strawberry' spelled backwards?

- **strawberry** spelled backwards is **yratsrawetssar**.
```


Playground2.swift
Build Succeeded · Today at 11:21 AM
My Mac (27.0 (26A386), MacBook Pro, arm64e, MF32V64V3
Files › IceCream › Playground2 › No Selection
Files
IceCream
Assets
ContentView
IceCreamApp
Playground
Playground2
Vendor
VendorGenerable
Filter
TOOL
//
// Created by Justin Shacklette on 11/27/25.
//
import Foundation
import FoundationModels
import Playgrounds
struct Reverser: Tool {
let name = "reverseString"
let description = "Reverse the string."
@Generable
struct Arguments {
var input: String
}
func call(arguments: Arguments) async throws -> String {
String(arguments.input.reversed())
}
}
#Playground {
let session = LanguageModelSession(
model: SystemLanguageModel.default,
tools: [Reverser()],
instructions: "You are a friendly assistant."
)
let response = try await session.respond(
to: "what is 'strawberry' spelled backwards?"
)
}
Playground2
24 let session = LanguageModelSession(
session
30 let response = try await session.respond(
response
prompt "what is 'strawberry' spelled backwards?"
content "The spelling of 'strawberry' backwards is 'yrrebwarts'."
Input Token Count 297
Response Token Count 17
duration 1.9s
Automatic – My Mac
Line: 34 Col: 1
INTERNAL



Instruments


Next Recording

Runs

strawberry
00:00:50

Strawberry
strawberry

+ Instrument | All Tracks | Track Filter | Duplicate



Tree

Name	Detail	Info
Session 1	can you spell 'strawberry' backwards?	1 request
Request 1	can you spell 'strawberry' backwards?	2.37 s duration, 985 tokens
Model Inference 1	can you spell 'strawberry' backwards?	1.70 s duration, 471 tokens
Tool Call	`reverse(input)`	1 tool call, 4.74 ms duration
Model Inference 2	yrrebwarts	0.67 s duration, 514 tokens
Instructions	Format responses using Markdown: use headings (#, ##, ###), bold (**text**), inline code (`text`), fenced cod...	
Tool Result → Input	yrrebwarts	
Response	# Reversed Text...	
Session 2	User: can you spell 'strawberry' backwards?...	1 request, 1 error

Detail Filter

Instructions

Format responses using Markdown: use headings (#, ##, ###), bold (**text**), inline code (`text`), fenced code blocks, and bullet lists (- item). Do NOT wrap the entire response in a code fence.

Prompt

id
A8D5856C-1168-434B-B34D-2F1BC50F3DD4

name reverse

arguments

```
{
  "input": "strawberry"
}
```

tool result yrrebwarts

Response

Reversed Text

- The word "strawberry" spelled backwards is **yrrebwarts**.

Duration



Total Duration	0.67s
Response Duration	0.43s
Time to First Token	0.24s

Metrics

End

justin@saturnboy.com