

What can your AI see?

Context that sticks, getting online, connectors

Week 6 · Learn, Vibe, Build · October 5, 2026

Tonight: three demos

- 1 · Give your AI context that sticks (AGENTS.md)
- 2 · Get your project online: a link anyone can open
- 3 · Connect your AI to the course

Your AI starts every session from zero

- It only sees what's in front of it right now
- It doesn't know your project unless you tell it
- A generic answer is usually a context problem

Markdown: plain text with a little structure

```
# Big heading
## Smaller heading
- a bullet point
**bold**  *italic*
[a link](https://example.com)
`some code`
```

Plain text. Readable by you and by your AI.

AGENTS.md: context that sticks

- A markdown file in your project folder
- Coding agents read it at the start of every session
- AGENTS.md: Codex, Cursor, many others · CLAUDE.md: Claude Code
- In a chat app: paste it in, or add it to a Project

What goes in AGENTS.md

- Who it's for, and what they need
- What it is, in one sentence
- Stack and conventions ("plain HTML, no build step")
- Where the facts live (and "never invent facts")
- What "done" looks like
- Keep it short, true, and secret-free

Live demo · the same question, twice

- 1 · Open the project. Ask: “Improve the homepage.”
- 2 · Write AGENTS.md together (2 min)
- 3 · Ask again. Compare.
- 4 · Fresh session: does it still know?
- 5 · Add an index pointing to docs/

Same question.
Different context.
Different answer.

A real AGENTS.md (the demo's)

```
# Hill Plant Swap  
Who: first-year students on phones, nervous  
What: one page announcing a free monthly  
swap  
Stack: plain HTML + CSS, no JavaScript  
Facts: only docs/event-facts.md; never  
invent  
Done: date + place readable at 390px in 10 s
```

Six lines. Every session starts here.

Index files: a map, not a dump

```
## Where to look
- docs/event-facts.md: the only source of
facts
- docs/audience.md: who visits
- research/index.md: interview notes (its
own index)
```

The AI reads the map,
then opens only what
it needs.

Your link has to work on someone else's phone


×

`file:///Users/you/Desktop/project/index.html`
only works on your laptop

✓ `https://you.github.io/project/`
works for anyone, anywhere

If it starts with `file://`,
nobody else can see
it.

Three different things



- Git: save points for your project, on your laptop
- GitHub: a copy of those save points, online
- Pages / Vercel: turns that copy into a website

Live demo · from folder to link

- 1 · Download the project folder
- 2 · GitHub Desktop: create repo, commit, publish
- 3 · Settings → Pages → main → Save
- 4 · Open the link on a phone
- 5 · Change something, commit, push, refresh

Handout: “Get your project online”, step by step.

When the link doesn't work

- 404: wait 1–2 min, then check Settings → Pages
- Page with no styles: paths start with / (use style.css)
- Only the README shows: index.html must be in the top folder
- Old version: hard refresh, or wait a minute
- Private repo on a free plan: make it public, or use Vercel

API vs. MCP

- API: one service's own menu of requests
- MCP: one standard plug for AI apps to use many tools
- MCP servers often call APIs underneath

Live demo · connect your AI to this course

- <https://api.learnvibe.build/mcp>
- Add it as a custom connector (or `claude mcp add`)
- Ask: "Using the course connector, teach me tonight's lesson on AGENTS.md, then quiz me."

Choose · check · control

- Choose what it sees: context files, connectors
- Check what it produces: fluent $\neq$ correct, say what you checked
- Control what it can change: read-only first, ask before writes
- This course's connector is read-only, on purpose

This week's reading: your AI as a coach

- Arielle Shipper, "How to Get Better at AI by Asking AI" (Every)
- Ask your AI: which of the eight levels am I, with examples?
- Then: "teach me the next step"

Studio • write each other's AGENTS.md

- Pairs, 20 minutes
- 8 min each: your partner interviews you and drafts your AGENTS.md
- 4 min: test it with your own agent, then revise

Sources

- AGENTS.md convention · [agents.md](#)
- Effective context engineering · Anthropic
- GitHub Pages · [docs.github.com/pages](#)
- MCP · [modelcontextprotocol.io](#)
- AI Fluency (further reading) · [academy.claude.com](#)