NUTRITION AND LIFESTYLE REPORT

Your situation and your goals

There are 2 things that are important: your goals (get down to 60kg and build up) and what you'd like to do and enjoy (cheat meal without messing with your weight loss goals)

If you're trying to get down to 60kg (which would mean calorie/carb restriction) and lead to lower body fat percentage, you need to see if it's safe for your body to go down to that.

Now getting down to around 8% is ok, but I wouldn't target a weight to get down to. You could be compromising your immune system. Unless you do it for weight-making sports i.e. boxing, MMA (where they lose it acute and it's water weight and they rehydrate 24 hours after) then trying to get too low isn't always recommended. Get down to a shape and body fat you're comfortable with and then build up.

Bear in mind muscle weighs more than fat so if you're eating right for your body and exercising but weight is going up, you might be ok as it could be muscle.

Guys with low single digit body fat have to be careful as they don't have the necessary body fat needed to help when it comes to recovery, fighting disease and illnesses etc. They also open themselves up to other issues as their heart rates drop e.g. cardiac issues and dizziness. Your testosterone also tanks.

In terms of the weight and getting it down, at the minute you're calorie restricting most of the time which is not sustainable. What you want isn't a diet, but turn it into something you can enjoy while feeling almost fully satiated.
It's important to find a balance you can stick to long term rather than something you do temporarily and then go back to hold habits. This wreaks havoc on the endocrine system.

If it's to get down and build up, that is an approach, but in the process you could be punishing your body from the inside as it now needs to spend more energy digesting a greater amount of food than it had to previously.

January is a tough timeline for weight loss if you want the target to be 70kg. Rather than measuring by scale (unless there's a valid reason for getting to that weight), the focus should be on the health benefits of losing weight and not necessarily targeting a number and improving the way you feel.

The lack of motivation needs to be explored and it seems there isn't that when it comes to training as you're able to cycle for extended periods, but it's about mixing up the type of training you're doing so you're not relying mostly on endurance/aerobic training.

Problems/needs identified

- Struggling to lose weight below a certain level
- Not able to enjoy a cheat meal without it skyrocketing your weight gain and keeping you in homeostasis (hormones balanced)
- Unable to perform high intensity workouts due to insufficient energy due to a low calorie diet.

What you're currently doing
So it seems at the minute you're following a low calorie diet (sub-1000 calories per day) with occasional cheat meals and your exercise regimen involves long distance cycling and walking.
So we need to optimise this and try and change and introduce different things.

YOUR ANALYSIS/RESULTS

How to use this report

Your results and what they mean. So this is your lifestyle and your diet and how it should be approached, focusing on each of those areas. This is to give you the background as well as some information on why your current approach may be hindering you

- **Primal Pattern diet assessment**
- **Nutrition and Lifestyle Analysis**
    - **What you eat**
    - **Stress**
    - **Sleep/wake cycles**
    - **When you eat**
    - **Digestion**
    - **Fungus/Parasites**
- **Movement/Exercise**

Review and summary **(based on the findings)**

PUTTING IT ALL TOGETHER – (QUICK GUIDE, IF YOU JUST WANT TO KNOW THE GUIDELINES AND RECOMMENDATIONS)

General Diet Guidelines – these are things everyone should be doing
Specific Diet guidelines for you
Stress Management
Sleep
Movement/Exercise
How to manage fungus and parasites

APPENDIX

- **Stretch + Test sheet**
- **Polar type food list**

DIET TYPE ANALYSIS

Based on your results, you are a polar type. Now this can always change and does as your body changes and adapts. Based on right now though, this would be the best fit for you. Think of this as similar to a keto diet (limit carbs, higher protein and fat intake).
Now these macros can and probably will change and there is flexibility depending on how you feel.

You are a Polar Type


Your starting macro-nutrient ratio is:

- 20% oils/fats
- 45% proteins
- 35% carbohydrates

Your meals should be distributed between foods that are:

- 65% eyes
- 35% no-eyes

If you're unsure how to define protein, fat and carbohydrate, or are not sure what eyes and no-eyes stands for, read below for an easy way to remember.



What are Eyes & No-eyes?

Proteins/Fats = Eyes

Proteins and fats usually come from something that has a set of eyes. All the animals below have a set of eyes and are great sources of protein and fats.

- Cows - Beef & Dairy
- Pigs - Bacon, Pork, Ham
- Chickens & Ducks - Meat, Eggs
- Shrimp - Meat
- Fishes - Meat

Carbs = No-eyes

Carbohydrates come predominantly from something that did not have eyes, so I refer to them as the "no-eyes" group, this includes:

- Fruits
- Vegetables
- Legumes
- Grains

There are a few exceptions to this rule, the following are all quite high in fat and, therefore, placed in the "eyes" group for purposes of balancing your meals:

- Avocados
- Seeds
- Nuts

Don’t use a scale or calorie count (at least not numbers). Focus on how you feel, how your clothes fit and not what the scale says. Unless there is a specific reason (for weight making sports).
You want to feel satisfied after meals and this will do that without limiting or adding calories. As you’ve been on a calorie restricted diet, you will notice a weight increase, although don’t worry. Your body has been in starvation mode. So will put the food where it needs to go. Then you will start shedding weight rapidly thereafter. Right now, you’re losing weight but compromising the way you feel.

Problems with your current approach

Calorie restriction

1. Body gets scared and it releases enzymes to store fat and decreases those that burn fat.
2. The harder you exercise, the more stress you put on a starving body and this slows metabolism.
3. If you eat according to how you should, then you're body realises you're not starving and you will put weight on as it needs to normalise. Then you'll shed rapidly once you're eating properly. The fat will satiate you so you won't eat as much.
4. Focus on how your clothes fit and how you feel rather than what the scale says.

Why calorie restriction diets don't work

1. Tanks metabolic rate and muscle mass decreases
2. Disrupts enzyme activity – fat burning enzymes decrease, fat storing enzymes increase creating bigger and fuller fat cells
3. Disrupts hormones – insulin goes up, syndrome X risk increases (increase risk of cardiac issues, diabetes), increase stress hormones and adrenal fatigue


Cheat Meals

Ok to have a cheat meal once a week (not a cheat day)
If you're reducing carbs, the aim is to trick the hormone leptin which is the anti-starvation hormone. When there's a calorie deficit, these levels drop and metabolism slows down. By throwing a calorie rich meal in, it tricks your system into thinking there's food and burns through fat stores.

1. Needs to be planned – ideally after a workout when you need carbs and they'll go to your muscles. Deplete your glycogen stores. Then any carbs will go into replenishing those stores and won't store as body fat. Gym before cheat meal or even before you eat anything that day. High rep circuits or HIIT. Have black coffee before the session as a pre-workout to boost fat metabolism.
2. Don't try to calorie restrict before a cheat meal as you over indulge
3. Fast before your cheat meal. So if you're cheating at dinner time, move your first meal to late in the day (lunch), thereby reducing the number of hours of eating. This saves you calories, but also shifts your body into a "fat burning" state.
4. Don't show up hungry to cheat. Eat one high quality, high-protein meal, high fibre, low starch veggies before. It slows digestion.

Back to contents

NUTRITION AND LIFESTYLE ANALYSIS



Overall Summary

Overall, you're in the medium range which is still pretty good. What is preventing you being in the green zone is the following:

- While you eat well, you don't eat enough which is contributing to stress and your endocrine system (hormones) will be all over the place. What we're trying to do in balance insulin, adrenaline and cortisol.
- You need to eat according to your metabolic type (polar) which will keep you full without starving and you can fine tune when trying to lose weight
- You're training a lot more aerobically which is catabolic and induces stress
- There seems to be fungus and parasites present, which you can counteract by addressing the other issues and then re-test in a 4 to 6 weeks. Where these still persist, then there is a protocol for parasites and fungus, which I'll summarise in this report, but you the details will come later (if need be). By addressing all these issues in order (starting with what you eat) the other scores should lower.
- You're sleeping well and your digestion is good so not a lot to address here and I'd keep doing what you're doing. Although where you flagged on some of the questions, I will go over how this can be improved.

You Are What You Eat



This section covers what you eat – as in the quality of what you eat but not how much you ate, which in your case is the issue. A good score though, and just a few things to try an improve upon, namely eating right for your metabolic type and not reducing calories which are contributing to stress.
Those 5 extra points and this will go well into the green zone in the next 4 weeks.

What you're doing well and to keep doing

- Suggests you're getting fresh produce is as you're shopping frequently so not relying too much of packaged and processed foods.
- You eat cooked vegetables which is good, but should also mix this with some raw veg and you're getting enough in at every meal
- You don't eat much white bread which is good. White flour needs to be minimised or eliminated.
- You don't eat non-organic yoghurts. You can eat organic all you want or full fat (no added sugar) if you have to eat yoghurt occasionally.
- You eat free range eggs
- You don't eat quick cook rice
- You eat free range, organic meat
- You eat more fresh fish over canned fish
- You don't eat commercial salad dressings which have a lot of added crap in them
- You don't have hydrogenated oils
- You don't have salted nuts – salted nuts typically use normal table salt which raises cortisol. And the roasting process can denature fats. So unless you're doing this yourself, avoid store bought salted and roasted nuts.
- You don't use white table sugar as a sweetener – don't use any added sugar
- You don't use table salt. Good, if you need to, use high mineral sea salt (France and New Zealand are best). There are actually benefits to using these.
- You don't eat much processed foods
- You don't eat fast foods or from vending machines
- No store bought dessert which is good

What you can improve

- Buy more organic veg instead of non-organic – nutrient density and toxicity is much higher in non-organic food which can affect stress levels.
- Try to eliminate the use of a microwave altogether. What you're using it for those 1-2 times a week, try and heat up on the stove instead. Need to be wary as this can increase stress on the body, immune system and can lead to parasite infections.
- Try to eliminate pasteurised dairy. You're only having it once or twice a week, so look at alternatives to milk such as nut milks or raw or organic milk. Same for cheese. If going for cheese, full fat.
- Avoid the artificial sweeteners and even sugar alcohols if you can (xylitol) – opt for natural options like stevia or natural sweeteners like agave or honey (but these are high glycaemic so be careful). Another new option on the market is monk fruit extract

which is 0 calories and carbs (but is often mixed with another sweetener). Artificial sweeteners trick the brain that sugar is coming and carry on the cycle of addiction as it triggers the reward centre of the brain. As it doesn't actually deliver any sugar, it puts your body into an energy crisis.

- Don't drink tap water – often chlorinated which kills good bacteria in the body. Opt for alkaline water in glass bottles or bpa free plastic. Evian and fiji are good brands. Or install a filter at home.

Back to contents

Stress



The biggest problem area for most people and one they find most difficult to manage. This was your highest score and will need attention to bring this down. Stress hormones can wreak havoc and are likely responsible for the high parasite score you have. They also influence the other primary hormones.
As we work in order, it is important to improve what you eat and this will improve the stress score. As you work in order, they have a knock on effect on the other scores.
Can't help stress if you don't have the energy from you're eating to make change.

Important to point out that stress is always an inner perception. Depending on the perspective, one's life may not look stressful. But there may be something else causing stress, such as their legacy or their contribution to the earth (or lack of) or general lack of direction.

Important to note that this deals only with the **physical** expressions of stress and not the emotional, mental and spiritual side.

What you're doing well and to keep doing

- You don't feel lonely and don't need that constant contact and can survive on your own. This tends to cause fear in people so you don't feel fearful and is usually associated with people who have spent time in prison (especially in solitary) or those who have been hurt or have deep wounds particularly in the first seven years of their life.

What you can improve

- Be conscious of what you're eating when stressed. There is a compulsion to overeat and this leads to weight gain. At the same time, don't undereat or not eat. Then you're body will eat at itself. You just need to be conscious when stressed to stick to your eating plan as usual.
- Worry about job, income or money is the most common cause of stress as it affects our safety and security and our reptilian brain and survival instincts. Metaphysically, the body is broken into zones and this suggests the root zone (zone 1) needs attention. This is where zone exercises (in exercise section) will be recommended. These are energy building exercises based on slow moving Tai Chi exercises, but

directly correspond to the zones in your body which deal with different areas of stress.

- Relationship stress is similar to the above. Any stress adds a catabolic effect (breaking down) to the body. Now while there's only so much influence we can have here, trying to improve relationships. If there are challenges, this form of stress can be managed with how one **responds** to criticism instead of **instinctively responding.** This form of stress corresponds to zone 2 in the body and there are some energy building exercises which can help in reducing stress from this area.
- Anxiety can lead to overeating and the stress is a catabolic response. Increased anxiety uses energy and this leads to looking for pick-ups like coffee, sugar, junk food etc. Again, you'd need to look into incorporating more gentle exercise to offset the stress.
- How frequently do you get upset when things go wrong? This is important to see if it's a behavioural pattern. Diet plays a big part in this and suggests the diet is too catabolic. So need to see what can be changed easily in the diet. Sometimes it's as simple as adequate hydration or eating the right type for your body. Eating foods you enjoy plays a big part in this as long as it's high quality. And water is an excellent stress reliever.
- To avoid lashing out at others, this can be combatted with the types of exercise. Now you do a lot on aerobic and endurance based activity. This is catabolic in nature as it's better to use shorter, more intense exercise followed by longer rest periods as this gives an anabolic surge and you'll do better with that. But even if this change as gradual, as I'll need to meet you where you are at in terms of exercise and not expecting you to give things up like cycling (which you won't have to), maybe just reduce a bit so can fit in other types of training which have a more favourable stress response.
- Where there is a lower sex drive, in simple terms, your hormonal system is telling you that your diet is not supporting your hectic and stressful lifestyle. Find this often with people trying to follow low-fat diets or eating garbage fats. So food ratios for your metabolic type need to be correct. See how what you eat is so important.
- Missing days from work can be an indication of poor nutrition but can also be an indication of the relationship they have with themselves and others.

As you can see, stress can be controlled directly by what you're eating and can be controlled by using some gentle 'work-in' or zone exercises, which bring energy into the body and aim to release stress.

Back to contents

Sleep/Wake Cycles



A very good score and you have a routine which is rarely interrupted hence the low score.

What you're doing well and to keep doing

- You seem to be getting enough sleep. That's 7-8 hours.

- You seem to be eating at consistent times and your internal biological rhythms are working well as you're bowel movements are regular.
- You don't wake up in the middle of the night so your cortisol levels (at least at night) are stable and it doesn't look like you suffer from adrenal exhaustion.

What you can improve

- You go to bed after 10.30pm often, which can raise cortisol levels, although you're getting enough sleep which may help counteract that. I would try getting to bed earlier (which is hard, I never do earlier than midnight myself) and get up earlier.

Back to contents

You are when you eat



An ok score with some room for improvement. Now bear in mind, the other sections come first and then this is addressed. Some can be addressed at the same time of course.

What you're doing well and to keep doing

- You're not skipping meals which is good. Unless you're in a rhythm for intermittent fasting, getting too busy and skipping meals randomly isn't a good approach for blood sugar management. Aim to eat every 4 hours and practise some of the zone exercises detailed later.
- For your metabolic type (polar) important to have breakfast so good you don't skip. It controls cortisol and blood sugar (exceptions are if you're intermittent fasting and are getting the body programmed to this).
- You don't eat carbs by themselves which is good as they spike blood sugar, so continue to avoid packaged and processed foods containing simple carbs.
- You're not eating late which is good. The body needs to rest and rebuild, so you're in a good position there.

What you can improve

- Just be conscious of how often you go between meals. 1-2 times is ok, so not a major issue. But if you can eliminate the need for 4+ hour breaks between meals, will help greatly. You'll end up eating meals too closely together putting stress on your body and can cause fatigue.
- Do not avoid fats. You need fats to digest and absorb protein. No fat leads to gut problems. So you need healthy fats from good quality sources. More on this in the general guidelines.
- Reduce the number of caffeine containing drinks. Opt for natural sugars in teas and coffees such as stevia. Go for healthy alternatives such as organic coffee or bulletproof coffee with butter to slow down the spike in insulin. This is an addiction so it's important to manage this. Aim to keep water on you at all times, so you're drinking this. Avoid diet soft drinks as these contain artificial sweeteners and continues the addiction cycle.

- Stop dieting! When you restrict yourself, you increase the lipogenic (fat storing) enzymes and reduce the lipolytic (or fat metabolising) enzymes. The body believes it's starving so holds onto fat. Weight management is best by eating high quality foods at regular intervals throughout the day.

Back to contents

Digestion



An excellent score, your digestion is related to all of the above. Even though your stress levels are high, you're eating well (even though it may not be enough) so you're getting away with it currently.

What you're doing well and to keep doing

- There's no abdominal bloating suggesting no inflammation in the gut and likely less chance of intolerances of any of the food you're eating.
- Your stools habits are good which means you're probably adequately hydrated and your body is able to do its job assimilating the vitamins and minerals.
- You don't have a poor appetite or feel worse after eating so this suggests that your liver is doing its job.

What you can improve

- You frequently have gas. Now it depends on how often and how it smells. Worse it smells, the more trouble for your digestive system. So monitor how often this happens and when. Also, what foods trigger this. As your diet normalises, you may see this resolve itself.
- You have sweet cravings. This can indicate blood sugar imbalances. If blood sugar drops too low, the brain will give you hunger cravings. If you're hungry for sweets, can also indicate a parasite or fungal infection. So these need to be managed with the correct protocol for your body.

Just a few points here, some of which can be cleared up in the next section and can be eliminated with the right foods for your body.

Back to contents

Fungus and Parasites



Usually a consequence of incorrect practises of the stuff above. Work out the other stuff and this can take care of itself. But it's not always that straight forward. You're in the red zone here, so needs to be addressed.

What you're doing well and to keep doing

- You don't seem to have any evident food intolerances

What you can improve

- You've been under anaesthesia which means you've been loaded up with antibiotics. You need to recolonize your gut with friendly bacteria or probiotics (human grade). In the first instance though, use fermented foods as a regular staple. Examples are raw milk (especially goat).
- You'll also need to see a naturopath who can help with human grade probiotics to recolonise the gut.
- If you've currently or in the past have taken medical drugs, these can be very stressful. When stressed, causes digestion issues, so need to look up the side effects and see if any of them correlate to digestive issues which can cause leaky gut.
- If any of your stools are loose, hard or foul smelling, then are there issues with the sympathetic nervous system and keeps the door open to parasites.
- Stress is the number one cause of disease and lowers your defence against fungus and parasites.
- When you have high cortisol levels, your immunoglobin levels drop and open up for fungus and parasites.
- If you hungry quickly, then there's likely a parasite infection as they feed off the food and the less you get. A naturopath would need to be consulted but in the first instance follow the protocols here.

Back to contents

EXERCISE AND MOVEMENT

Your current regimen

Other than cycling and walking, I'm not sure what other training modalities you use. Now this suggests what you do is aerobic. Even though you may log fast speeds on the bike, you're never in the position where you're going 85% of your max heart rate for extended periods (which no one can really do for a sustained time).

Aerobic training releases glucocorticoids which are stress hormones. These are catabolic, which break down tissue and prohibit formation of muscle tissue. You want to be in an anabolic state. As this will help reduce fat.

You have 20 hours of available training time a week, so have plenty of time and probably don't need this long.

Exercise and movement recommendations

Based on your results, you'd want to implement the following:

- Don't exclusively rely on aerobic/endurance training on the bike. Look at reduced lengths or not as often. Long distances are catabolic (break down muscle). The more muscle you have, the more metabolic and more fat you burn and vice versa. As long as it's mixed with HIIT, you can still do it.
- Incorporate days of more HIIT or weight training (as you need some anabolic processes) with adequate rest between sessions. This doesn't have to be long. Even 8-12 minutes of high intensity work can do the job.
- You're highly stressed so would need to incorporate stretching every morning along with zone exercises which target the stress areas. These are what we call 'working in' exercises and reduce stress and increase energy using modified Tai Chi exercises.

I will set up an account on the portal with the relevant zone exercises and stretching you should do with video demonstrations and a sample timetable.
Back to contents

REVIEW AND SUMMARY

Summarising what we've learned and what needs to be addressed:

- You're not eating enough and your body is going into starvation mode (intermittent fasting would be a better approach)
- You need to find out what the motivation is behind the weight loss and your goals
- You're highly stressed and this is being made worse due to lack of eating as well as excessive aerobic exercise which is having a catabolic effect on your body (even though it may feel like a release emotionally and mentally).
- You have a lack of energy to do more intense exercise due to calorie restriction. Your body isn't providing the necessary fuel for more shorter bouts of intense exercise.
- You lack motivation to train although can cycle. So the motivation needs to be linked to your goals and this motivation is also linked to your diet as your hormones will influence this.
- With the stress and wrong eating behaviours, you're allowing your body to become a breeding ground for fungus and parasites.

Back to contents

PUTTING IT ALL TOGETHER – Quick Guide

You will be given a login (unless you already have one) with the stretch programme and 'zone' exercises on an online portal.

Other guidance and information will be detailed below. I'm not giving a specific workout plan at this stage although one can be provided. Just some guidance around the types of movement and exercise you should be doing.

Incorporate as much as you can from general guidelines, follow specific diet points as closely as you can, manage your stress using your food and exercise and the rest is ok.

General Diet Guidelines – these are things everyone should be doing
Specific Diet guidelines for you
Stress Management
Sleep
Movement/Exercise
How to manage fungus and parasites

General Guidelines for diet

Some of this is common sense stuff and some you may be doing. It may not help necessarily with losing weight, but creating a better environment. Some of these are specific to you, but they are general guidelines which will create an ideal environment. Try and incorporate 2 or 3 of these a week and build from there.

Water

1. Drink 1/2 your bodyweight in oz of water daily i.e. if you weigh 150lbs, then 75oz (approx 2.13 litres). This does not include any you need to replenish after exercising. Note that tea, coffee, soft drinks, electrolytic drinks or energy drinks do not count toward this total.
2. Make sure water is alkaline if you can (pH of 8 or 9). Some mainstream brands meet this (Evian is on the border, Fiji tends to be a good alkaline choice).

Meat

3. When it comes to meat, organic if possible. For beef, grass fed. For chickens, free range without any growth hormone. Not easy to find and is more expensive, so only if you can.

Fruit and Veg

4. Fruit and veg – organic if possible and wash before eating just in case of parasites. Use a non-toxic soap.

Wheat/flour

5. Avoid white flour or basically gluten. Exclude all grains except corn, rice, buckwheat and millet for 2 weeks. If you notice an improvement, then avoid gluten containing grains.
6. Use organic whole or sprouted grain products

Dairy

7. Avoid pasteurised dairy – so basically cow's milk (or any milk that has been pasteurised or homogenised). It kills all enzymes in the milk (even the good ones)
8. Go for raw milk if you can (and don't believe the stories you hear). Needs to be raw, certified organic dairy. If raw not available, then Certified Organic.
9. If you don't tolerate dairy, then go for goats or sheeps milk products.
10. If you can't get the above, stay away from dairy. You don't need milk.
11. Yoghurt is good if it's organic and/or raw. Commercial cows milk yoghurt is garbage. No flavoured yoghurt. If you want that, add fruit yourself, not packaged.
12. Full fat cheese is usually ok. Again, try and opt for high quality.
13. Full fat cream and sour cream is ok as long as it's organic source

Fish

14. Avoid farmed fish. Rotate your sources of fish and try and grill so the juices and pesticides and any contaminants drip out.

Fats

15. Avoid trans-fatty acids, hydrogenated or veg oils
16. Look for fat sources from olive oils, coconut butter/oil, butter (raw), ghee, flax seeds, avocados and nuts (raw, organic)
17. Avoid roasted nuts (roasting causes fats and oils to go rancid, increases free radicals in body)
18. Avoid deep fried foods unless prepared yourself and you've used coconut or palm oil – even then should be kept to a minimum
19. Avoid fast foods if you can (obviously). Low quality, cheap meats which are highly processed

Sugar

20. Avoid refined sugar and never add to anything. Sugar is greatest source of calories
21. Avoid artificial sweeteners i.e. aspartame
22. **Sugar alternatives:**
    Honey: only unprocessed, unfiltered (the stuff with chunks of bees wax and honeycomb in it). Don't cook with honey as it's not heat stable. Use in moderation as it does spike insulin
    Stevia: sweeter than sugar and can be used safely as it's 0 calories. But be careful of excess as you should try and limit sweeteners.
    In season fruit or dried fruits (depending on the diet you're following). Dried fruits are full of sugar but at least it's natural source.
    Turbinado sugar, succinat, raw date sugar: acceptable as minimal processing and raw. But in moderation.
23. Avoid all sweet drinks, including juices that aren't freshly squeezed. Even then, fruit juices are pure sugar, albeit natural.

Salt

24. Avoid table salt (sodium chloride)
25. Use unprocessed sea salt – Celtic, French or New Zealand (this is one of the safest)
26. If you drink adequate amounts of water, add a pinch of sea salt to each litre. This will assist in maintaining electrolyte and energy levels. Can use this in lieu of electrolyte

drinks you may take when cycling lost distances (which usually contain sugar and lots of other stuff)

Food storage/preparation

27. Store food in glass or ceramic containers to avoid bpa contamination leaching into your foods.
28. Use stainless steel, glass or cast iron for cooking – NOT TEFLON
29. Don't use a microwave
30. Focus on carbs after training only if trying to get down to single digits. Try and avoid carbs (unless above ground veg) at meal times. Try and have your carbs in the evening to curb hunger pangs.

Specific Diet Guidelines for you

So this takes into account your goals as well as what your body needs and not what you desire.

1. Eat according to your metabolic type (so polar – refer to diet section). Note you likely WILL put weight on before you lose it.
2. 45% protein, 35% carbs, 20% fats are your macros
3. With meat, opt for purines i.e. darker meats like chicken thighs and go for organ meats (liver, kidneys etc). Refer to the food list in appendix
4. Avoid restricting calories and putting more stress on your body
5. Have a cheat meal once a week – maybe after working out so your body can use the extra carbs (refer to cheat meal section)
6. If trying to eventually get down to single digit body fat, then a more calculated approach is needed which is taking smaller portions at meal times to reduce calories but keep the macro split the same. Can go into more detail if you need later.
7. Eat every 4 hours or so
8. I HAVE NOT gone into detail about a rotation diet which is where you rotate foods every 4 days. This is for checking for which foods you don't tolerate. Out of scope of this report, but we can cover it if you want to try it.

Stress Management

1. Identify primary stressor – eliminating that (if you can) has a domino effect on the others
2. Make a plan for short term goals for stressors, tracking progress
3. Eat and drink right – if you're not eating or drinking right, then you won't be able to effectively replace the stress hormones you're using on a daily basis and will only cause more stress. This includes not starving yourself.
4. Use **zone** exercises which will be on the training portal with demonstrations on how to do this. These are gentle exercises to bring energy in and stress out.
5. Mental exercise – pray, meditation etc

Sleep

1. Your sleep is good. Just try to get to bed earlier. Aim for 10.30pm

Training/Exercise

1. Mix up anaerobic and aerobic throughout the week – the cycling and walking is fine

2. Try and use shorter cycling sessions which are sprints (so ideally on a track – even a running one if you can get away with it)
3. HIIT workouts – these can be tabata style for 4-12 minutes or 20-30 minute sessions as long as you're in that 85% MHR (max heart rate) zone with enough time for recovery. Even doing stuff like skipping for a few minutes intensely is good.
4. Circuit training and weight training with adequate rest to get into an anabolic zone
5. Carry out a stretching routine every morning. First you want to identify which muscles are tight and which are long and weak. Only stretch the tight muscles. See the stretch sheet in the appendix here. I will be including all of these in your programme and you take out the ones you need to.
6. Use **zone** exercises and every morning if you can carry out a stretching routine.
7. Make sure you're eating and sleeping are correct. Exercises places stress on the body and muscle tissue will break down. Intermittent fasting is ok though as you're not starving yourself unnecessarily.

Fungus and Parasites

You can effectively reduce and eliminate fungus and parasites from the body by following all of the above. Diet, exercise, sleep, stress management. If things don't improve on that level, then the following measures can be taken as well as a deeper dive into this.

1. Eliminate all simple sugars
2. No fruits except green apples (without skin) and fresh berries
3. No below ground vegetables with exception of carrots.
4. Have a cup or 2 of carrot juice, raw garlic, raw ginger or apple cider vinegar as they're strongly antifungal
5. No commercially farmed meats (only organic)
6. Cook with coconut oil and consume high quality saturated animal fats.
7. Freeze cod liver oil capsules and take 2-3g first thing in morning on empty stomach
8. Follow a rotation diet
9. Consume raw goats milk or yoghurt or use a high quality human grade probiotic supplement for 2 months

Back to contents

APPENDIX

Stretch + Test

STRETCHES

Note: Many of the stretches below will use a **contract-relax** method. The three basic phases of a contract-relax stretch are:

1. Move into initial stretch. You should feel the muscles being stretched, but it should not be uncomfortable.
2. Contract the muscle being stretched. Use either your hand or the floor to provide resistance. Use only a light force when you contract.
3. Relax, moving immediately into the stretch position after you release the contraction. You should find that you can move farther into the stretch.

Performing this process three to five times per muscle each session is optimal.

5

Neck Side Flexion



- Sit with good posture.
- Grasp the end of the bench or the edge of a chair and lean away until your shoulder is depressed. Make sure to maintain an erect posture.
- Use the opposite hand to gently draw your head away from the anchored shoulder.
- Inhale and gently push your head into your hand for five seconds.
- Exhale and immediately lean further away, while depressing your shoulder. Then gently move your head and neck further away from your shoulder.
- Hold the stretch position for five seconds.

Neck Rotation



- Sit with good posture.
- Rotate your head to one side.
- Place the opposite hand on your cheek. Inhale and gently rotate your head into your hand while keeping the hand firm.
- Look in the direction that you are turning.
- Hold for five seconds and exhale as you look behind you and rotate your head into the stretch.

Levator Scapulae



- Reach one arm as far down between your shoulder blades as possible.
- Look as far as you comfortably can to the opposite side.
- Take a deep breath in and hold for five seconds. As you exhale, look downward as far as you comfortably can toward your shoulder.

Neck Extensors



- Maintain an upright posture, either sitting or standing, and let your head drop toward your chest.
- Place one hand on the back of your head and one on your chin.
- Tuck your chin and gently stretch the back of your neck by drawing your head toward your chest.
- Take a deep breath and lightly press your head into your hand, without letting your head move.
- After five seconds, relax as you exhale and gently move your head toward your chest.


Chest

Pec. major: (larger chest muscle)




- Place your forearm on a Swiss ball.
- Keep your shoulders parallel to the ground and drop your body toward the floor. When you reach a comfortable stretch, inhale and press the forearm into the ball for five seconds.
- Exhale and move immediately into the stretch.
- There should be no pain felt in the shoulder joint.

Pec. minor (smaller muscle beneath the pec. major, that has a tendency to get tight)



- Place your shoulder on the ball instead of your forearm.
- As you drop your upper body downward, allow your shoulder blade to move toward your spine.
- Inhale and press your shoulder into the ball for five seconds. Exhale and lower into a new stretch position. Keep your torso parallel to the floor.

Rhomboids (muscle between shoulder blades)



- Kneel in front of a Swiss ball and place your elbow on the ball.
- Bring your arm across your body as it rests on the ball.
- Inhale and press into the ball with your elbow as you attempt to draw your shoulder blade toward your spine. Use your opposite hand to hold the ball still.
- Hold for five seconds and release as you exhale and move farther into the stretch, allowing the shoulder blade to move away from your spine. Use your opposite arm to roll the ball across your body.

Scratch Stretch



- Stand with good posture, holding a towel behind your back as shown in the picture.
- Use the bottom hand to pull downward until you feel a comfortable stretch.
- Hold that position with your lower arm.
- Inhale as you try to pull upward with your top arm against the fixed resistance of the lower arm.
- Hold that contraction for five seconds. Exhale and pull down with the lower arm to further stretch the upper arm.

Trunk Rotation



- Lie on your back with your knees bent and pointing up at the ceiling.
- Your lower legs should be relaxed. Place your hand on your thigh while keeping the other arm stretched out to help you stabilize.
- Slowly let your legs roll to that side until you feel a comfortable stretch in your lower back. Inhale and reduce the support from your arm slightly to activate your trunk muscles.
- Hold for five seconds and repeat to the other side. Continue to practice this stretch until you can comfortably place your thighs on the ground, or until you are no longer improving your range of motion.


Middle Back and Abdominals

Caution: If you experience dizziness when looking up toward the sky (for example, watching an airplane fly by or when putting something away in a high cupboard), you may also experience dizziness when performing this stretch. It is very important that you stop the stretch immediately if you feel any unusual symptoms. If you do not have sufficient spinal extension (backward bending), you may compensate by over-extending your neck. This may result in nausea, dizziness or changes in vision. Any unusual symptoms indicate the need to see your doctor for a complete evaluation of your neck to rule out occlusion of the vertebral artery. Should your neck be cleared as normal, you should have an ear, nose, throat specialist assess your inner ear function.



- Perform this stretch on a non-slip surface.
- Sit on a Swiss ball, then walk your legs out and roll backwards until you are lying over the ball.
- Extend your arms over your head. To increase the stretch, slowly straighten your legs. Hold for one minute.

Obliques



- Sit on a Swiss ball and carefully roll down the ball and onto your side.
- You may use a wall to anchor your feet.
- Grasp the wrist of your top hand as your arms are extended over your head.
- Gently begin rolling the upper body forward and then backward while slightly tugging the upper arm downward. When your feel a tight area, inhale and gently attempt to side bend back up, pulling against your lower arm. You don't need to actually move, just activate the muscles.
- Relax into a new stretch position as you exhale.


Squat

- Stand with a comfortable stance next to a stable object that you can hang onto.
- Squat down until you are completely relaxed, letting all the tension out of your back and letting your torso rest between, but not supported by, your thighs.
- If you can do this without hanging onto anything, that's great. If you are too tight in the ankles, knees, butt or low back, you can hold onto a stable object so that you can completely relax.
- Gently rock back and fourth between the balls of the feet and the heels for one minute.



Lunge

- Assume a lunge position, making sure your front foot stays in front of the knee.
- Draw your belly button in toward your spine and tuck your tail under (this will flatten your low back). (1)
- Begin to move your whole pelvis forward, keeping it square to the front. (2)
- To increase the stretch, reach the arm on the trailing leg side over your head and bend your trunk to the side. (3) Rotating your pelvis toward the front leg will also increase the stretch.




Waiter's Bow

- Stand with your feet parallel and close together.
- Keep your legs straight and stick your bottom out until you have an arch in your low back.
- Bend forward from your hips while holding your low back arched until you feel a comfortable stretch on your hamstrings. To help you maintain the correct position, you may tape your back as described on following page.
- Hold for 20 seconds.



Hamstrings

- Lie on your back with a small, rolled-up towel under your back at the belt line level.
- The towel, when compressed, should be the width and thickness of the fattest part of your hand.
- Grab one leg with both hands, just below the knee, and bring the bent leg up until the thigh is perpendicular to the floor. Extend your toes back toward your shin and slowly straighten your leg without letting the thigh move in your hands or letting your back come off the floor.
- Hold a comfortable stretch for 20 seconds.




90/90 Hip Stretch

Special Note: If you are tight in the hips, you will find it hard to keep the lumbar curve during this stretch. To help maintain this position, have someone run a strip of athletic tape along your back muscles, on either side of your spine, from the level of your bottom rib to the top of your pelvis while you are standing with good upright posture, as seen in the picture. This modification is very important for anyone with a history of back pain, especially lumbar disc bulges, because it prevents you from overstretching the lower back.




- Sit on the floor with both your front and back legs bent to 90-degrees.
- The angle at your groin should also be 90-degrees.
- Place your hand on the ground next to your hip.
- Tip your pelvis as though it was a bowl and you were trying to pour the contents out over your belt line. Imagine sticking your butt backwards, like Donald Duck.
- You should have an increased curvature of your lower back. Keep the curve in your low back and your chest and head up as you move forward over the front leg.
- When you feel a comfortable stretch in your outer thigh and hip, inhale and press the front knee and ankle firmly into the ground for five seconds. Exhale and move farther forward into the stretch.






Groin

- Assume a kneeling position and spread your knees as far out as you comfortably can.
- Rock forward, breathe in and gently squeeze your knees into the ground for five seconds.
- Exhale and relax as you sink forward.
- Rock backward and use the same contract/relax procedure for any other tight areas you find.




Swiss Ball Quad Stretch

- Begin in a sprinter's start position, with the foot and ankle of the leg to be stretched on the ball.
- Slowly rise upward.
- You may place one hand on the ball or use a chair for support.
- Draw your belly button in toward your spine and roll your pelvis under so that your back flattens to increase the stretch.



Calves

- Stand on the edge of a step.
- Drop your heel toward the floor and off the step, keeping the leg straight and toes angled upward. (1)
- Hold for 20 seconds and switch sides. Then, repeat with a bent leg on each side. (2)



McKenzie Press-up

- Lie on your stomach with your hands just outside the tops of your shoulders as in a push-up position.
- Inhale deeply and begin pressing your upper body upward off the floor, but make sure your hips stay on the ground.
- As you push your body upward, exhale, pretending you are blowing yourself up off the floor.
- It is important to relax your buttocks, legs and spinal muscles.
- Hold the top position until you need to take a breath.
- Inhale as you slowly lower your body to the floor and repeat 10 times.



IT Band

- Stand next to a wall and step forward of your inside leg (this is the leg that you will be stretching) as shown.
- Keep both feet flat on the floor.
- Use your inside arm for support against the wall and place the other hand on your hip.
- Press your hip straight towards the wall and slightly downward as it moves toward the wall.
- You should feel a stretch on the outside of the leg closest to the wall and in the hip.
- If you do not feel a full stretch, bring your hips forward slightly and rotate your pelvis toward the front.
- If you are performing the stretch correctly, taking your outside hand off the hip at any point will eliminate the stretch in the hip. You should not feel a stretch in your low back.
- Hold for 20 seconds. Stretch each side up to three times.



Stretching Test Sheet

☐ Neck Side Flexion



☐ Neck Rotation



☐ Levator Scapulae




☐ Neck Extensors



☐ Chest



☐ Rhomboids



☐ Scratch Stretch



☐ Trunk Rotation



☐ Middle Back and Abdominals



☐ Obliques



☐ Squat



☐ Groin



☐ Lunge




☐ Swiss Ball Quad Stretch



☐ Waiter's Bow



☐ Calves



☐ Hamstrings



☐ McKenzie Press-up



☐ 90/90 Hip Stretch



☐ IT Band



Diet Plan # 2
Recommended Foods Chart

PROTEINS			CARBOHYDRATES			OILS / FATS	
MEAT/FOWL	**SEAFOOD**	**DAIRY**	**GRAIN**	**VEGETABLE**	**FRUIT**	**NUT/SEED**	**OIL/FAT**
high purine	*high purine*	*whole fat*	*whole grains only*	*non- starch*	avocado	*all are okay*	*all are okay*
organ meats	anchovy	*low purine*		asparagus	olive	walnut	butter
pate	caviar	cheese	*high starch*	beans, fresh		pumpkin	cream
beef liver	herring	cottage cheese	amaranth	cauliflower	*not fully ripe -*	peanut	ghee
chicken liver	mussel	cream	barley	celery	apple (some)	sunflower	*oils:*
medium purine	sardine	eggs	brown rice	mushroom	pear (some)	sesame	almond oil
beef	*medium purine*	kefir	buckwheat	spinach	*high starch*	almond	flax oil
bacon	abalone	milk	corn	*high starch*	banana	cashew	olive oil
chicken*	clam	yogurt	couscous	artichoke		Brazil	peanut oil
duck	crab	**LEGUMES**	kamut	carrot		filbert	sesame oil
fowl	crayfish	*low purine*	kasha	pea		pecan	sunflower oil
goose	lobster	tempeh	millet	potatoes, fried in butter only		chestnut	walnut oil
kidney	mackerel	tofu	oat	squash, winter		pistachio	
lamb	octopus	*medium purine*	quinoa	**LEGUMES**		coconut	
pork chop	oyster	beans, dried	rye	*non-starch*		hickory	
spare rib	salmon	lentils	spelt	tempeh		macadamia	
turkey*	scallop	**NUTS**	triticale	tofu			
veal	shrimp	*all are okay*	*sprouted grain bread is the only bread allowed**	*high starch*			
wild game	snail			beans, dried			
*dark meat is best	squid			peas, dried			
	tuna, dark			lentils			

*Every meal should contain a protein from these sources, but dairy, legumes or nuts are **not** a substitute for meats at main meals*

*Sprouted grain breads such as Ezekiel or Manna breads

*Note: nuts are listed from highest to lowest protein content.

Note: High starch foods are high glycemic foods (converts quickly to sugar) and thus are your caution foods.

Copyright © Healthexcel, 1987
Used with permission

Polar type food chart