

Unified Substrate Theory — Formula Reference Guide

Dustin Lee

Companion to “Mathematical Foundations of Unified Substrate Theory”

April 2026

Master Symbol Key

φ — the scalar substrate field; the simplest excitation mode of the full substrate field Σ

Σ — the full unified substrate field; the single field from which all physics emerges

$\mathcal{L}$ — Lagrangian density; encodes the dynamics of the substrate in a single expression

$S[\varphi]$ — the substrate action; the integral of $\mathcal{L}$ over all spacetime — the quantity whose extremization yields the field equation

$\mathcal{H}$ — Hamiltonian (energy) density; the energy stored per unit volume in the substrate field

ω — angular frequency of a wave mode (radians per second)

k — wave vector; $k = |\mathbf{k}|$ is the wavenumber (spatial frequency of the wave)

c — speed of light in vacuum ($\approx 3 \times 10^8$ m/s)

$\hbar$ — reduced Planck constant ($\approx 1.055 \times 10^{-34}$ J·s)

m — mass parameter of the scalar substrate excitation

ℓ — substrate length scale; the fundamental granularity scale of the substrate, expected to be of order the Planck length ($\sim 10^{-35}$ m)

ℓ_P — Planck length; $\sqrt{(\hbar G/c^3)} \approx 1.6 \times 10^{-35}$ m

∇^2 — Laplacian; measures the spatial curvature of the field at a point

∇^4 — bi-Laplacian; $\nabla^2(\nabla^2)$; measures the curvature of the curvature — how sharply the field’s spatial structure bends

$\square$ — d’Alembertian; the spacetime version of the Laplacian, combining time and space derivatives

$\eta_{\mu\nu}$ — Minkowski metric; $\text{diag}(+1, -1, -1, -1)$; the flat spacetime background

ψ — slowly varying envelope field in the nonrelativistic limit

π — canonical momentum conjugate to φ ; equals $\partial\varphi/\partial t$

v_{ph} — phase velocity; the speed at which a wave crest moves

v_g — group velocity; the speed at which energy/information propagates

Δx — position uncertainty

Δp — momentum uncertainty

β — dimensionless constant of order 1 related to the substrate's internal structure

E — energy of a mode

Formula Reference

1. The d'Alembertian

$$\square = (1/c^2)(\partial^2/\partial t^2) - \nabla^2$$

What it says:

This is just a math shorthand that asks “is this thing behaving like a wave?” It checks how the field is changing over time and compares it to how it's changing across space. If the answer comes out to zero, you've got a wave moving at the speed of light. That's it.

Symbol key:

$\square$ — the d'Alembertian operator

c — speed of light

$\partial^2/\partial t^2$ — second time derivative (acceleration of the field in time)

∇^2 — Laplacian (spatial curvature of the field)

2. The Substrate Action

$$S[\varphi] = \int d^4x \mathcal{L}$$

What it says:

Think of this as a scoreboard for the entire universe. You add up the Lagrangian density at every point in space and every moment in time, and you get one single number. Nature picks the field behavior that makes this number balanced — not too high, not too low. Every law of physics in this theory comes from this one idea.

Symbol key:

$S[\varphi]$ — the action functional; a single number computed from the entire field configuration

$\int d^4x$ — integration over all four dimensions of spacetime (three space + one time)

$\mathcal{L}$ — Lagrangian density (see next formula)

3. The Substrate Lagrangian Density

$$\mathcal{L} = \frac{1}{2}(\partial\varphi/\partial t)^2 - (c^2/2)(\nabla\varphi)^2 - (m^2c^4/2\hbar^2)\varphi^2 - (\ell^2c^2/2)(\nabla^2\varphi)^2$$

What it says:

This is the recipe that runs everything. It has four pieces. First: how fast the field is changing over time (kinetic energy). Second: how much the field varies from place to place (spatial energy). Third: the energy cost of the field just existing (mass). Fourth — and this is the new part — how sharply the field bends in space at tiny scales. That last piece is what makes this theory different from standard physics. At normal scales it's basically zero. Near the Planck scale it takes over.

Symbol key:

$\mathcal{L}$ — Lagrangian density

φ — substrate scalar field

$\partial\varphi/\partial t$ — time derivative of the field (how fast it changes)

$\nabla\varphi$ — spatial gradient of the field (how steeply it varies in space)

$\nabla^2\varphi$ — Laplacian of the field (spatial curvature)

c — speed of light

m — mass parameter

$\hbar$ — reduced Planck constant

ℓ — substrate granularity length scale

4. The Substrate Field Equation (Equation of Motion)

$$\partial^2\varphi/\partial t^2 = c^2\nabla^2\varphi - (m^2c^4/\hbar^2)\varphi - \ell^2c^2\nabla^4\varphi$$

What it says:

This tells you what the field actually does — how it moves and changes. The left side is the field's acceleration. The right side is three things pushing on it: one tries to smooth it out (normal wave behavior), one pulls it toward zero (mass), and one resists sharp bending at incredibly tiny scales (the substrate). Take away that last piece and you just have normal physics. That last piece is the whole point.

Symbol key:

$\partial^2\varphi/\partial t^2$ — second time derivative (acceleration of the field)

$c^2\nabla^2\varphi$ — standard spatial restoring force (wave propagation)

$(m^2c^4/\hbar^2)\varphi$ — mass term pulling the field toward zero

$\ell^2c^2\nabla^4\varphi$ — substrate correction; resistance to sharp spatial curvature

$\nabla^4\varphi$ — bi-Laplacian (curvature of the curvature)

ℓ — substrate length scale

5. The Substrate Dispersion Relation

$$\omega^2(k) = c^2k^2 + m^2c^4/\hbar^2 + \ell^2c^2k^4$$

What it says:

This connects how fast a wave vibrates in time to how tightly it's packed in space. Normal physics says these are related in a simple way. The substrate adds an extra term that kicks in at very high energies — it makes high-energy waves vibrate faster than they're supposed to. That's how you'd detect the substrate: high-energy light from distant explosions in space would arrive at slightly different times depending on its energy.

Symbol key:

ω — angular frequency (oscillations per second $\times 2\pi$)

k — wavenumber (spatial oscillations per meter $\times 2\pi$)

c — speed of light

m — mass parameter

$\hbar$ — reduced Planck constant

ℓ — substrate length scale

c^2k^2 — standard relativistic kinetic contribution

$m^2c^4/\hbar^2$ — rest mass contribution

$\ell^2c^2k^4$ — substrate correction (dominates at high k)

6. Phase Velocity (Massless Case)

$$v_{ph} = c\sqrt{1 + \ell^2k^2}$$

What it says:

This is the speed of a wave crest. In normal physics, light always moves at exactly c , period. The substrate changes that — high-energy light moves a tiny bit faster. At the Planck scale

the speed bumps up to about 1.4 times c . This is one of the things you could actually look for with telescopes.

Symbol key:

v_{ph} — phase velocity (speed of wave crests)

c — speed of light

ℓ — substrate length scale

k — wavenumber (higher k = higher energy)

7. Group Velocity

$$v_g = (c^2 k + 2\ell^2 c^2 k^3) / \omega$$

What it says:

This is the speed that energy actually travels at — not just the wave crests, but the real signal. The substrate makes high-energy signals travel slightly faster than low-energy ones. If you watched a gamma-ray burst from billions of light-years away, the high-energy photons would show up a tiny bit before the low-energy ones. That arrival time difference is what experiments could measure.

Symbol key:

v_g — group velocity (speed of energy propagation)

c — speed of light

k — wavenumber

ω — angular frequency

ℓ — substrate length scale

8. Characteristic Momentum Scale

$$k^* \sim 1/\ell$$

What it says:

This is the line in the sand. Below this energy, everything looks totally normal — standard physics works fine. Above it, the substrate takes over and things start behaving differently. When the substrate scale equals the Planck length, this line sits at the Planck energy — the highest energy scale in nature.

Symbol key:

k^* — characteristic momentum scale (the boundary between ordinary and substrate-dominated physics)

ℓ — substrate length scale

9. Substrate-Modified Schrödinger Equation (Nonrelativistic Limit)

$$i\hbar \partial\psi/\partial t = -(\hbar^2/2m)\nabla^2\psi + (\ell^2\hbar^2/2m)\nabla^4\psi$$

What it says:

This is the everyday quantum mechanics version of the theory — what happens at low energies where things move slowly. It looks almost exactly like the normal Schrödinger equation that governs atoms and molecules, but with one extra term tacked on. That extra term makes it harder and harder to pin down a particle’s location as you go to smaller and smaller scales. Eventually you hit a wall — a minimum size below which “position” stops meaning anything. That’s the substrate showing up.

Symbol key:

i — imaginary unit ($\sqrt{-1}$)

$\hbar$ — reduced Planck constant

ψ — quantum wavefunction (slowly varying envelope)

$\partial\psi/\partial t$ — time evolution of the wavefunction

$\nabla^2\psi$ — standard kinetic energy operator (spatial curvature of ψ)

$\nabla^4\psi$ — substrate kinetic correction (bi-Laplacian of ψ)

m — particle mass

ℓ — substrate length scale

10. Substrate Energy-Momentum Relation (Nonrelativistic)

$$E(k) = \hbar^2 k^2 / (2m) + \ell^2 \hbar^2 k^4 / (2m)$$

What it says:

In normal physics, a particle’s energy grows smoothly as you push it faster. The substrate adds a penalty at high speeds — the energy starts climbing much steeper than expected. It’s like running into thicker and thicker air. This means there’s a natural speed limit built into the fabric of reality, even beyond what Einstein described.

Symbol key:

$E(k)$ — energy as a function of wavenumber

$\hbar$ — reduced Planck constant

k — wavenumber (proportional to momentum: $p = \hbar k$)

m — particle mass

ℓ — substrate length scale

$\hbar^2 k^2 / (2m)$ — standard kinetic energy

$\ell^2 \hbar^2 k^4 / (2m)$ — substrate correction to kinetic energy

11. Generalized Uncertainty Principle (GUP)

$$\Delta x \Delta p \geq (\hbar/2)(1 + \beta \ell^2 (\Delta p)^2 / \hbar^2)$$

What it says:

Heisenberg said you can't know a particle's position and momentum perfectly at the same time. But in standard physics, you can always trade one for the other — make position super precise by accepting blurry momentum, or vice versa. The substrate breaks that deal. Past a certain point, trying to measure position more precisely actually makes it worse, not better. There's a hard floor — a smallest possible length you can ever measure, no matter what you do or how much energy you use.

Symbol key:

Δx — position uncertainty

Δp — momentum uncertainty

$\hbar$ — reduced Planck constant

ℓ — substrate length scale

β — dimensionless constant of order 1 (depends on the substrate's internal structure)

12. Minimum Measurable Length

$$\Delta x_{min} = \ell \sqrt{\beta}$$

What it says:

This is that hard floor. The shortest distance that can ever be measured by anything, ever. It's roughly the Planck length — about 10^{-35} meters. Below this scale, the concept of “where something is” just doesn't work anymore. The substrate is too grainy. It's like trying to measure something smaller than a pixel on a screen.

Symbol key:

$\Delta x_{\min}$ — minimum measurable length

ℓ — substrate length scale

β — dimensionless structure constant

13. Energy Density (Hamiltonian Density)

$$\mathcal{H} = \frac{1}{2}(\partial\varphi/\partial t)^2 + (c^2/2)(\nabla\varphi)^2 + (m^2c^4/2\hbar^2)\varphi^2 + (\ell^2c^2/2)(\nabla^2\varphi)^2$$

What it says:

This is how much energy is stored in the field at each point in space. The important thing: every single piece of this formula is a squared term, which means every piece is either zero or positive. You can never get negative energy. That matters a lot because most theories that mess with higher derivatives blow up — they create runaway energy that destroys the math. This one doesn't. It's stable. The theory doesn't eat itself.

Symbol key:

$\mathcal{H}$ — energy density (energy per unit volume)

$\partial\varphi/\partial t$ — time derivative of the field (kinetic contribution)

$\nabla\varphi$ — spatial gradient (gradient energy contribution)

φ^2 — field amplitude squared (mass energy contribution)

$(\nabla^2\varphi)^2$ — Laplacian squared (substrate stiffness contribution)

c — speed of light

m — mass parameter

$\hbar$ — reduced Planck constant

ℓ — substrate length scale

14. Plane-Wave Energy Identity

$$\langle \mathcal{H} \rangle = \omega^2$$

What it says:

This is a sanity check. For a simple wave, the total energy equals the frequency squared. That's exactly what you'd expect from a healthy wave theory — the energy splits evenly between motion and tension, just like a guitar string. The substrate correction doesn't break this balance. Everything stays consistent.

Symbol key:

$\langle \mathcal{H} \rangle$ — average energy density of a plane-wave mode

ω — angular frequency of the mode