

Unified Substrate Theory

Dustin Lee

Where Physics Stands Today

Physics is in an odd situation. It has two extraordinarily successful theories, and they refuse to get along. The first is general relativity. It describes gravity, the large-scale structure of the universe, how planets orbit, how light bends around massive objects, and how time slows near heavy things. It works beautifully at large scales. Every prediction it makes has been confirmed.

The second is quantum mechanics. It describes the behavior of particles at extremely small scales. It tells us how atoms hold together, how light is emitted and absorbed, and how energy is packaged into discrete chunks. It also works beautifully, with extraordinary precision.

The problem is simple: these two theories do not speak the same language. When you try to apply quantum mechanics to gravity, the mathematics breaks down completely. You get infinities that cannot be removed. No working theory of quantum gravity exists today, despite decades of effort.

On top of that, modern physics has roughly 26 fundamental constants — numbers like the speed of light, the strength of gravity, and the mass of the electron — that are simply plugged into equations by hand. Nobody knows why they have the values they do. They are measured and inserted. That is all.

Then there is the Standard Model of particle physics, which catalogs 17 distinct fundamental particles and 4 separate forces. Each is described by its own set of rules. It works, but it is enormously complicated for something supposedly fundamental. It feels less like a discovery of nature's blueprint and more like a very detailed inventory.

The question hanging over all of this is simple: is all of this actually one thing? Are all these particles, forces, and constants different expressions of a single underlying process? Unified Substrate Theory says yes. Here is how.

The Core Claim of UST

The central claims of Unified Substrate Theory:

- There is one underlying medium. Call it the Substrate. It fills all of space. It has one native property: it resists being displaced, and it snaps back when disturbed.
- Everything that exists — matter, energy, space, time, forces, fields — is a pattern of disturbance in the Substrate.
- Nothing else exists. There are no particles floating through empty space. There is no separate "space" container sitting around waiting to be filled. The Substrate is space, and disturbances in it are particles and energy.

Here is the clearest analogy available. Think of the ocean. The ocean is not a container for waves. A wave is not a thing that the ocean holds. A wave is the ocean moving. The water goes up, it comes back down, and that motion is the wave. The wave and the water are the same thing described two different ways.

Now replace the ocean with the Substrate. A particle is not a little ball sitting inside the Substrate. A particle is the Substrate moving in a particular pattern — a stable, self-sustaining loop of motion. Energy is the Substrate moving in a spreading pattern. Gravity is the Substrate being pulled in a particular direction. Everything is the Substrate doing something. Once you hold that image clearly, the rest follows naturally.

Note: This is not the aether theory Michelson–Morley disproved, because the aether was imagined as a separate substance that matter moved through, and UST has no ‘through’ at all — the Substrate is space itself, so it cannot be the aether.

How Space and Time Come From the Substrate

Space, in the standard picture, is treated as an empty stage — a vast, invisible container that matter and energy move through. UST says this is the wrong picture. Space is the Substrate at rest. When the Substrate is undisturbed, you have empty space. There is no separate space for the Substrate to sit in. The Substrate is the space. Asking what the Substrate is sitting in is like asking what the ocean is sitting inside of — the ocean is the medium, full stop.

Distance, under UST, is simply the count of Substrate units between two points. A meter is a specific number of Substrate cell-widths. There is no deeper meaning to distance than that. Time is the

Substrate propagating disturbances. Time is not a background clock ticking away behind reality. Time is what happens when the Substrate moves. One moment passes, in the most literal possible sense, when the Substrate completes one oscillation cycle. Duration is a count of those cycles between two events.

This immediately explains something that general relativity describes but does not explain: why does time slow down near massive objects? Under UST the answer is direct. Near a large mass, the Substrate is denser and more compressed. A disturbance moving through denser Substrate takes longer to complete each cycle. More cycles per journey means slower propagation. Slower propagation means slower time. Gravity bends spacetime because mass compresses the Substrate, and compressed Substrate propagates disturbances more slowly. That is what gravitational time dilation is, in plain language. Not a mysterious property of geometry. A traffic jam in the medium.

How the Speed of Light Comes From the Substrate

The speed of light — 299,792,458 meters per second — is one of the most famous numbers in science. It appears in Einstein's equations, in the definition of the meter, and in every calculation involving electromagnetism. But where does it come from? Why that number?

In standard physics, the speed of light is simply declared to be a fundamental constant. It is what it is. No further explanation is offered.

UST offers one. The speed of light is the maximum speed at which a disturbance can travel through the Substrate. It is not a cosmic rule handed down from nowhere. It is a property of the medium — exactly the same way the speed of sound is a property of air.

Sound travels through air at 343 meters per second at room temperature. That number is not a law of nature. It comes from the density and stiffness of air. Compress the air — as in water, which is much denser — and sound travels faster, roughly 1,480 meters per second. Change the medium, change the speed.

Light, under UST, works the same way. The Substrate has a particular stiffness and density, and those two properties set the maximum propagation speed. That maximum is what we call c . The number 299,792,458 is not arbitrary or magical. It is a readout of what the Substrate's mechanical properties happen to be, expressed in the human unit system of meters and seconds.

This also explains why nothing can travel faster than light. It is not that the universe has a speed limit as a rule. It is that no disturbance can outrun the medium that carries it. The disturbance is

the medium moving. The medium cannot move faster than it moves. There is no mystery there — just a medium with a finite propagation speed.

And again, near a large mass where the Substrate is compressed, the effective propagation speed drops slightly. This is what appears as gravitational time dilation — clocks running slower, light bending, time stretched out near heavy objects. It all comes from the same place: a medium with variable local density.

How Mass Comes From the Substrate

This is perhaps the most surprising section for someone coming from conventional physics. Mass, in the standard picture, is a fundamental property that particles simply have. An electron has a mass of roughly 9.1×10^{-31} kilograms. That is just what an electron is. No further explanation. UST says mass is not a fundamental property. Mass is the amount of Substrate locked into a stable, self-sustaining loop.

Think of it like this. Most disturbances in the Substrate spread outward and dissipate — like a ripple on water moving away from where a stone landed. But some disturbances, under the right conditions, can fold back on themselves and sustain themselves indefinitely. They keep re-disturbing the same region of Substrate in a repeating pattern — a standing wave, or more precisely, a vortex knot. That stable, self-looping disturbance is what we call a particle.

The more Substrate locked into the knot, the greater the mass. A proton has more mass than an electron because its knot involves more Substrate loops, more tightly bound.

Inertia — the resistance of an object to being accelerated — comes directly from this picture. When you push a massive object, you are trying to re-shape a large, stable, self-sustaining Substrate knot. The Substrate resists being rearranged. The bigger the knot, the more Substrate has to be rearranged, the more it resists. That resistance is inertia. A heavy object does not resist acceleration because of some magical property called mass. It resists because there is a lot of Substrate to push around.

Einstein's famous equation — E equals m times c squared — fits perfectly into this picture. Translated into UST language: the energy stored in a mass-knot equals the amount of Substrate involved in that knot, multiplied by the square of the propagation speed. Mass and energy are not two different things. They are the same Substrate disturbance, measured from different angles.

Unwind the knot and you release the energy. Lock the energy into a knot and you create mass. This is exactly what particle-antiparticle creation and annihilation show us in the laboratory every day.

How Gravity Comes From the Substrate

Gravity is the force most associated with Einstein's general relativity, and general relativity describes it as the curvature of spacetime caused by mass and energy. That description is accurate and precise, but it does not explain why mass curves spacetime. It only says that it does. UST provides the mechanism.

A mass-knot — a particle or a large collection of particles like a planet — is continuously cycling Substrate disturbances through itself to maintain its standing wave. It pulls Substrate inward toward itself and re-emits it as part of its own loop. This creates a persistent inward gradient in the surrounding Substrate. The Substrate is not uniformly distributed around a mass. It is denser closer to the mass and less dense further away, because the mass-knot is continuously drawing it in.

Now, any other object moving through this region of Substrate is subject to that gradient. Moving in the direction of increasing Substrate density — toward the mass — is the path of least resistance. Moving in the direction of decreasing Substrate density — away from the mass — requires fighting the gradient. So objects naturally drift toward mass. This is what we call gravity.

There are no gravitons needed. There is no curvature imposed from outside by some additional mechanism. The geometry of space changes because the Substrate density changes, and everything moving through the Substrate follows the local density gradient automatically. A planet orbits the Sun because it is traveling through a region of Substrate that is being continuously shaped by the Sun's mass-knot. The orbit is the path of least resistance through a gradient medium.

Light bends around massive objects for exactly the same reason. A photon — a propagating disturbance in the Substrate — follows the Substrate's density gradient just like everything else. Near a massive object, the gradient bends the photon's path toward the mass. We call this gravitational lensing. UST calls it a wave following a gradient. Same thing.

How Planck's Constant Comes From the Substrate

Planck's constant is one of the most important numbers in quantum mechanics. It appears in the formula for the energy of a photon, in the uncertainty principle, in the definition of the Planck scale. And like most fundamental constants, it has no explanation in standard physics beyond "we measured it and here it is."

UST explains it as follows. Planck's constant is the minimum size of a disturbance that the Substrate can carry. The Substrate is not infinitely smooth and continuous. It has a grain to it — a minimum cell size, a smallest possible unit. You cannot disturb the Substrate by less than one of these minimum units, because there is no smaller unit to disturb. This minimum possible disturbance is what Planck's constant measures.

Once you accept that the Substrate has a minimum cell size, all of quantum mechanics' signature strangeness follows without further mystery.

Energy comes in discrete packets — what we call photons or quanta — because you cannot have a disturbance smaller than one Substrate unit. You cannot disturb the Substrate by half a unit or a tenth of a unit. It is all or nothing at the minimum scale. This is why light is absorbed and emitted in packets, why electrons jump between fixed energy levels instead of sliding smoothly, why everything at the quantum scale seems lumpy and discontinuous.

The uncertainty principle — the rule that you cannot know both where a particle is and how fast it is moving at the same time — is also a direct consequence. It sounds philosophical and strange, but it is really just a wave property. If you try to narrow down exactly where a wave disturbance is located, you have to make it sharper in space, and making it sharper in space automatically spreads it out in frequency. More frequencies mixed together means a wider spread of momenta. This is not a limitation of our instruments or our knowledge. It is geometry. Any wave in any medium behaves this way. The Substrate is a wave medium, and quantum particles are waves. The uncertainty principle is what waves do.

How the Other Constants Collapse Into the Substrate

Here is the payoff of the whole framework. The 26-odd constants that physics has had to measure and insert by hand are not fundamental mysteries. Under UST, each one of them is a measurement of a specific Substrate property, stated in whatever unit system humans happened to develop. Below is a plain-English account of the main ones.

The Gravitational Constant G

G measures how strongly a mass-knot reshapes the Substrate around it. Specifically, it is the coupling strength between Substrate density and the resulting geometry — how much a given lump of Substrate-in-a-knot distorts the surrounding Substrate per unit of distance. If G were larger, gravity would be stronger and the universe would have collapsed. If it were smaller, stars could not form. Its precise value is a readout of the Substrate's mechanical response to being loaded by a mass-knot, stated in meters, kilograms, and seconds.

The Boltzmann Constant

The Boltzmann constant converts temperature into energy, or more precisely, it converts a measurement on the Celsius or Kelvin scale into the actual average jitter rate of Substrate disturbances at that temperature. Temperature is not a fundamental thing. Temperature is the average amount of random Substrate agitation in a region. The Boltzmann constant is just the conversion factor between the unit we invented for temperature and the unit we invented for energy. Both are measuring the same Substrate behavior.

Permittivity and Permeability of Free Space

These two constants — called epsilon-zero and mu-zero — describe how easily the Substrate stores and transmits electric and magnetic disturbances. Permittivity tells you how much electric disturbance the Substrate can hold per unit volume. Permeability tells you how much magnetic disturbance it can carry per unit length. The critical point: the speed of light equals one divided by the square root of epsilon-zero times mu-zero. These three are not three separate facts. They are the same Substrate stiffness stated three different ways, in three different unit systems developed historically for three different measurement traditions. Collapse them and you have one medium property.

The Fine Structure Constant

The fine structure constant — approximately one divided by 137 — is the ratio of the electromagnetic coupling strength to the Substrate's minimum action unit. In plainer terms: it tells you how strongly an electric-field disturbance can interact with a mass-knot, expressed as a fraction of the minimum possible Substrate action. Its value near one-over-137 is not a cosmic coincidence. UST proposes it arises from the geometry of a stable standing-wave loop in the Substrate. If you work out the mathematics of a self-sustaining electromagnetic loop with the minimum possible circumference in Substrate units, the ratio of the loop's coupling strength to its own action comes out near one-over-137. The derivation from pure geometry is one of UST's near-term open targets.

The Proton-to-Electron Mass Ratio

A proton is roughly 1,836 times heavier than an electron. Under UST, this ratio reflects the difference in the number of Substrate loops locked into a proton's knot versus an electron's knot. The proton is a much more complex standing-wave structure — it contains sub-loops (quarks) held together by shorter-range Substrate tension (the strong force). The electron is a simpler, single-loop knot. The mass ratio is a structural ratio between two different knot architectures. It is not a coincidence or a mystery. It is a count of Substrate involvement in each type of stable disturbance.

How the Four Forces Unify

Standard physics has four fundamental forces: electromagnetism, the weak force, the strong force, and gravity. Each has its own description, its own carrier particles, its own coupling constants. Unifying them has been a goal of theoretical physics for over a century.

UST does not unify them by finding a common boson or a higher-dimensional symmetry group. It unifies them by showing they were never separate to begin with. They are all the same Substrate mechanism operating at different scales and frequencies.

Electromagnetism

Electromagnetism consists of oscillating disturbances in the Substrate that propagate outward from a charged mass-knot. A charged particle is a knot with a particular oscillation pattern — it repeatedly disturbs the surrounding Substrate in a way that spreads outward at the speed of propagation. The electric component and the magnetic component are the same disturbance viewed from two different orientations, rotated 90 degrees relative to each other. A photon is a

single minimum-unit packet of this kind of spreading disturbance. The electric and magnetic forces are the Substrate being pushed and pulled by those spreading oscillations.

The Weak Force

The weak force is responsible for radioactive decay — events like a neutron turning into a proton plus an electron. Under UST, this is a temporary reshaping of a mass-knot from one type of standing wave to another. The knot becomes unstable in its current configuration and collapses into a lower-energy arrangement, emitting the leftover Substrate disturbance in the process. The W and Z bosons — the carrier particles of the weak force in standard physics — are the disturbance packets that carry the reshaping transition from one knot configuration to another. They are not fundamental particles. They are the Substrate reorganizing itself during a knot transformation.

The Strong Force

The strong force holds atomic nuclei together. It is the most powerful of the four forces and operates only over very short distances. Under UST, it is the short-range tension of the Substrate being stretched between closely packed standing-wave knots. When two mass-knots are very close together, their standing waves overlap, and the Substrate between them is under tension like a stretched spring. That tension is the strong force. Quarks, the sub-components of protons and neutrons, are sub-loops within a larger knot. Gluons — the standard carrier particles of the strong force — are the Substrate threads connecting those sub-loops. Pull the quarks apart and the Substrate thread stretches until it has enough energy to generate a new knot at each end. This is why you can never isolate a single quark: pulling it away just creates more knots from the Substrate thread.

Gravity

Gravity, as described in Section 6, is the large-scale Substrate density gradient produced by mass-knots. It operates at any distance because the density gradient extends outward from every mass-knot indefinitely, growing weaker with distance but never vanishing entirely.

The four forces differ in scale, reach, and the specific Substrate disturbance pattern involved. They do not differ in kind. They are all the Substrate doing what the Substrate does: resisting displacement and snapping back.

How Quantum Mechanics and Relativity Merge

The conflict between quantum mechanics and general relativity is the central unsolved problem of fundamental physics. String theory, loop quantum gravity, and dozens of other frameworks have been proposed to resolve it. None has succeeded in producing confirmed predictions that standard physics cannot already explain.

UST dissolves the conflict rather than resolving it. The conflict exists because the two theories appear to describe incompatible things. Under UST, there is no incompatibility because both theories are limit-case descriptions of the same Substrate.

Quantum mechanics describes the Substrate near its minimum cell size. When you are probing distances close to one Substrate unit, the granularity dominates. Energy comes in chunks. Position and momentum cannot both be sharp. Particles appear to be in multiple places at once because a wave disturbance genuinely is spread out until it interacts with something. All the quantum strangeness is the strangeness of a finite-grain medium viewed at the scale of its own graininess.

General relativity describes the Substrate at large scales and high densities. When disturbances travel near the maximum propagation speed, or through regions of high Substrate density created by large masses, the Substrate's elastic and propagation properties dominate. Spacetime curves, clocks run slow, light bends. All of this is the behavior of a medium under stress and compression.

The apparent conflict — the so-called quantum gravity problem — arises because physicists have been trying to quantize gravity: to find a way to describe gravitational force as a quantum field with carrier particles, the way electromagnetism has photons. Under UST, this project is misconceived. Gravity is not a quantum field to be quantized. It is a classical density gradient of the Substrate — the large-scale background behavior of the medium through which quantum effects occur. You do not need to quantize gravity any more than you need to quantize the surface of the ocean to describe a wave on it.

At the Planck scale — the regime where both the Substrate granularity and the propagation speed limit interact simultaneously — the two descriptions naturally converge. The Planck length, the Planck time, and the Planck energy are not arbitrary combinations of constants. They are the Substrate's own native unit system. The Planck length is one Substrate cell. The Planck time is one Substrate oscillation cycle. The Planck energy is one minimum Substrate disturbance. These units emerge naturally from combining G , h , and c because G , h , and c are all properties of the same medium.

Predictions and Tests

A theory is only as good as its testable predictions. UST makes several specific predictions that distinguish it from standard physics and that are, in principle, testable with current or near-future instruments.

Light Speed Frequency Dependence

If the Substrate has a finite grain size, then very high-frequency photons — which have wavelengths approaching the Substrate cell size — should travel infinitesimally slower than low-frequency photons. The effect would be extraordinarily tiny at normal energies, but gamma-ray bursts produce photons across an enormous energy range, and they travel billions of light-years before reaching our detectors. Even a tiny speed difference would accumulate into a measurable arrival-time gap. Several observatories are already analyzing gamma-ray burst data with this possibility in mind. A confirmed frequency-dependent photon speed, even a very small one, would be strong evidence for Substrate granularity.

Procedure: Analyze gamma-ray burst events by recording photon arrival times across the full detected energy spectrum. Group photons into energy bands (for example, low, medium, and high). For each burst, construct arrival-time profiles for each band and cross-correlate these profiles to identify any systematic micro-scale lags between bands. Fit the measured lag as a function of photon energy to obtain a dispersion curve. Then, model and subtract all known astrophysical contributions to timing offsets, such as source variability and propagation effects in intervening plasma. Any residual, monotonic lag that scales with energy would constitute a candidate signature of Substrate granularity.

Gravitational Wave Dispersion

Gravitational waves, detected for the first time in 2015, are propagating disturbances in the geometry of spacetime — which UST translates as propagating disturbances in the Substrate's density distribution. If the Substrate has granularity, then very high-frequency gravitational waves should show a slight spread in arrival times across frequencies, in the same way that light spreads out into its component colors when passing through a prism. Current detectors are not sensitive enough to measure this at the relevant frequency range, but next-generation detectors may be.

Procedure: For each detected high-frequency gravitational-wave event, record the full waveform with maximal time resolution. Decompose the waveform into distinct frequency bands using

standard time–frequency analysis techniques. For each band, determine the effective arrival time (for example, via peak correlation or matched filtering). Compare arrival times across bands and fit the resulting offsets to a dispersion relation. General relativity predicts no frequency-dependent propagation delay; therefore, any statistically significant, systematic deviation from zero dispersion would be evidence for Substrate granularity.

Dark Matter as Elevated Substrate Density

Dark matter is the name given to whatever is causing unexplained gravitational effects in galaxies and galaxy clusters. Objects rotate around galactic centers far faster than visible matter alone can explain. Something is producing extra gravity. Under UST, dark matter may be regions where the Substrate density is elevated — where the Substrate is more compressed or more active than average — without a self-sustaining knot present. This elevated density would produce gravitational effects exactly like a mass-knot, because gravity is a Substrate density gradient, but it would not emit light, because there is no oscillating charged knot to radiate electromagnetic disturbances. The gravity would be there. The visible matter would not.

Procedure: Use observed rotation curves and gravitational lensing data to reconstruct the gravitational potential in and around galaxies and clusters. Translate this potential into a spatial density gradient using the UST definition of gravity as a gradient in Substrate density. Identify regions where the inferred density is elevated but does not correspond to localized, knot-like structures associated with visible matter. From this continuous density field, predict orbital velocities and lensing patterns, and compare these predictions directly to observations. A close match, without invoking additional particle species, supports the interpretation of dark matter as elevated Substrate density rather than discrete, unseen particles.

Dark Energy as Substrate Redistribution Pressure

Dark energy is the name given to whatever is causing the expansion of the universe to accelerate. Under UST, dark energy may be the natural outward pressure of the Substrate as it redistributes itself on cosmological scales. If the Substrate has a preferred equilibrium density and the universe's expansion has produced regions that are below that equilibrium, the Substrate will generate pressure to restore equilibrium — pushing space apart. This is not a separate energy field. It is the Substrate's own elastic restoring behavior at the largest possible scale.

Procedure: Construct large-scale maps of matter and inferred Substrate density using cosmological surveys (supernovae, baryon acoustic oscillations, and large-scale structure). Identify regions where the effective density falls below the equilibrium value implied by UST. Using the

elastic properties assigned to the Substrate, compute the corresponding restoring pressure that would act to re-establish equilibrium. From this pressure field, derive the expected acceleration of cosmic expansion and compare it quantitatively to observed acceleration inferred from supernova and BAO data. Agreement between the predicted and observed acceleration, without introducing an independent dark-energy field, would support the interpretation of dark energy as Substrate redistribution pressure.

The Fine Structure Constant From Geometry

UST specifically predicts that the fine structure constant — approximately one divided by 137 — should be derivable from the pure geometry of a minimal standing-wave loop in the Substrate, without any measured inputs. If the geometry of a self-sustaining electromagnetic knot, computed in Substrate natural units, yields a coupling ratio of approximately one-over-137, that would be a powerful confirmation that the constant is structural rather than arbitrary. This calculation is an open but active target within UST development.

Procedure: Formulate a model of the minimal self-sustaining electromagnetic knot in the Substrate, expressed entirely in Substrate natural units. Specify the geometry of the loop, including its characteristic size, curvature, and internal field configuration, under the constraint that the pattern remains dynamically stable. From this configuration, derive the effective coupling between the electromagnetic disturbance and the Substrate motion, yielding a dimensionless ratio that plays the role of the fine-structure constant. If this ratio emerges near $1/137$ without any empirical fitting or parameter tuning, it would indicate that the fine-structure constant arises from the intrinsic geometry of Substrate knots rather than from arbitrary input values.

Section 12 — Summary: The Collapse Into One Process

- Here is the whole picture, stated once more in twelve steps.
- There is one medium: the Substrate. It fills all of space. It has one property: it resists displacement and snaps back.
- Undisturbed Substrate is empty space. Space is not a container. It is the Substrate sitting still.
- A disturbance propagating through the Substrate is energy. A wave moving outward through the medium is what energy is.
- A stable, self-looping disturbance is a particle with mass. A knot that keeps re-disturbing itself is what a particle is. Mass is the amount of Substrate locked into that knot.
- The propagation speed limit of the Substrate is c — the speed of light. Not a cosmic rule. A medium property.
- The minimum possible disturbance size of the Substrate is h — Planck's constant. Not a mystery. A grain size.
- The density gradient of the Substrate around a mass-knot is gravity. Not a force transmitted by particles. A slope in the medium that everything slides down.
- The short-range tension binding multiple knots together is the strong and weak forces. Close-range Substrate threads and knot-reshaping transitions.
- Oscillating disturbances radiating outward from a charged knot are electromagnetism. Electric and magnetic fields are the same spreading Substrate oscillation seen from different angles.
- All constants are Substrate properties measured in human unit systems. G , h , c , k , epsilon-zero, mu-zero, and all the rest are readouts of the same medium expressed in meters, seconds, kilograms, and Kelvin.
- All forces are Substrate disturbance modes. They differ in scale and pattern, not in kind.
- All of physics is one medium doing one thing.

UST does not add complexity, it removes it. Every equation, every constant, every force and particle is the same process described from a different angle or at a different scale. The universe is not complicated. We just had too many maps and forgot we were looking at the same territory.

Appendix: UST — Core Mathematical Structure

1. Substrate field

1.1 Fundamental field

$$\Phi(x, t) = \sqrt{\rho_s(x, t)} e^{i\theta(x, t)}$$

Description: $\Phi(x, t)$ is the single physical medium of the theory. Every object, field, and interaction is a configuration of this complex scalar field.

1.2 Density

$$\rho_s(x, t) = |\Phi(x, t)|^2$$

Description: $\rho_s(x, t)$ is the local substrate density. Regions of higher or lower density encode structure, energy, and effective geometry.

1.3 Phase

$$\theta(x, t) = \arg(\Phi)$$

Description: $\theta(x, t)$ is the local phase of the substrate. Phase patterns and windings encode charge, currents, and wave behavior.

1.4 Physical statement

Description: All physical phenomena are configurations, gradients, or stable topological states of Φ . There are no separate fields or substances.

2. Core dynamics of the substrate

2.1 Evolution functional

$$S[\Phi] = \int d^4x \left[\frac{1}{2} K_s |\partial_\mu \Phi|^2 - V(\rho_s) \right]$$

Description: $S[\Phi]$ is the action that defines how the substrate evolves. K_s is the stiffness of the medium; $V(\rho_s)$ encodes its internal energy as a function of density.

2.2 Evolution equation

$$K_s \partial_\mu \partial^\mu \Phi + \frac{\partial V}{\partial \Phi^*} = 0$$

Description: This is the single evolution equation for Φ . It replaces all separate field equations and governs waves, particles, and large-scale behavior in one rule.

2.3 Physical statement

Description: The substrate obeys one dynamical law. All observed physics is the result of this law acting on Φ .

3. Emergent physical quantities

3.1 Wave speed

$$c^2 = \frac{K_s}{\rho_s}$$

Description: The effective wave speed c is set by the ratio of substrate stiffness K_s to local density ρ_s . Light speed is a material property of Φ , not a universal constant.

3.2 Effective geometry

$$g_{\mu\nu}^{\text{eff}} = f(\rho_s, \partial \rho_s)$$

Description: The effective metric g_{eff} is determined by the density and its gradients. Curvature and geometry emerge from how Φ is distributed, not from an independent spacetime entity.

3.3 Mass

$$m = \frac{E_{\text{knot}}}{c^2}$$

Description: Mass is the energy of a stable knot or vortex configuration in the substrate, divided by c^2 . Different knot types correspond to different particle masses.

3.4 Charge

$$q = \frac{1}{2\pi} \oint \nabla \theta \cdot d\ell$$

Description: Charge is the integer winding number of the phase θ around a closed loop. It is a topological property of Φ , not an independent quantity.

3.5 Spin

$$S = \int A \cdot B d^3x$$

Description: Spin is a topological linking measure of substrate flow lines, captured by the integral of $A \cdot B$ over space. It encodes intrinsic angular structure of knots in Φ .

4. Forces as behaviors of Φ

4.1 Electromagnetic mode

$$A_\mu = \partial_\mu \theta$$

Description: Electromagnetic behavior arises from gradients of the phase θ . The potential A_μ is not a separate field but a way of describing phase variation in Φ .

4.2 Weak mode

$$\Phi \rightarrow U_2 \Phi, U_2 \in SU(2)$$

Description: Weak interactions correspond to $SU(2)$ rotations of internal substrate phase structure. These rotations reshape knots and change their stability.

4.3 Strong mode

$$\Phi \rightarrow U_3 \Phi, U_3 \in SU(3)$$

Description: Strong interactions correspond to $SU(3)$ transformations of substrate phase and pressure structure. They control confinement and binding of knot configurations.

4.4 Gravitational mode

$$g_{\mu\nu}^{\text{eff}} = f(\rho_s)$$

Description: Gravity is the large-scale mode of density variations in Φ . Effective geometry and attraction arise from how ρ_s is distributed, not from a separate gravitational field.

5. Constants as material properties

5.1 Speed of light

$$c = \sqrt{\frac{K_s}{\rho_s}}$$

Description: The speed of light is the propagation speed of disturbances in Φ . It is determined by substrate stiffness and density, and can vary with conditions of the medium.

5.2 Gravitational constant

$$G = g(K_s)$$

Description: The gravitational constant G is a derived measure of how strongly geometry responds to substrate stiffness. It is a function of K_s , not a fundamental constant.

5.3 Quantum constant

$$\hbar = \text{minimum excitation of } \Phi$$

Description: $\hbar$ represents the smallest stable excitation of the substrate. It encodes the granularity of Φ and sets the scale of discrete energy changes.

5.4 Electromagnetic constants

$$\varepsilon_0 = \chi_E(\Phi), \mu_0 = \chi_B(\Phi)$$

Description: ε_0 and μ_0 are the electric and magnetic response coefficients of Φ . They describe how the substrate polarizes and magnetizes under phase and density disturbances.

6. Cosmological behavior

6.1 Phases

$$\Phi = 0$$

$$|\Phi| = \sqrt{\rho_s}$$

Description: A disordered phase ($\Phi = 0$) represents a high-symmetry, unstructured state. A condensed phase ($|\Phi| = \sqrt{\rho_s}$) represents a structured universe with stable density and patterns.

6.2 Dark matter

$$\rho_{\text{DM}} = \rho_s - \rho_{\text{baseline}}$$

Description: Dark matter is excess substrate density above a baseline level. It appears as additional mass-like effects without requiring new particles.

6.3 Dark energy

$$p_{\Lambda} = -\rho_{\Lambda} c^2$$

Description: Dark energy is baseline substrate pressure associated with a uniform density component ρ_{Λ} . It drives large-scale expansion as a property of Φ itself.

7. Compact summary

$$\Phi = \sqrt{\rho_s} e^{i\theta}$$

Description: One complex field Φ , with density ρ_s and phase θ , is the sole physical medium.

$$S[\Phi] = \int d^4x \left[\frac{1}{2} K_s |\partial_{\mu} \Phi|^2 - V(\rho_s) \right]$$

Description: A single action $S[\Phi]$ defines all dynamics of the substrate.

$$m = E_{\text{knot}}/c^2$$

Description: Mass is knot energy in Φ divided by c^2 .

$$q = \frac{1}{2\pi} \oint \nabla \theta \cdot d\ell$$

Description: Charge is phase winding number.

$$S = \int A \cdot B d^3x$$

Description: Spin is a topological linking integral.

$$A_{\mu} = \partial_{\mu} \theta$$

Description: Electromagnetic behavior is phase gradient behavior.

$$c^2 = K_s/\rho_s$$

Description: Wave speed is set by stiffness and density.

$$G = g(K_s)$$

Description: Gravitational strength is a function of substrate stiffness.