
Unified POS - Comprehensive Manual of Use

Edition 1.1 - A Division of Glorified Technology Solution (GTS)

Manual of Use

This manual explains every part of Unified POS: signing in, selling at the register, managing products and stock, serving customers, running marketing and commerce, handling money and accounting, staffing, hardware, offline sync, reporting, artificial intelligence, compliance, multi-region enterprise, the developer platform, system health, settings, and platform administration. Read the section that matches the task in front of you, or work top to bottom for full onboarding.

Contents

1. Welcome to Unified POS	4
2. Getting Started	5
3. Dashboard and Overview	7
4. Selling at the Register (POS)	8
5. Orders and Fulfillment	11
6. Products and Catalog	12
7. Inventory Management	14
8. Purchasing and Suppliers	16
9. Customers	17
10. Loyalty and Rewards	18
11. Marketing	19
12. Commerce Hub	20
13. Restaurant Operations	21
14. Payments, Payment Links and Gateways	22
15. Accounting	23
16. Employees, Roles and Permissions	24
17. Registers and Devices	25
18. Offline Mode and Sync	27
19. Reports and Analytics	28
20. AI Insights, Forecasting and Copilot	29
21. Notifications	30
22. Compliance Center	31
23. Enterprise and Multi-Region	32
24. Developer Platform	33
25. System and Observability	34
26. Settings	35
27. Security and Privacy	36
28. Troubleshooting and FAQ	37
29. Keyboard and Speed Tips	38

30. Roles at a Glance	39
31. Glossary	40
32. Global Expansion Modules	42
33. Storefront, Delivery, Labels and Trading Insights	48
34. Platform Administration (Super Admin)	50
35. Getting Help	53

1. Welcome to Unified POS

Unified POS is a complete Business Operating System for retail, restaurant and omnichannel merchants. One workspace brings together the cash register, inventory, purchasing, customers, loyalty, marketing, online commerce, payments, accounting, staffing, hardware, analytics and compliance.

What you can do

- Sell in person at a fast touch register, take card, cash, gift card and stored-value payments, and print or email receipts.
- Manage products, variants, bundles and selection options across an unlimited catalog.
- Track stock across locations, batches, lots, serial numbers and expiry dates, and move inventory between sites.
- Build a customer 360 view, run loyalty and rewards, and launch targeted marketing campaigns.
- Take online orders, offer pickup and delivery, and connect sales channels and marketplaces.
- Reconcile accounting entries, manage employees, roles, permissions, time and labor.
- Pair printers, scanners, cash drawers and displays over USB, Serial or Bluetooth.
- Keep selling offline and sync automatically when the connection returns.
- Read reports, forecasts and AI recommendations, and act on them in one click.

Who this manual is for

- Owners and administrators who configure the business and control access.
- Managers who oversee stock, staff, purchasing and reporting.
- Cashiers and servers who operate the register and fulfill orders.

Note: Feature visibility depends on your role. If a menu or button described here is not visible to you, your administrator has scoped it to a different role.

2. Getting Started




Figure 1. Sign In - an illustrative view of this area of Unified POS.

Signing in

1. Open the app in a modern browser. Chrome or Edge on a desktop is recommended for the full experience, including hardware pairing.
2. Enter your email and password on the Sign In page and choose Sign In.
3. If you do not yet have an account, choose Create Account to register a new business. You will provide a business name, industry, currency, your name, email and a password. The first account becomes the Owner.
4. If your company uses single sign-on (Okta, Microsoft Entra ID, Google Workspace and any other OIDC or SAML provider), Unified POS recognises your email domain on the Sign In page and routes you to your own identity provider. Your company password never passes through us, and your account is created automatically on first login inside your organization.
5. If you forget your password, choose Forgot Password. A secure reset link is emailed to you. Open the link, set a new password, and you will be returned to Sign In.

Try before you buy

Unified POS is a subscription service. The Pricing page in the footer lists every plan (Starter, Growth, Scale, Enterprise) with its monthly price, trial length and included features, and every plan starts with a free trial - no card is required to open a store. When the trial ends, your tenant moves to a short grace window before it is suspended; a single recorded payment restores it and extends the paid-through date. Section 34 describes how the platform team manages that lifecycle on your

behalf.

Security: For your protection the password reset link is only ever sent by email. It is never displayed on screen in a production deployment.

Understanding the layout

- Left navigation sidebar: all modules, grouped by area, with your profile and sign-out at the bottom and the legal and manual links in the footer.
- Top bar: search, notifications bell with an unread badge, language selector, and quick actions.
- Main area: the selected module.
- Footer: Privacy, Terms, Cookies, Accessibility, Refunds and the one-click User Manual download.

Choosing your language and region

Use the language selector in the top bar to switch the interface language. Seventeen languages ship today, each fully translated across the whole interface (not just the sidebar): English, Spanish, French, German, Portuguese, Arabic, Simplified Chinese, Hindi, Turkish, Japanese, Korean, Vietnamese, Indonesian, Thai, Swahili, Hebrew and Persian. Arabic, Hebrew and Persian flip the entire shell to right-to-left reading - sidebar, tables, forms and navigation all mirror automatically - and dates and numbers are formatted for each language's own conventions. A continuous-integration check enforces that no language silently drops back to English, so every locale stays complete. Set your business country, address, tax rate and currency in Settings. Unified POS supports businesses in every nation and every ISO 4217 currency.

The demo environment

A fresh installation seeds a demo business with sample products, an owner, a manager and a cashier so you can explore safely. Replace or remove demo data before going live, and change the seeded passwords immediately.

3. Dashboard and Overview




Figure 2. Overview - an illustrative view of this area of Unified POS.

The Overview page is your command center. It shows today's sales, order count, average order value, top products, recent activity and health indicators.

- Use the date range control to compare periods.
- Cards link through to the relevant module for deeper analysis.
- Alerts surface low stock, pending purchasing, staffing gaps and system notices.

4. Selling at the Register (POS)




Figure 3. POS Terminal - an illustrative view of this area of Unified POS.

The Register is the heart of the system, built for speed and accuracy.

Starting a sale

1. Open the POS page and select the active register and location if prompted.
2. Tap or search products to add them to the cart. Use the category grid, the search box, or a barcode scanner.
3. Adjust quantities, add notes or modifiers, and apply line discounts where allowed.
4. Review the running subtotal, discounts, tax and total in the totals panel.

Product selection types

- Simple products add directly to the cart.
- Variant products prompt for options such as size or color.
- Selection or bundle products prompt for included choices, with pricing rules applied automatically.
- Weighed and open-price items let you enter a quantity or a price at the point of sale.

Discounts and promotions

- Apply an item-level discount or an order-level discount.
- Enter a promotion or coupon code to apply automatic rules.
- Price changes and discounts are recorded in the audit log for accountability.

Taking payment

1. Choose Take Payment.
2. Select one or more tender types: Cash, Card, Gift Card, Store Credit, or a connected gateway.
3. For cash, enter the amount tendered; the change due is calculated for you and can trigger the cash drawer.
4. For card, follow the connected terminal or gateway prompts, or use the built-in simulator in non-production setups.
5. Split payments across multiple tenders are supported; the sale completes when the balance reaches zero.

Receipts

- Print to a paired thermal printer, or use Register Printer on the receipt screen.
- Email or send the receipt by SMS where configured.
- Reprint any receipt later from the Orders module.
- Customize the receipt footer message, logo and currency in Settings.

Holding, parking and recalling orders

- Hold a sale to serve another customer, then recall it later.
- Held orders are listed and can be resumed or discarded.

Cash drawer and shifts

- Open a register session at the start of a shift with a starting float.
- The drawer kicks automatically on cash sales when auto-open is enabled.
- Close the session at the end of the shift to record the expected versus counted cash and the variance.
- Held and parked tickets belong to the cashier who parked them. Another cashier on another register cannot recall your tickets; a manager can see all of them.

Your personal register PIN

Every cashier has their own 4-8 digit register code, separate from the password used to sign in. It exists so that a drawer you are responsible for stays yours:

1. Go to Registers and set your PIN in the "My Register PIN" card. Repeated codes (1111) and straight runs (1234) are refused. A cashier without a PIN cannot open a register - there would be nothing to lock it with.
2. Change it whenever you like; you must enter the current PIN to replace it, so a colleague standing at an unlocked screen cannot quietly take over your code.

3. Forgotten it? A manager or owner can clear it, and you then choose a new one, which also releases your locked drawer.

Locking the register when you step away

- Tap "Lock register" in the POS header (or Lock Register on the Registers page). The screen is replaced by a PIN pad, your basket stays exactly where it is, and the drawer stays open.
- Nobody else can get in: only your own PIN unlocks your own drawer, and while it is locked the server refuses sales, discounts, holds, refunds, voids and cash moves on that register.
- You can also simply walk away. An unattended register locks itself after the manager's auto-lock window (default 5 minutes) has passed with no typing, tapping or scanning.
- Five wrong PIN guesses freeze the PIN for five minutes as a brute-force guard.
- End of shift is different from stepping away: unlock your drawer, then Close Register to count the cash and record the variance.
- Managers see every open drawer on the floor (who holds it, whether it is locked, how often it has been locked) and can force unlock or force close one when a cashier is genuinely unavailable. Both actions are written to the audit log.

Guest orders and quotes

- Create a guest order for walk-in or phone customers without a customer profile.
- Convert a quote into a sale when the customer confirms.

5. Orders and Fulfillment




Figure 4. Orders - an illustrative view of this area of Unified POS.

The Orders module lists every sale and its lifecycle.

- Filter by status, channel, location, register and date.
- Open an order to see items, payments, discounts, tax, customer and fulfillment.
- Complete, cancel, void or refund an order.
- Issue partial or full refunds and returns; refund actions are audited.
- Handle disputes and chargebacks through the connected payment provider.

Fulfillment methods

- In-store pickup: mark items ready and record the pickup.
- Local delivery: assign a courier, track status and capture proof of delivery.
- Shipping: generate packages and labels through connected providers.

6. Products and Catalog




Figure 5. Catalog - an illustrative view of this area of Unified POS.

The Catalog is where you author what you sell.

Creating a product

1. Open Catalog and choose New Product.
2. Enter a name, description, category and tags.
3. Set pricing: standard price, cost, compare-at price and tax class.
4. Choose the product type: Simple, Variant, Selection or Bundle, Weighed, or Open Price.
5. Add images and media from the Media Library.
6. Save. The product becomes available to the register immediately.

Variants and options

- Define option axes such as Size and Color.
- Generate variant combinations, each with its own SKU, price and stock.
- The register prompts for options when a variant product is sold.

Categories and organization

- Group products into categories and subcategories for fast register navigation.
- Use tags and collections for cross-cutting groupings and promotions.

Media library

- Upload logos, product photos and brand assets.
- Assets are reused on receipts, the online store and marketing materials.

7. Inventory Management




Figure 6. Inventory - an illustrative view of this area of Unified POS.

Inventory keeps stock counts accurate across every location.

Stock levels

- See on-hand, committed, available and reorder points per product per location.
- Low-stock alerts highlight items that have reached their reorder point.

Adjustments

- Record stock adjustments for shrinkage, damage, counts and corrections, each with a reason code.
- Every adjustment is time-stamped and attributable.

Batches, lots, serials and expiry

- Track inventory by batch or lot for recall precision.
- Record serial numbers for high-value or warranty items.
- Track expiration dates and receive alerts before items expire.

Transfers

- Move stock between locations with a transfer order.
- Track the transfer from requested to in-transit to received, adjusting both sites automatically.

Stock counts

- Run a cycle count or a full physical inventory.
- Enter counted quantities; the system posts the variance as an adjustment.

8. Purchasing and Suppliers





Figure 7. Purchasing - an illustrative view of this area of Unified POS.

Purchasing replenishes stock efficiently and keeps supplier records complete.

- Maintain suppliers with contact details, terms and lead times.
- Create purchase orders from low-stock suggestions or manually.
- Receive purchase orders fully or partially; received quantities update inventory and cost.
- Track purchase order status from draft to sent to partially received to closed.
- Record supplier invoices and match them to receipts for accounting.

9. Customers



The screenshot displays the UnifiedPOS interface. On the left is a dark sidebar with a menu. The main content area is titled 'Customers' and shows a 'Customer 360 view'. At the top right of the main area, it says 'EN | Customers'. Below the title, there is a search bar and an 'Add' button. A table lists two customers:

Name	Email	Orders	Lifetime	Tier
Ada Okafor	ada@mail.com	34	N412,800	GOLD
Chidi Eze	chidi@mail.com	21	N206,400	SILVER

Figure 8. Customers - an illustrative view of this area of Unified POS.

The Customers module builds a 360-degree view of each person or company.

- Add customers with contact details, addresses, tax status and notes.
- View lifetime spend, visit frequency, average order value and recency.
- See full purchase history, returns, loyalty balance and stored value.
- Segment customers by behavior, value and preferences for targeted marketing.
- Manage consent and communication preferences for privacy compliance.

10. Loyalty and Rewards




Figure 9. Loyalty & Rewards - an illustrative view of this area of Unified POS.

Loyalty turns first-time buyers into regulars.

- Create loyalty programs with earn and burn rules.
- Award points on purchases and redeem them at the register.
- Issue and track rewards, tiers and member benefits.
- Sell and top up gift cards and stored-value accounts; balances are tracked with a full ledger.
- View loyalty transactions per customer for transparency.

11. Marketing




Figure 10. Marketing - an illustrative view of this area of Unified POS.

Marketing helps you reach the right customers with the right offer.

Campaigns and segments

- Build segments from customer behavior, value and attributes.
- Create campaigns targeting a segment with a message and an offer.
- Track delivery, opens, redemptions and revenue attributed to each campaign.

RFM analysis

- Recency, Frequency and Monetary analysis scores customers automatically.
- Use RFM segments such as champions, loyal, at-risk and hibernating to tailor outreach.

Automation

- Trigger messages on events such as birthdays, win-back windows and low engagement.
- Schedule campaigns and review performance in Reports.

12. Commerce Hub




Figure 11. Commerce Hub - an illustrative view of this area of Unified POS.

The Commerce Hub unifies online and in-person selling.

- Manage sales channels and connected marketplaces.
- Accept online orders into the same inventory and fulfillment flows as in-store sales.
- Offer pickup, delivery and shipping options with live availability.
- Keep omnichannel inventory in sync so you never oversell.
- Publish products to connected channels and map categories and pricing.

13. Restaurant Operations

For food and beverage venues, Restaurant mode adds floor and kitchen workflows.

- Manage tables, floors and seating, and open tabs per table.
- Send orders to kitchen display screens or preparation stations.
- Track course firing, prep status and service timing.
- Split bills by seat, item or amount, and merge or transfer tabs.
- Manage menus, modifiers, recipes and ingredient-level stock.

14. Payments, Payment Links and Gateways

The screenshot shows the UnifiedPOS interface. On the left is a dark sidebar with a menu. The main area is titled 'Payments' with a subtitle 'Tenders, gateways & payouts'. It includes a search bar, a 'Pay link' button, and a table of payment records.


Reference	Method	Amount	Settled	Status
pay_9f2a	Card - Visa	N8,450	Yes	CAPTURED
pay_9f2b	Cash	N2,150	-	PAID

Figure 12. Payments - an illustrative view of this area of Unified POS.

- Take in-person and online payments through connected gateways.
- Configure a payment provider and, where available, a card terminal.
- Create payment links and send them to customers to pay remotely.
- View settlements and payouts, and reconcile them against your bank.
- Handle refunds, voids, disputes and chargebacks from the Payments module.
- In non-production setups a simulator allows full end-to-end testing without live charges.

Security: Card data is handled by your connected, compliant payment provider. Unified POS does not store full card numbers.

15. Accounting



The screenshot displays the UnifiedPOS Accounting interface. On the left is a dark sidebar with a menu categorized by 'SELL', 'MERCHANDISE', 'GROWTH', 'WORKFORCE', and 'Admin'. The main content area is titled 'Accounting' with the subtitle 'Entries & reconciliation'. It features a search bar and an 'Export' button. Below these is a table with five columns: Date, Account, Ref, Debit, and Credit. The table contains two entries for September 16th. The status 'Operational' is shown in the top left, and 'EN | Accounting' is in the top right.

Date	Account	Ref	Debit	Credit
16 Sep	Sales revenue	ORD-10482	-	N8,450
16 Sep	Card clearing	pay_9f2a	N8,450	-

Figure 13. Accounting - an illustrative view of this area of Unified POS.

Accounting keeps your books aligned with operations.

- Post sales, refunds, payouts and purchases to accounting entries.
- Map accounts and tax codes to your chart of accounts.
- Reconcile entries against statements and resolve discrepancies.
- Export entries and reports for your accountant or external system.
- Connect an accounting integration from the Developer Platform for automated sync.

16. Employees, Roles and Permissions




Figure 14. Employees & Roles - an illustrative view of this area of Unified POS.

Staffing controls who can do what, and tracks time and labor cost.

Employees

- Add employees with contact details, position, department, pay rates and location assignments.
- Deactivate employees to end access without deleting history.

Roles and permissions

- Define roles such as Owner, Admin, Manager and Cashier.
- Grant or restrict permissions per module and per action.
- Assign roles to employees; the interface adapts to each person's permissions.

Time and labor

- Record clock-in and clock-out time entries per employee.
- Review hours, breaks and labor cost against sales.
- Use labor optimization recommendations from the AI module for scheduling.

17. Registers and Devices




Figure 15. Register Hardware - an illustrative view of this area of Unified POS.

Registers

- Create registers for each physical or virtual point of sale.
- Assign registers to locations and open or close sessions.
- Monitor register status and activity.
- Each register is held by exactly one cashier at a time. The list shows whether a drawer is free, yours, or in use by a colleague, and a register already being used cannot be opened a second time by anyone else.
- Set your own register PIN here ("My Register PIN"), lock or unlock your drawer, and choose how many minutes of inactivity trigger an automatic lock (managers only; choose "Never (disabled)" to turn auto-lock off).
- Managers see an "Open Drawers" console: who holds each register, whether it is locked and how often it has been locked, with force unlock, force close and PIN reset - every one of them recorded in the audit log.

Device registry

- Register POS terminals, mobile devices, kiosks, kitchen displays and printers.
- Track each device's status, location, last heartbeat and configuration version.

- Retire devices to revoke their credentials.

Pairing hardware (printers, scanners, drawers, displays)

Open Register Hardware. The page automatically detects your system and lists the transports your browser supports: Web Serial for USB and serial, WebUSB, and Web Bluetooth.

- Auto-detect and connect: reconnects to previously paired devices with no prompts.
- Pair USB or Serial, Pair WebUSB, or Pair Bluetooth: first-time pairing uses the browser's device chooser once; after that the device is remembered and reconnects automatically.
- Every already-granted device appears in the Paired Devices list and is classified as a printer, scanner, cash drawer, display or scale, so nothing goes missing.
- Test Print sends a sample receipt; Open Cash Drawer sends a drawer kick.
- Arm Scanner enables keyboard-wedge barcode scanning, which works with both USB-HID and Bluetooth scanners.

Requirements: Real device pairing needs Chrome or Edge on a desktop over HTTPS or localhost. Firefox and Safari do not implement these device APIs, so the app falls back to a console simulator and nothing breaks.

Receipt printer settings

- Set the baud rate, paper width (58mm or 80mm), receipt currency and symbol.
- Choose the cash drawer pin and whether to auto-open on cash sales and auto-print after checkout.

18. Offline Mode and Sync

The screenshot displays the 'Offline & Sync' section of the Unified POS interface. The sidebar on the left contains navigation links for various business functions. The main area shows a status indicator 'Operational' and a language selector 'EN | Offline & Sync'. Below the title 'Offline & Sync', there is a subtitle 'Queue, devices & history' and a search input field. A 'Force sync' button is located in the top right corner of the main area. A table lists the queued transactions with the following data:

Seq	Device	Queued	Type	Outcome
4,812	Register 1	20:04:59	Sale	SYNCED
4,813	Register 2	20:05:14	Refund	SYNCED

Figure 16. Offline & Sync - an illustrative view of this area of Unified POS.

Unified POS keeps selling when the network drops.

- Transactions are queued securely on the device while offline.
- When connectivity returns, the queue flushes automatically in the background, even if the tab was closed.
- Sync is idempotent: each transaction is de-duplicated so nothing is double-counted.
- The Sync page shows the queue, per-device status and a full sync history with sequence numbers and outcomes.

19. Reports and Analytics




Figure 17. Reports & Analytics - an illustrative view of this area of Unified POS.

Reports turn activity into decisions.

- Sales reports by period, product, category, location, register and employee.
- Inventory reports for stock valuation, movement, shrinkage and aging.
- Customer and loyalty reports for retention and lifetime value.
- Marketing campaign performance and attribution.
- Accounting summaries and tax reports.
- Export reports for offline analysis or sharing.

20. AI Insights, Forecasting and Copilot




Figure 18. AI Insights & Copilot - an illustrative view of this area of Unified POS.

Artificial intelligence is built in to help you act, not just observe.

- AI Insights surfaces anomalies, trends and opportunities in plain language.
- Forecasting projects demand and sales so you can stock and staff appropriately.
- Reorder recommendations suggest what to purchase and when.
- Labor optimization recommends schedules aligned to predicted demand.
- The Copilot answers natural-language questions about your business and proposes next steps, with a concise summary of what changed and what to do.

21. Notifications

- The bell in the top bar shows unread notifications with a badge.
- Receive alerts for low stock, system events, marketing triggers and order activity.
- Manage notification preferences per channel and per event type.
- Where enabled, push notifications reach supported browsers and devices.

22. Compliance Center




Figure 19. Compliance Center - an illustrative view of this area of Unified POS.

The Compliance Center helps you meet legal and privacy obligations.

- Record and manage customer consent for cookies and communications.
- Honor data-subject requests: export personal data and submit deletion requests.
- Maintain compliance records and evidence for audits.
- Review privacy policies, terms, cookie policy, accessibility statement, refund policy and the data processing agreement.

23. Enterprise and Multi-Region




Figure 20. Enterprise & Multi-Region - an illustrative view of this area of Unified POS.

For organizations operating across sites and countries.

- Manage multiple locations and warehouses under one organization.
- Provision and monitor global regions for data residency and performance.
- Assign locations to regions and track coverage.
- Apply consistent policies while allowing local tax, currency and language settings.
- Live updates (orders, stock, notifications) follow you across every app replica: events fan out through the database, so a multi-region, multi-instance deployment behaves like one screen.

24. Developer Platform




Figure 21. Developer Platform - an illustrative view of this area of Unified POS.

Extend and integrate Unified POS.

- Generate API keys (public and secret) to call the platform programmatically.
- Register OAuth applications for secure third-party access.
- Configure webhooks to receive real-time events, with signature verification.
- Explore a catalog of integrations across payments, accounting, commerce, delivery and marketing, and connect the ones you need.
- Use the sandbox and API documentation to build and test safely.

25. System and Observability




Figure 22. System & Observability - an illustrative view of this area of Unified POS.

Keep the platform healthy and observable.

- View health, readiness and runtime metrics.
- Monitor non-functional requirements such as latency and error rates.
- Manage backups and disaster-recovery posture.
- Review the audit log of sensitive actions for security and accountability.

26. Settings

The screenshot displays the Unified POS Settings interface. On the left is a dark sidebar with the 'UnifiedPOS BUSINESS OS' logo and a menu categorized into SELL, MERCHANDISE, GROWTH, and WORKFORCE. The 'Admin OWNER' section is highlighted at the bottom. The main content area has a top bar with 'Operational' status, 'EN | Settings' language selector, and a user profile icon. The 'Settings' section is titled 'Business configuration'. It features two main form sections: 'Business profile' and 'Localization'. The 'Business profile' section includes input fields for 'Business name' (pre-filled with 'Unified POS Demo'), 'Industry' (pre-filled with 'Retail - Cafe'), and 'Country' (pre-filled with 'Nigeria'). The 'Localization' section includes input fields for 'Currency' (pre-filled with 'NGN N'), 'Language' (pre-filled with 'English'), and 'Tax rate' (pre-filled with '7.5%'). A 'Save changes' button is located below the 'Localization' section.

Figure 23. Settings - an illustrative view of this area of Unified POS.

Settings configure how the system looks and behaves for your business.

- Business profile: name, industry, address, phone, email and website.
- Branding: logo, favicon, cover graphics, brand colors and tagline, uploaded as media.
- Localization: country, language, time zone, currency and tax rate.
- Receipts: footer message, paper width and printer behavior.
- Alerts: low-stock thresholds and notification preferences.
- Security: change passwords and review active sessions.
- Single Sign-On: connect your company directory (OIDC or SAML 2.0), decide which email domains sign in through it, and let staff accounts provision themselves on first login. Secrets are stored write-only and encrypted. See section 32.13.

Tip: Branding and receipt changes take effect immediately across the register, receipts and the online store.

27. Security and Privacy

- Multi-tenant isolation ensures your data is separated from every other business.
- Passwords are hashed; sensitive credentials at rest are encrypted.
- Role-based access control and rate limiting protect against abuse.
- Each cashier's register drawer is protected by their own individual PIN: a locked register accepts no sale, refund or cash movement until its owner unlocks it, and repeated wrong guesses temporarily freeze the PIN.
- Sessions use secure cookies; audit logging records sensitive actions.
- You own your data. Export or request deletion at any time from the Compliance Center.

28. Troubleshooting and FAQ

The register will not connect to my printer

- Confirm you are using Chrome or Edge on a desktop, over HTTPS or localhost.
- On Register Hardware, check that the transport chip for your connection type is available.
- Choose the correct Pair button, select the printer in the browser chooser, and confirm the baud rate and paper width.
- Use Test Print to verify. If nothing prints, check the printer's power, cable and paper.

A page appears blank

- Refresh the browser. If it persists, sign out and back in.
- Confirm your session has not expired and that your role grants access to that module.

Payments fail

- Verify the payment provider is configured and reachable.
- In non-production setups, confirm whether the simulator is active.
- Check the Payments module and audit log for the specific error.

Data is not syncing

- Open the Sync page to see the queue and last outcome per device.
- Confirm connectivity; the queue flushes automatically when you are back online.

I forgot my password

- Use Forgot Password on the Sign In page. The reset link is sent to your email.

29. Keyboard and Speed Tips

- Use the search box to jump to any product fast; barcode scanners type into it automatically.
- Arm the scanner on the Hardware page for continuous scanning during a shift.
- Learn the common register actions: add item, discount, hold, recall, take payment and print.
- Keep the register session open for the whole shift to maintain accurate cash tracking.

30. Roles at a Glance

- Owner: full access, including billing, enterprise, developer platform and destructive actions.
- Admin: broad operational access across modules, staff and settings.
- Manager: day-to-day operations, purchasing, inventory, reporting and staff scheduling.
- Cashier: register operations, order taking and basic customer lookup.
- Super Admin (platform only): the Unified POS operator's account. Sees every tenant across the platform, assigns plans, records payments, and drives the account lifecycle from the Admin Portal described in section 34. Store staff never hold this role, and it can never be granted from inside a tenant.

Access is fully configurable. Your organization can tailor each role's permissions per module and action.

31. Glossary

- Register: a point of sale, physical or virtual, where sales are rung up.
- Session or Shift: an opened-to-closed period on a register with a cash float and variance.
- Tender: a payment method applied to a sale.
- Stored Value: gift cards and store credit balances tracked with a ledger.
- SKU: a unique identifier for a sellable item or variant.
- Batch or Lot: a group of stock tracked together for recalls and expiry.
- RFM: Recency, Frequency, Monetary - a customer value scoring model.
- Omnichannel: unified selling across in-person, online and marketplace channels.
- Idempotent Sync: de-duplicated offline sync so transactions are never double-counted.
- Web Serial, WebUSB, Web Bluetooth: browser APIs for connecting physical devices.
- Fiscalisation: a government requirement that every receipt be signed, numbered and (in most regimes) reported.
- Seal: the cryptographic signature and chain link that makes a fiscal document tamper-evident.
- Settlement rail: the local clearing network a payment travels (SEPA Instant, PIX, ACH, UPI, M-Pesa and so on).
- Reconciliation: matching what the acquirer paid out against what the register recorded.
- Mandate: a signed, time-limited, ceiling-capped authorisation a shopping agent presents at checkout.
- Fencing token: the (epoch, sequence) pair that lets a store reject writes from a deposed leader.
- Royalty base: agreed revenue after exclusions, which is what a franchise royalty is actually charged on.
- Elimination: removing intercompany sales when consolidating a franchise network, because the network did not sell to itself.
- k-anonymity: a privacy rule that hides any statistic drawn from fewer than k comparable stores.
- Dunning ladder: the scheduled retry sequence (1, 3, 7, 14, 21 days) applied when a subscription payment fails.
- MRR: Monthly Recurring Revenue - subscription income normalised to a monthly figure.
- Proration: a partial-period charge or credit when a subscription changes mid-cycle.
- OIDC / SAML: the two federation protocols an enterprise identity provider speaks; Unified POS supports both.
- SCIM: the protocol a directory uses to create, update and deactivate user accounts automatically.
- Just-in-time provisioning: a staff account created inside your organization the moment the identity provider vouches for them at first login.
- Tenant: a single business (Organization) signed up on the Unified POS platform.

- Platform Plan: the SaaS tier a tenant buys from Unified POS (Starter, Growth, Scale, Enterprise). Kept separate from SubscriptionPlan, which is how a merchant bills its own customers.
- Paid-through date: the day a tenant's current PlatformPayment coverage runs out (currentPeriodEnd).
- Grace window: the short period (default 7 days) after the paid-through date before the scheduler auto-suspends a tenant, so a slow bank transfer does not close a shop.
- Archive vs. Purge: archiving is a recoverable soft-delete a Super Admin can reinstate; purging is a permanent, cascade-deleting hard removal guarded by a typed confirmation of the exact tenant name.

32. Global Expansion Modules

Thirteen modules exist for one reason: a business that crosses a border - a second country, a second store, a franchisee, a buying agent, a partner app - normally needs a second system. Here it needs a second tick box. Each one is described below with where to find it in the navigation.

32.1 Fiscalisation and e-invoicing

Where: Fiscal.

Unified POS ships 38 country regimes - TSE in Germany, SdI in Italy, ZATCA Phase 2 in Saudi Arabia, eTIMS in Kenya, NFC-e in Brazil, CFDI in Mexico, GST e-invoicing in India, KSeF in Poland, Egypt's ETA, Japan's Qualified Invoice System, Vietnam, the Philippines, South Korea, Trkiye, Pakistan, Bangladesh, Ghana, Morocco, Uganda and Rwanda - plus a no-fiscalisation profile for markets such as the US and UK.

- Every sealed document carries a sequence number, a digest of its content and a link to the previous document, so editing an old receipt breaks the chain and says so.
- Verify chain re-walks the documents and reports the first break, which is what an auditor asks for.
- Missing receipt numbers are listed rather than silently accepted; each regime keeps its own document numbering prefix and retention period.
- Where the regime requires a QR or TLV block (ZATCA, eTIMS, SAT, FATOORA), it is generated on the receipt.
- Reporting is queued, retried with back-off and shown with its last outcome. When a country needs a hardware or partner bridge, the Fiscal page tells you which single setting is missing instead of failing at the register.

32.2 Local payment rails and settlement

Where: Rails.

- Validates the identifier the local rail actually demands: IBAN check digits, US routing numbers, UK sort codes, Mexican CLABE, Brazilian CPF/CNPJ, Indian IFSC and UPI addresses, Nigerian NUBAN, Australian BSB, South African till numbers and international MSISDNs. A mistyped digit is caught before money moves, with the reason.
- Chooses the cheapest workable rail for a payout (instant, standard or wire) using each network's ceiling and fee, and shows what the choice costs.
- Settlement reconciliation compares the acquirer's statement against your own captured sales line by line, classifying every difference as amount, fee, timing or unmatched, and publishes a batch health score so a slow day is visible immediately.

32.3 Agentic back-office

Where: Agent Ops.

The planner forecasts demand per item, then works out the reorder point from lead time, review period and a chosen service level, with safety stock, pack sizes and supplier minimums respected.

- Guardrails are yours: a maximum spend, a maximum number of lines, and suppliers you have blocked. The plan trims the least urgent lines to fit and tells you what was deferred.
- Urgency is scored, so the line that runs dry first is at the top of the list.
- Approved lines become draft purchase orders. Nothing is sent to a supplier until a human approves it - the agent drafts, you decide.

32.4 Vertical solutions

Where: Verticals.

Fourteen trade packs - grocery, pharmacy, fashion, hardware, auto repair, salon, quick service, liquor, electronics, bakery, wholesale, rental, pet care and clinic - each add the fields, menu entries and register behaviour that trade needs. Enabling a pack applies it to your location; disabling it removes what it added without touching your sales history.

32.5 Embedded finance

Where: Finance.

- Underwriting reads only your own trading history - months trading, sales stability, refund and chargeback rates, dormant days and settlement freshness - and returns a score, a risk band, a suggested limit, the reasons for any decline and a term sheet per available duration.
- Each facility has a real amortisation schedule and a daily sweep that takes a fixed percentage of net sales, capped, oldest instalment first. Any leftover is reported rather than applied twice.
- This is a ledger of a credit facility with its repayment maths; funds move only through the payment rails you have already configured.

32.6 Agentic commerce

Where: Agent Storefront.

Buying agents can already read your shop; now they can pay for it safely.

- The catalogue is published as JSON-LD (schema.org Product and Offer) so an agent can price and stock-check without scraping.
- `/well-known/unifiedpos` and `/well-known/unifiedpos/{merchantId}` declare your endpoints, mandate rules and accepted payment methods before an agent authenticates.
- A mandate is a signed authorisation with a ceiling amount, a lifetime, per-line price guards and a nonce. Checkout verifies the signature, the window, the currency, stock, the agent-sellable flag and the ceiling, and refuses with a specific code so the agent can correct one line instead

of losing the sale.

32.7 Store mesh

Where: Mesh.

A store is a terminal, a tablet, a kitchen display and a kiosk writing to the same stock count.

- The leader is elected deterministically from live devices (role, then operator priority, then most recent heartbeat, then id), so every device reaches the same answer.
- The leader holds a lease. Every write carries its epoch and sequence, which is what fences off the classic failure: a partitioned ex-leader coming back and overwriting committed state. A write claiming an epoch the store never granted is refused for the same reason.
- Concurrent stock edits are merged as deltas rather than overwriting each other; absolute values fall back to last-writer-wins with a deterministic tie-break.
- The page shows health as healthy, degraded or isolated, with the lease countdown and which devices are unreachable.

32.8 Franchise and multi-entity

Where: Franchise.

- Royalty agreements support flat percentage, banded, per-unit and fixed models, agreed exclusions (VAT, tips, gift-card redemption) and a monthly minimum. Each calculation is printed as the steps that produced it, so a franchisee can audit a statement without asking you for a spreadsheet.
- Stock moved between entities is priced cost-plus-markup with freight, so the sending entity recognises its margin and the receiving one carries a real cost.
- The consolidated P&L converts every entity's results into the consolidation currency using your stored exchange rates before summing (see 32.11), then eliminates intercompany sales and their matching cost, showing the unrealised profit still sitting in a franchisee's stock. An entity whose rate is missing or stale is flagged rather than silently mis-summed. Unpaid royalties are aged.

32.9 Ecosystem: apps and custom fields

Where: Apps.

- Eleven partner and first-party apps are listed with exactly the scopes they need. Installing shows the riskiest thing the grant can do; a high-risk grant needs an explicit acknowledgement before it is issued.
- The API token is shown once. It can be rotated or revoked per installation, verified, and its scopes narrowed later without reinstalling.
- Custom fields add the columns your trade needs - cut length, batch number, stylist note - to orders, customers or products. Values are typed and validated at the edge, so a number field never quietly accepts "yes".

32.10 Peer benchmarking

Where: Benchmark.

Ten metrics - average basket, gross margin, labour cost, shrink, discounting, attachment rate, repeat customers, digital share, inventory turns and daily sales - compared against stores in your country, trade and size band.

- A cohort smaller than the k threshold never publishes, not even a median. Outliers are clipped into the 5th-95th percentile range and a calibrated noise figure is added to what is shown.
- The page publishes the privacy ledger with every figure: cohort size, k, noise applied, participation rate. A suppressed cell is the model working, not a missing feature.
- Contributing your own numbers is what makes the comparison exist at all; the participation rate is shown alongside every metric.

32.11 Exchange rates and multi-currency consolidation

Where: Exchange Rates.

A group that trades in more than one currency needs one honest number at the end of the month.

- Store rates per pair and effective date - imported in bulk, or fetched from a configured provider - each tagged with its source and timestamp.
- The built-in converter answers any pair directly, by inverse, or by triangulating through a common base, and it always shows which method and which stored rate it used, with a staleness warning when the rate is older than your tolerance.
- Franchise consolidation (32.8), subscription revenue and any cross-currency report draw on this single rate table, so the same rate is never quietly different in two places.

32.12 Subscriptions and recurring billing

Where: Subscriptions.

Recurring revenue runs through exactly the same money path as a one-off sale.

- Plans cover daily, weekly, monthly, quarterly and yearly intervals, optional trial days, and feature lists; prices are kept in the plan's own currency.
- Each billing cycle runs automatically: invoices open, payment is attempted through your configured provider, and failures walk a dunning ladder (retry at 1, 3, 7, 14 and 21 days) before the subscription expires - no silent churn.
- Cancel immediately or at period end, reinstate later, and prorate when a customer changes plan mid-cycle.
- The dashboard shows live MRR, status mix, open invoices and twelve months of collected revenue; every invoice keeps its attempt history for audit.
- A webhook endpoint lets a payment provider push success or failure straight back, so status updates are instant rather than waiting for the next cycle tick.

32.13 Enterprise single sign-on and directory sync

Where: Settings, Single Sign-On panel.

- Two federation protocols: OIDC (authorization-code, with provider discovery and signature-verified ID tokens) and SAML 2.0. Add as many connections as you have directories, each with its own label.
- Staff simply type their work email: the domain whitelist decides whether they sign in with a password or are redirected to your identity provider, and their account - with a staff role - is provisioned automatically inside your organization on first login. Automatic provisioning can never claim or merge an existing owner account.
- Client secrets are write-only: stored encrypted, never returned to the browser afterwards.
- Directory sync (SCIM 2.0) lets your identity provider create, update and deactivate staff accounts as roles change, always scoped to your organization. Deactivating is never destructive, and the last active owner of an organization cannot be removed by directory sync.
- Trust is fail-closed: unsigned SAML assertions, mismatched issuers, wrong audience, expired tokens and replayed nonces are all refused.

32.14 Country tax defaults and payment-gateway breadth

Where: Fiscal (Default consumption tax panel), Settings, Integrations.

So that opening a store in a new country is a selection rather than a research project, the platform keeps two world maps of configuration.

- Country tax profiles. Beyond how a receipt is sealed (32.1), the Fiscal page answers what the default rate is. It carries the standard VAT/GST/sales-tax rate and the common reduced slabs for 100+ markets - Nigeria 7.5%, Kenya 16%, South Africa 15%, Germany 19%, Saudi Arabia 15%, the UAE 5%, India's 5/12/18/28% GST slabs, Japan's 10% with an 8% reduced food rate, and so on (rates reflect the mid-2026 global survey and are sensible defaults, not legal advice). Your selected country is highlighted with a suggested rate you can use to pre-fill the organisation tax rate; tax-free and unknown markets return 0 rather than a wrong non-zero guess. Actual return filing is delegated to a TAX_COMPLIANCE integration (Avalara, TaxJar, Stripe Tax, Sovos).
- Payment-gateway breadth. The Integrations catalog now lists the major regional processors on every continent alongside the global names: Interswitch, Yoco, PayFast, DPO and PesaPal (Africa); Cashfree, Paytm, PhonePe, SafePay and SSLCommerz (South Asia); Xendit, 2C2P, iPay88 and VNPay (Southeast Asia); Telr, PayTabs, Moyasar, HyperPay, Amazon Payment Services, Tap and iyzico (MENA and Trkiye); Toss Payments, KG Inicis, Multi Payment, UnionPay (East Asia); Mollie, Worldline, Nuvei, SumUp, Adyen, and more. Each is a bring-your-own-credentials connection - the platform stores the API keys and webhook secrets encrypted and never fabricates a partner endpoint.
- Suggested rate, applied automatically. When a new business is created, its tax rate is pre-filled

from this table using the sign-up country, so the very first receipt is already taxed correctly; tax-free and unknown markets seed 0 rather than a wrong non-zero guess. You can always override it in Settings.

- Country compliance profiles. The Fiscal page also carries a per-country compliance card: the privacy/data-protection law that governs customer data (GDPR, NDPA, LGPD, PIPL, DPDP and so on), whether records must stay inside the border (data residency), the local name for your tax identifier, the mandated e-invoice message standard, and the default legal lines a receipt is expected to print. These lines seed your receipt footer automatically (Settings can still override it). This is routing and guidance to configure a market correctly, not legal advice - nothing here auto-submits to a regulator.
- Language breadth. The interface ships in seventeen languages (Choosing your language and region), all fully translated and including three right-to-left scripts, so the register speaks the customer's language in most of the world's major markets. A continuous-integration check enforces that no locale silently drops back to English.

32.15 Regional payment gateways

Where: Fiscal (Regional payment gateways card), Integrations.

Most of the world does not pay by card. Alongside the card PSP layer (Stripe and an offline simulator), the platform ships first-class charge adapters for the three gateways that dominate their regions, each driven by its own documented public REST API and the merchant's own credentials:

- Paystack (Nigeria, Ghana, South Africa, Kenya, Egypt) - hosted checkout returning an authorization URL; webhooks authenticated by an HMAC-SHA512 x-paystack-signature.
- Flutterwave (across Africa) - hosted checkout; webhooks authenticated by a shared verif-hash.
- M-Pesa via the Safaricom Daraja API (Kenya, Tanzania) - an STK-Push PIN prompt to the customer's handset; callbacks are unsigned, so settlement is confirmed by a status query before it is trusted.

A connection stores its keys encrypted at rest (never returned to the browser). With no credentials configured, every charge runs in a clearly-labelled simulation so the full flow - initiate, redirect or PIN prompt, webhook, reconcile - can be rehearsed offline before a live account exists. Nothing here invents a partner's endpoint or pretends a demo is real money.

33. Storefront, Delivery, Labels and Trading Insights

This group turns the back office outward and onward: a public online shop, real purchase orders that reach your suppliers, printable barcode labels, delivery-partner connectors, and the two reports that tell you when you trade and what is not selling. Each is a tick box away, not a second system.

33.1 Online Storefront and click & collect

Give customers a branded web shop that draws on the same catalog, stock and orders you already manage.

- Open Sell > Store (Storefront) to configure a shop: enable it, choose its address (slug), pick-up versus delivery options, collection time slots, a delivery fee, a minimum order, whether payment is taken on pick-up, a header message and a theme colour.
- Customers visit the public shop at /shop/your-slug, browse what is in stock, build a basket and place an order for collection or delivery. They receive a status link (/shop/your-slug/status/...) to follow their order without signing in.
- Every storefront order drops straight into Orders and the fulfillment pipeline with its own storefront reference, so the register, the kitchen and the reports all see it. Use the Storefront queue tab to accept, prepare or hand over orders.
- Storefronts are scoped to your organization and location, and never expose another tenant's catalog.

33.2 Purchase orders that reach suppliers

Section 8 described purchasing; it is now a full order lifecycle rather than a single entry.

- Create a purchase order as a draft, add lines from your product catalog (cost defaults to the product cost price), then Create and send to email the supplier directly.
- Receiving can be partial: enter the quantities that actually arrived and the order moves to PARTIAL, updating stock and writing a single expense ledger entry per receipt. Receiving is the moment stock and accounts move - sending an email never commits money.
- Orders generated automatically by replenishment carry a provenance badge so you can see they originated from a forecast run, and every order can be tied to a location.
- Drafts can be edited or deleted; sent orders can be received or cancelled with a reason.

33.3 Barcode and shelf-edge labels

- Open Merchandise > Labels, select the products to label and choose a label size.
- Each label carries the product name, price and a scannable code. Manufacturer barcodes are kept as-is; products without one get a stable, internally generated EAN-13; codes with letters fall back to CODE128.
- Print a formatted sheet from the browser, or send the run straight to a connected ESC/POS label printer.

33.4 Delivery-channel connectors

Connect outside aggregators and own-fleet couriers without custom code.

- Open Sell > Delivery and add a connection: pick a channel from the catalog, set its name, and supply the API key and webhook secret. Secrets are stored encrypted and are write-only - leaving a field blank keeps the stored value.
- The channel catalog is global by design, grouped by region so no part of the world is missing: the Americas (DoorDash Drive, Rappi, iFood, DiDi Food), Europe (Deliveroo, Glovo, Wolt), the Middle East (Talabat, Getir, Yango), Africa (Bolt Food, GIG Logistics, Kudi, Jumia Express), South Asia (Swiggy, Zomato, Dunzo, Shadowfax, Delhivery, Porter), East Asia (Meituan, Ele.me, Dada), Southeast Asia (Grab, foodpanda, Lalamove), the CIS (Yandex) and Oceania (EASI, Sendle) - plus your own fleet and a universal bring-your-own-API connector for anything local.
- Point the partner at your callback URL (/api/delivery/webhooks/<provider>). Inbound status updates are verified with a signed HMAC header and a replay window before they touch an order, and progress only ever moves forward, so a late message cannot rewind a delivered order.
- Dispatch an order to a connected channel to get tracking; without a live dispatch URL the platform runs in an explicitly simulated mode so you can test the whole flow safely. The page shows per-channel performance and a live dispatch queue.

33.5 Peak-hours and dead-stock reports

Two reports that turn raw history into decisions.

- Reports > Trading patterns renders a Monday-first day-by-hour heatmap computed in each store's own time zone, with the busiest and quietest slots, revenue per slot and a trade-concentration figure - the evidence for rota and stock decisions.
- Reports > Dead stock flags lines that have not sold, grades them SLOW / DEAD / FROZEN, estimates months of cover, ranks them by the cash actually tied up, and suggests an action (promote, discount, transfer or write off).

34. Platform Administration (Super Admin)

Everything in the previous thirty-three sections is what a merchant sees inside their own store. This section is what the Unified POS platform team sees across every store - the SaaS-operator surface that runs the service itself. It lives at /admin (Admin Portal in the sidebar), is visible only to a SUPER_ADMIN account, and every action it takes is written to the tenant's audit log.

Where a merchant's Owner administers their business, a Super Admin administers the platform. The two planes never meet: no tenant-side role can reach /admin, and a Super Admin never needs to sign in as a merchant to help one.

The console at a glance

The header shows six live counters sourced from the platform overview endpoint:

- Tenants - every Organization on the platform.
- Active - tenants currently covered by a paid period.
- Trialing - tenants in their free trial window.
- Suspended - tenants past the grace window, whether by operator action or by the scheduler.
- MRR - the sum of each active tenant's plan normalised to a monthly figure (yearly tiers divide by twelve).
- Lifetime revenue - the total across every PlatformPayment recorded on the platform.

Below the counters, five tabs organise the console: Accounts, Users, Billing, Revenue and History.

Accounts

The Accounts tab lists every tenant with its owner, current platform plan, user count and paid-through date, and a colour-coded status badge (Active, Trialing, Past due, Suspended, Cancelled, Archived). Actions available per row:

- Assign plan - pick a Platform Plan from the dropdown. Choose Start trial on the row to open the plan's configured trial window instead of an immediate charge.
- Suspend - the tenant's staff cannot sign in; the database, orders and history remain fully intact.
- Restore - lift a suspension without changing the paid-through date.
- Cancel - end billing but keep the data. Use this when a customer asks to close the account without deleting it.
- Record payment - a small form (amount, months, method, optional reference). Saving extends the tenant's paid-through date from whichever is later - today or the existing coverage - and automatically flips a Suspended or Cancelled tenant back to Active. Each payment appears on the Billing tab and increments MRR / lifetime revenue.
- Archive - recoverable soft-delete. Nothing is destroyed; only reinstated by an explicit Reinstate action.
- Reinstate - recover an archived or cancelled tenant.

- **Purge permanently** - the irreversible action. Requires the operator to type the tenant's exact name into the confirmation dialog. Cascade-deletes the tenant's users, employees, orders, payments, subscriptions, audit log and everything else. A purge is logged to the server console before the delete runs (the audit row itself cascades with the tenant), which is the only durable record that the tenant ever existed. Use Archive unless a regulator or a court order requires erasure.

Users

The Users tab is the cross-tenant people view - every account on the platform, which Organization they belong to, and their role. Regular tenants see only their own staff on their own Employees page; this is the operator's global roster.

- **Add user** - create a new account inside any existing Organization with a chosen tenant role (Owner, Admin, Manager or Cashier). Super Admin is deliberately not on the list; the platform-admin credential is bootstrapped once via `ensurePlatformAdmin()` on server start and cannot be granted from the console. Every created user is written to the target tenant's audit log with the operator's email as the actor.
- **Deactivate / Reactivate** - toggle a user's ability to sign in. Deactivating is not destructive; historic sales and refunds still attribute to them.

Billing

Two cards on one page:

- **Platform plans** - the four default tiers (Starter, Growth, Scale, Enterprise) are seeded automatically on first boot. Add new tiers, edit prices, switch a tier to yearly, set trial days, and mark a tier inactive so it stops appearing on the Pricing page without breaking any tenant currently subscribed to it.
- **Payments ledger** - every `PlatformPayment` across the platform, newest first, linked back to the tenant that made it. This is the raw record feeding MRR and lifetime revenue.

Revenue

A twelve-month bar chart drawn with plain CSS - no chart library, no external dependency. Each column is one calendar month and its height is proportional to the highest month in the range. The lifetime total is shown alongside. Use this to sanity-check whether the trial-to-paid conversion is landing where you expect.

History

The History tab is the cross-tenant lifecycle feed. Every account-affecting action - suspend, restore, cancel, archive, reinstate, purge, payment recorded, plan assigned, user created, user deactivated or reactivated - is an entry with the operator's email, the before-and-after payload, and a link back to the tenant. Filters to only the lifecycle action types so merchant-side events (product edits, refunds) do not drown it out.

Automatic enforcement

Beyond the manual controls, the scheduler runs a `platform.suspend-overdue` job every six hours (with an initial run on start-up). Any tenant past its paid-through date plus a seven-day grace window is auto-suspended and its staff signed out at the next request. The scheduler only ever writes status; it never deletes anything, so no automation can produce an irreversible outcome.

Security model

- Every route under `/api/platform/*` is wrapped in `requireSuperAdmin` middleware. An unauthenticated call returns 401; any authenticated non-SUPER_ADMIN call (including Owner of the biggest tenant) returns 403. Regular tenant admins never see the platform plane, and the browser route at `/admin` redirects them out.
- The console is scoped: platform Super Admin sees across tenants; every tenant role sees only inside its own Organization. A related fix ensures the tenant-level GET `/api/auth/users` endpoint now filters by the caller's organization, so a store's Manager cannot enumerate users in another store.
- Destructive actions are guarded twice: Suspend is reversible by Restore; Archive is reversible by Reinstate; only Purge is permanent and it requires the exact tenant name typed as confirmation, so an accidental click cannot destroy a customer's data.

Getting a Super Admin account

The account is bootstrapped automatically at every server start (`ensurePlatformAdmin()`), which upserts one by email so it is safe to repeat:

- In development, the fallback is `platform@unifiedpos.com` with the password printed once to the server log.
- In production, the operator must set both `PLATFORM_ADMIN_EMAIL` and `PLATFORM_ADMIN_PASSWORD` in the environment; without them the account is not created and the platform plane is unreachable.

The seed script creates the same account plus the four default Platform Plans in a fresh database, so a first-time install and a live upgrade end up in the same place.

35. Getting Help

- Use this manual at any time from the footer link: User Manual (PDF).
- Review the legal and policy documents from the footer and the Compliance Center.
- Contact support for assistance with your account, integrations or hardware.

Thank you for choosing Unified POS. We are proud to power your business, everywhere in the world.