PROJECT DUNE / PLAYER + ADMIN EDITION

DUNE

The illustrated field manual

ARRAKIS / FACTIONS / SPICE / THE SPACING GUILD

DuneCore 1.0.8 | DuneNPC 1.0.0 | DuneTerrain 1.0.7 | DuneEss 1.0.1



Minecraft Java / Paper 1.21.4 / Java 21

NPC edition / 13 October 2026 / 68 illustrated reference icons

HOW TO USE THIS BOOK

Contents

Player guidance comes first, followed by command references and server administration. Each of the four reserved planet chapters contains its currently implemented profile and space for future additions. Configuration values shown here are shipped defaults; your administrator may change them.

Beneath the sands of Arrakis 4
What is included 5
Your first session 6
Menus and help 7
Factions and homeworlds 8
Stillsuits, flight and Ordos equipment 9
Solaris, spice sales and Guild travel 10
Arrakis / the desert world 11
The Arrakis landscape 12
Melange among the terraces 13
Harvesting melange 14
Spice blooms and spice blows 15
Sietches and personal caches 16
Sun exposure and shelter 17
When Shai-Hulud rises 18
Shai-Hulud: model, AI and combat 19
Defeating and summoning a sandworm 20
Haunted Fremen and rich-field danger 21
The fifteen-minute Guild notice 22
Finite water and selling buckets 23
A contact beyond the ledgers 24
Meeting the roaming smugglers 25
The Unmarked Spice Run 26
A light in the desert 27
Water for the Hidden Sietch 28
Lights, particles and the 30-minute limit 29
Imperial spice profit and mission eligibility 30
CHOAM hourly contracts 31
The player spice exchange 32
Politics, elections and the Spacing Trust 33
Imperial rights, permits and bounties 34
Everyday player commands 35

Contracts and political commands 36
The keeper of the routes 37
The Imperial Admin Scepter 38
DuneNPC management and Guild Navigators 39
NPC migration, settings and recovery 40
Admin command reference 41
Installing and upgrading 42
World generation and primary-world setup 43
Gameplay tuning and menu configuration 44
The Guild connects the worlds 45
The five-backend network 46
Saving, shared data and recovery 47
Troubleshooting and current limits 48
Giedi Prime / industrial shadows 49
Giedi Prime 50
Kaitain / the Imperial horizon 51
Kaitain 52
Caladan / water and green lands 53
Caladan 54
Sigma Draconis IV / cold horizons 55
Sigma Draconis IV 56
Glossary and source notes 57
Fremen field equipment 58
Harkonnen field equipment 59
Corrino field equipment 60
Atreides field equipment 61
Ordos field equipment 62
Sietch cache supplies 63
Travel, weapons and explosives 64
Markers and supporting items 65
Navigator and help symbols 66
Scepter and NPC controls 67
Default configuration reference 68

ILLUSTRATED FIELD NOTES

Beneath the sands of Arrakis



A field guide to the desert: reach a sietch, prepare your stillsuit, follow the spice and watch for Shai-Hulud. The gameplay chapters that follow explain exactly what the release implements.

THE SPICE MUST FLOW

Shelter	Spice	Shai-Hulud
A complete stillsuit and a reliable sietch are the start of every expedition.	Recognize the tagged shovel and harvestable deposits before taking a quota job.	Watch sightings, prepare for combat, and treat coordinates as an initial report.

Concept artwork illustrates the theme; it is not a screenshot or a promise of additional game structures.

READ FIRST

What is included

This edition documents the current Project Dune release: DuneCore 1.0.8, DuneNPC 1.0.0, DuneTerrain 1.0.7 and DuneEss 1.0.1. It includes the complete Arrakis guide, operator scepter and admin menus, roaming smugglers, lore-based delivery missions, Imperial spice-sale bonuses, temporary quest camps and real-time deadlines.

Component	What it provides
DuneCore	Factions, stillsuits, sandworms, spice harvesting, sun exposure, water trade, politics, CHOAM/exchange jobs, admin scepter and Guild sightings.
DuneNPC	Guild Navigators, Arrakis smugglers, NPC management GUI, delivery missions, 30-minute deadlines, stationary camps, temporary lights and status particles.
DuneTerrain	Planet generation, safe spawn, Arrakis formations, deposits, blooms and cave sietches. NPC creation now belongs to DuneNPC.
DuneEss	Solaris through Vault, normal spice sales, Guild travel, paged help, landmark teleports and admin bloom placement.
Resource pack	Desert Sniffer skin, haunted Fremen zombies, spice-gold suspicious sand and desert-robed wandering traders.

Reading this edition

Prices and adjustable settings are shipped defaults. The smuggler mission limit is fixed at 30 real minutes. Artwork presents the theme; buildings, clothing detail and dramatic scenery in concept illustrations are not additional released structures or a replacement client pack.

The four non-Arrakis chapters reserve space for future local gameplay while documenting their current terrain profiles. Arrakis has the full gameplay guide, not a placeholder.

Verification

The source release is commit a4bb6c9 on main. Builds and 15 automated tests passed across the changed modules. Live Paper/Velocity navigation, lighting, appearance and network behavior still need validation on the deployed server. This manual was checked against the current source and its configuration files.

PLAYER GUIDE

Your first session

1. Open the guide and choose a faction

Use `/dune help` for the paged chat guide, or `/duneess help menu` for its inventory version. `/dune` opens the Dune Navigator. A tagged Nether Star is supplied after joining; left- or right-click it to reopen the Navigator. `/dune menuitem` restores the item if you no longer have it.

Choose with `/dune choose fremen`, or substitute `harkonnen`, `corrino`, `atreides` or `ordos`. This records your faction, creates an economy account, supplies a kit and requests a free first arrival at your faction homeworld. A normal player cannot change an existing selection; an administrator with `dune.admin` can.

2. Equip the actual stillsuit

The kit is placed in your inventory, not automatically equipped. Wear all four tagged armor pieces. Ordinary leather armor, dyed armor or items renamed at an anvil are not substitutes. A complete stillsuit protects against the plugin's Arrakis heatstroke timer. Matching faction tags are also required for full-set bonuses.

3. Gather supplies and earn Solaris

Use the tagged netherite Spice Harvest Shovel on Arrakis suspicious sand. Pick up the Melange Spice drops and sell with `/duneess sell`. Cave sietch caches also contain tagged spice, food and building materials. Check your balance with `/duneess balance` before requesting paid Guild travel.

A practical first expedition

Bring the shovel, a complete suit, food and a weapon. Locate shelter before taking on a worm. A default account begins at zero Solaris, so ordinary travel initially requires earnings or an admin grant. An unpaid CHOAM contract can be accepted without a fare, but you still need a route to Arrakis and time to meet its quota.

PLAYER GUIDE

Menus and help

The Navigator is a configurable chest-style interface. Background colors reflect your faction. Buttons are actions, not free inventory items: clicking them opens a page or runs a player command. Menus expose the same systems available through chat.

Navigator button	Action
Spacing Guild	Open the destination menu.
CHOAM Contracts	Browse the current hourly contracts and accept one.
Player Spice Exchange	Open shortcuts to post or cancel a listing, or leave a job.
Wallet / Sell Spice	Read the balance or sell tagged spice through DuneEss.
Stillsuit Kit	Receive another faction kit through /dune kit.
Winged Stillsuit Upgrade	Run the paid Elytra merge.
Choose Faction	Open the five playable faction selections.

Other ways to navigate

`/dune menu` and `/dune gui` also open the Navigator. `/dune exchange` opens the exchange menu; `/dune job` prints the actual listings and remaining quotas. Interacting with a tagged Spacing Guild Navigator opens DuneEss's travel menu. The automatically generated navigator is an invulnerable, stationary villager at planet spawn.

Current menu details

The default DuneCore travel page displays only four destinations because its dynamic list is capped at four. Sigma Draconis IV is still available through `/duneess travel sigma_draconis_iv` or the DuneEss travel menu, which lists all five worlds. The exchange page has listing-management shortcuts but no dynamic listing browser; use `/dune job` to find a sponsor.

Help supports `/duneess help <page>`, `next`, `previous` and `menu`. The chat guide includes clickable navigation. Some introductory messages and older files omit Ordos, but it is a distinct playable faction in the current code.

PLAYER GUIDE

Factions and homeworlds

Faction	Homeworld	Implemented traits
Fremen	Arrakis	Two spice units per harvested deposit; brief Resistance I refreshes while moving on Arrakis. Kit has Unbreaking III and leggings with Swift Sneak III.
Harkonnen	Giedi Prime	Player-caused combat damage is multiplied by 1.15. A matching full stillsuit refreshes Strength II.
Corrino	Kaitain	Incoming combat damage from an entity is multiplied by 0.85. Kit armor has Protection III. This does not reduce every environmental damage type.
Atreides	Caladan	Movement events periodically refresh Speed I. A matching full stillsuit adds eight health points, equivalent to four hearts.
Ordos	Sigma Draconis IV	A matching suit enables five-second Shadow Step on main-hand Ender Pearl use. Kit includes a replenishing explosive wind charge.

Faction passives use the recorded faction. Full-set effects additionally check that all four equipped pieces are tagged stillsuits belonging to your recorded faction. A mixed set can protect against sun exposure if every piece is tagged as a stillsuit, but does not grant a faction set bonus.

Arrival and respawning

Faction selection requests travel to the corresponding homeworld without a normal paid fare. On a proxy network, this is a server-transfer request. On a single backend, the homeworld must already be loaded for a local arrival. Respawn is redirected to the homeworld only when that world is loaded on the current backend; there is no general cross-server respawn router.

Choosing carefully

Fremen suits favor harvesting and sneaking; Harkonnen and Corrino favor combat; Atreides favor speed and extra full-set health; Ordos favor short concealment and explosives. Spacing Guild has appearance-related support but is not one of the five player-selectable factions.

PLAYER GUIDE

Stillsuits, flight and Ordos equipment

Armor that looks like leather but protects like netherite

Faction kits use colored leather stillsuits with custom armor attributes. Helmet, chest, legs and boots provide 3, 8, 6 and 3 armor points respectively. Each piece adds three armor toughness and 0.1 knockback resistance. Faction trim patterns distinguish the suits; ordinary armor does not acquire these properties by matching its color.

`/dune kit` requires a faction and adds another shovel and four armor pieces. The shovel is a tagged netherite shovel with Efficiency V and Unbreaking III. Kits do not include a general food allowance or a conventional melee weapon; sietch caches provide food, while weapons must be obtained separately.

Winged stillsuit

To use `/dune elytra`, wear your faction's leather stillsuit chestplate, carry an Elytra in storage inventory and have 1,000,000 Solaris. The command consumes the carried Elytra, replaces the worn chestplate with a tagged winged Elytra and charges the price. The new item retains custom chest armor protection and faction identity, and qualifies as the stillsuit chest slot for heat protection and set bonuses. It is a purpose-built upgrade, not a general enchantment transfer service.

Ordos Shadow Step and charge

With a matching full Ordos suit, using an Ender Pearl in the main hand grants five seconds of invisibility. The plugin temporarily stores and removes armor, then restores it, returning displaced pieces to inventory or dropping overflow. During removal you do not count as wearing a complete suit, including for sun protection.

The tagged Ordos Implosion Charge launches a wind charge and supplies a replacement one tick later. Its impact produces immediate primed TNT attributed to the shooter. Despite its name, it uses ordinary TNT explosion behavior; treat it as destructive explosives rather than a harmless movement tool.

PLAYER GUIDE

Solaris, spice sales and Guild travel

Solaris is the currency supplied by DuneEss through Vault. The default spice price is 15 Solaris per unit, normal Guild fare is 100 and starting balance is zero. Balances can be negative by default, allowing contract fines to create debt. There are no player-to-player pay or general bank commands in this plugin's command set.

Selling spice

`/duneess sell` sells all correctly tagged spice in storage inventory. It does not sell ordinary orange dye or an item renamed Melange Spice. With DuneCore enabled, a Spacing Trust levy is taken and unauthorized spice sales can create smuggling bounties. A sale of 100 spice has a gross value of 1,500 Solaris; the default 1.21% levy rounds up to 19, leaving 1,481 Solaris for a player without an appointment. Members of the current Spice Steward or House of Water instead receive +33% gross: 1,995 gross, levy 25, net 1,970. See Imperial spice profit and mission eligibility for the complete rules.

Travelling

`/duneess travel` opens the five-world menu. `/duneess travel arrakis` requests a specific destination; use the internal world IDs listed in this book. If the destination is the local loaded world, you teleport to its spawn. If networking is enabled and the destination is remote, DuneEss asks the proxy to switch servers.

The appointed Spice Steward faction has free Arrakis travel. Other travelers normally pay the fare. A local failed teleport refunds the fare; a proxy request refunds only when sending the request itself fails. The proxy does not confirm destination arrival to this plugin, so an offline destination can still leave a fare charged.

Arrival rights are a separate system

Paying the fare does not grant legal spice rights or necessarily prevent an arrival bounty. The current arrival rule treats the Spice Steward faction as sanctioned and uses shared PostgreSQL permits. Ordinary arrivals without a valid permit can be marked wanted when the database-backed arrival check is active. See the legal-rights chapter before organizing a multiplayer expedition.

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

Arrakis / the desert world



Arrakis receives the full gameplay treatment in this edition: terrain, spice, sietches, survival, worms, rights and smuggling. This is the active field guide.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

ARRAKIS FIELD GUIDE

The Arrakis landscape

Arrakis is fully implemented in this manual. Its world ID is `arrakis`. The terrain profile uses Desert biome, sand at the surface and red sand filler. Default base height is 70, height variation 11 and noise scale 0.02. It contains sparse ores, procedural dunes and Dune-specific landmarks, rather than a custom city map.

Landmark or resource	Shipped generation setting
Cave sietches	About one anchor per 2,000-block spacing cell.
Untriggered spice blooms	About one anchor per 2,000-block spacing cell, where suitable sand is available.
Darkstone formations	750-block spacing, 45-55-block radius; about 90-110 blocks across, up to three plateaus.
Oasis trees	300-block spacing; default trunk height seven.
Ordinary spice deposits	Two placement attempts per chunk.
Rich random spice patches	35% chance per 600-block region; radius 12; target base value 5,000 Solaris.

The three-level formations

DuneTerrain 1.0.7 upgrades the old default 10/18 radii to 45/55 automatically on enable, while preserving customized sizes. Darkstone formations use blackstone, basalt and polished blackstone with sand-topped flat terraces. Each formation deterministically chooses one to three nested levels. Height differences between levels are capped at five blocks. The configured default maximum rise of 14 can reduce intervals; a three-level formation can therefore use four-block steps rather than exceeding the total rise.

Trees have persistent leaves, and vanilla vegetation is disabled for Arrakis. The plugin places a protected Guild navigator at a safe spawn location. Sparse Arrakis ore attempts include coal, iron and copper between Y -48 and 48, with default vein size five.

Existing terrain is preserved

Generation changes apply to newly generated chunks. Old chunks do not grow additional plateaus after an upgrade. Administrators must plan exploration into new terrain or a backed-up world regeneration if they want the new formations everywhere.

ARRAKIS / ILLUSTRATED FIELD NOTES

Melange among the terraces



Wear your stillsuit, recognize the tagged netherite shovel and harvest the desert. Fremen receive two spice units per deposit. The plateau formations can have up to three levels, with at most five blocks between their heights.

The spice must flow.

Concept artwork illustrates the game's themes. Creature scale and architecture are artistic interpretations, not screenshots. The following chapter describes the actual release behavior.

ARRAKIS FIELD GUIDE

Harvesting melange

Suspicious sand on Arrakis is treated as a spice deposit. With the resource pack it appears bright spice-gold. Harvest it by breaking the block with the tagged Spice Harvest Shovel from your faction kit. A regular netherite shovel is rejected even if it has the same enchantments or name. Other worlds' suspicious sand does not use this Arrakis harvesting rule.

Yield and provenance

Fremen harvest two tagged spice units per deposit; other factions normally get one. Outside an active player-sponsored job, the block drops Melange Spice, represented by tagged orange dye. Its lore records the miner, faction and the current unit price. Collect the drop before using `/duneess sell`.

Deposits earned from a player job are sold immediately and paid through the contract split, so they do not also drop a second spice item. If a Fremen's two-unit yield exceeds the final remaining contract quota by one, the extra unit can still drop as personal spice. Every successful harvest also advances an active CHOAM quota.

Respawn behavior

The default regeneration delay is 120 seconds. At the end of that scheduled delay, the location becomes suspicious sand only if its chunk is loaded and the block is air. A replacement block prevents regeneration. There is no retry when the chunk is unloaded, and the scheduled delay is not a persistent offline timer across server restarts.

Estimating value

Values advertised for a field are based on ordinary one-unit harvest at the configured spice price. Actual returns depend on how much sand was converted, how many deposits remain, faction yield, contract assignment and levies. A target field worth 15,000 Solaris at a 15-Solaris unit price seeks 1,000 deposits; it is not a guaranteed cash reward on discovery.

ARRAKIS FIELD GUIDE

Spice blooms and spice blows

An untriggered generated spice bloom is marked by a 3-by-3 magma patch with a raised central magma block. The server announces its coordinates when the marker's chunk loads. Finding the marker is separate from activating its rich field.

Triggering a blow

A player or other moving living entity touching the marker can trigger it. An arrow or trident impact at the marker also works. The trigger removes the lower magma patch, turns the raised center to glowstone and produces an explosion sound and particle. The source does not use a destructive world explosion for this bloom effect.

Nearby sandy surface blocks within the default 24-block radius become suspicious sand. The target is 15,000 Solaris of deposits, using DuneEss's spice price when available. Insufficient sand means fewer deposits. The announcement service identifies a bloom by its marker coordinates, so detonating a previously announced marker does not restart its existing fifteen-minute window.

Admin placement

`/duneess admin spicebloom [player]` searches for a clear sandy patch about 50 blocks ahead of the selected online player. The player must be on the loaded Arrakis world. It places an untriggered magma marker and announces it. The command does not instantly harvest the field or place a worm.

Two other types of rich field

Random suspicious-sand patches have their own procedural setting and a 5,000-Solaris default target. Defeating a sandworm creates a much larger field targeting 100,000 Solaris. The loaded-marker announcement is specifically for spice blooms, not an alert for every ordinary suspicious-sand deposit or random patch in the world.

ARRAKIS FIELD GUIDE

Sietches and personal caches

Procedural cave sietches have a broad stone-arched entrance, sleeping and kitchen spaces, a winding descent, and a lower reservoir with a waterfall. Their default anchor spacing is 2,000 blocks. Landmarks are generated only where the terrain and region permit placement.

What is in a cache

Supply	Amount and properties
Tagged melange	250 units: three stacks of 64 and one stack of 58.
Gold armor	Helmet, chestplate, leggings and boots with Protection II and Unbreaking II.
Oak planks	32 blocks.
Bread	16 items.

Each marked cache is personal to a player. Right-clicking opens a separate cache inventory; taking another player's share does not exhaust yours. Clicking a cache item moves it into your storage inventory, leaving any portion that does not fit. Dragging into the cache is blocked.

Closing the cache

Closing the cache automatically transfers its remaining contents to your inventory and drops any overflow at your location. The player is then marked as having claimed that sietch. You cannot repeatedly reopen the same cache for another reward. Make room before opening, and check the ground after closing if your inventory was full.

The cache's gold armor is useful loot, but it is not tagged as a stillsuit. Wearing it does not satisfy the Arrakis heat-protection or faction full-set requirements. Its spice is correctly tagged and can be sold, but claiming a chest is not harvesting deposits and does not advance CHOAM's harvested-spice counter.

At the default sale price, 250 cache spice has 3,750 Solaris gross value. With the normal Trust levy, the direct sale leaves 3,704 Solaris, before any separate consequences of unauthorized trade.

ARRAKIS FIELD GUIDE

Sun exposure and shelter

Arrakis has a dedicated heatstroke timer. Default lethal exposure is 300 seconds: five minutes of uninterrupted qualifying sunlight. The plugin checks once each second and warns on the first exposed second and at thirty-second intervals.

When the timer runs

All of these conditions must apply: you are alive on Arrakis, outside Creative and Spectator modes, not wearing a full tagged stillsuit, in clear weather, during daytime before world time 12300, and exposed at the top of the surface rather than beneath shelter.

The plugin shows a burning effect while exposure accumulates. Fire-tick damage caused by that active exposure effect is cancelled until the timer expires. At the lethal threshold, the plugin sets health to zero. Ordinary fire, lava and other hazards are separate; a stillsuit is not general fire immunity.

What resets exposure

Taking cover, wearing a full tagged suit, reaching night or otherwise ceasing to meet the exposure conditions resets the timer. You do not need to wait for gradual recovery. The stored exposure entry is removed and the associated fire effect cleared.

Arrakis defaults to persistent daytime

DuneTerrain disables the daylight cycle on Arrakis and sets world time to 6000 during setup. Under that default, waiting for a natural sunset is not a reliable survival plan. Use a suit or reach shelter. An operator can alter world time or game rules separately.

Equipment edge cases

A winged stillsuit counts as the chest piece. A mixed-faction set can still satisfy heat protection if every equipped slot has the stillsuit tag, but faction set bonuses require matching tags. Ordos Shadow Step temporarily removes armor, so its five-second concealment also temporarily breaks the full stillsuit condition.

ARRAKIS / ILLUSTRATED FIELD NOTES

When Shai-Hulud rises



A visible Sniffer body carries the sandworm skin while an invisible Husk supplies native zombie AI. Fight the visible body. Its default 500 health makes it a serious encounter; its death creates a rich spice field rather than a direct cash payout.

The spice must flow.

Concept artwork illustrates the game's themes. Creature scale and architecture are artistic interpretations, not screenshots. The following chapter describes the actual release behavior.

ARRAKIS FIELD GUIDE

Shai-Hulud: model, AI and combat

The current sandworm uses a real Sniffer as the visible, damageable body. An invisible Husk supplies native zombie-family targeting, pursuit and melee attacks. The body follows its controller each server tick. It is a composite gameplay creature: a vanilla Sniffer silhouette with a desert worm skin, not a custom elongated sandworm mesh.

Sandworm property	Default
Visible body	Adult Sniffer; scale 3.5; 500 health points.
Hostile controller	Invisible adult Husk; melee damage attribute 8; movement attribute 0.33.
Automatic population cap	Three visible sandworms in Arrakis.
Automatic successful-spawn interval	3,600 seconds, saved in config.
Spawn chance	35% per eligible player check when the cooldown permits.
Check frequency	Every ten seconds, after the initial scheduled delay.

Encounter rules

Natural spawns require Arrakis and a sandy surface near a player. The chosen location is about 22-40 blocks away; a worm already within the nearby-entity check can prevent another spawn for that player. The hour-long cooldown starts after a successful automatic spawn, not merely after an unsuccessful check.

The visible Sniffer can be attacked and killed. Damage to the hidden controller is cancelled, so it does not become a second reward-bearing enemy. The controller handles melee targeting; combat damage received depends on ordinary combat rules and applicable faction defenses. The worm's spawn produces cloud particles and a Warden roar.

Persistence and conversion

Both parts carry saved partner UUIDs. Existing loaded Husk-based worms from 1.0.4 are converted to the visible Sniffer implementation without resetting their remaining health. The plugin repairs links after load and removes the counterpart when a linked entity dies. Live-server movement and collision behavior still need testing on the deployed Paper build.

ARRAKIS FIELD GUIDE

Defeating and summoning a sandworm

Death rewards

Killing the tagged visible body removes the invisible controller. The worm has no normal item drops or experience reward. Instead, it strikes a visual lightning effect and converts available sandy terrain around the death location into suspicious-sand deposits.

The field targets 100,000 Solaris at ordinary base yield. At 15 Solaris per unit this means a target of 6,667 deposits. Its radius is derived from the target, and each eligible position also has an 85% placement chance. Unsuitable terrain can reduce actual deposit count. The death message reports how much was actually placed; it does not deposit 100,000 Solaris into the killer's account.

If at least one deposit is placed, this new spice field receives an Arrakis coordinates warning and its own fifteen-minute Guild countdown. Harvest it using the same tagged shovel and contract rules as any other Arrakis deposit.

Admin summon command

`/dune summon sandworm` summons at the executing player's current position on Arrakis. `/dune summon sandworm 120 76 -240` summons at explicit absolute X/Y/Z coordinates in the loaded Arrakis world. Console can use the coordinate form, without a leading slash in the console input.

Both forms require `dune.admin`, granted to operators by default. Coordinates must be finite numbers within the world border and build height, with open feet and head space. The coordinate-free form fails outside Arrakis. A server without a loaded Arrakis world cannot summon there.

Admin summons bypass the automatic population cap and do not alter the saved automatic cooldown. They use the same Sniffer body, zombie AI, configured attributes, sighting messages and death-field behavior as natural worms. Summoning can therefore deliberately create more than the default three-worm population.

ARRAKIS FIELD GUIDE

Haunted Fremen and rich-field danger

Haunted Fremen are hostile zombie raiders, distinct from sandworms and from water-retaliation Angry Locals. They spawn on Arrakis near players and are more likely near high-value suspicious-sand fields. The resource pack gives zombies their haunted Fremen appearance.

Raider property	Default
Population cap	12 tagged raiders on Arrakis.
Regular chance per player check	8%.
Chance near a rich field	45%.
Rich-field search	32-block radius; more than 5,000 Solaris of remaining base-value deposits.
Health / attack attribute	36 health points / 6 attack damage.
Movement attribute	0.28.
Gear	Iron sword and leather helmet, both with zero gear drop chance.

How a raider appears

Checks run every ten seconds. A nearby tagged raider within the local-entity check prevents another for that player. The spawner tries sandy positions roughly 16-32 blocks away with clear feet and head space, then targets the player. These are configured probability checks, not a promise that a raider appears after a fixed time.


Raider sunlight combustion is cancelled by the plugin. Their equipment is for behavior and appearance, not a dependable source of an iron sword. They may despawn when far away. Unlike sandworms, their death does not run the special worm spice-field reward.

Value is based on the field still present

The rich-field scan counts nearby surface suspicious sand and multiplies by the spice price. At the default price, more than 5,000 Solaris requires at least 334 counted deposits. It does not inspect the total value of your inventory, sale proceeds or a hidden field ownership record. A shrinking harvested field can consequently stop qualifying for the increased chance.

ARRAKIS FIELD GUIDE

The fifteen-minute Guild notice



If Arrakis is empty at the deadline, delivery waits for a player connection.

Session 2 introduces a discovery window for sandworms and spice blooms. The first message is local to the Arrakis server, includes X/Y/Z and warns that the Spacing Guild will notify other worlds in fifteen minutes.

Which events create sightings

- A generated, untriggered bloom marker is found when its chunk loads, including loaded chunks checked at server startup.
- An admin places a bloom marker; a previously unannounced marker erupts.
- A sandworm spawns or loads, including admin summons.
- A defeated sandworm produces a new field with at least one spice deposit.

Countdown and global delivery

At the saved deadline, DuneCore sends a lore announcement through the proxy's standard BungeeCord Message channel to ALL online players. The Guild message includes the recorded sighting coordinates. With `network.enabled: false`, delivery is local instead.

The deadline uses elapsed real time, not a fifteen-minute Minecraft day. The service saves timers and identities in `plugins/DuneCore/arrakis-announcements.yml`. Restarting preserves the original deadline. Chunk reloads do not restart a countdown for the same bloom coordinates or worm UUID.

Plugin messaging requires an online player connection on the sending backend. If Arrakis is empty when the notice is due, it remains pending until a carrier is available. The standard channel has no delivery acknowledgment; the plugin records a notice as sent after submitting it, and cannot prove every proxy client received it.

Interpreting coordinates

Coordinates are the initial sighting, not a live moving-worm tracker. A worm may move, despawn or die before the Guild message arrives. The notice also does not reserve the field for the discoverer, lock harvesting, or establish political ownership. The fifteen-minute window is an information embargo.

ARRAKIS FIELD GUIDE

Finite water and selling buckets

Arrakis water is deliberately constrained. Natural source buckets collected through the water listener receive the Arrakis Water - Finite Source tag. `/dune water sell` sells these tagged buckets. Ordinary water buckets bought or collected elsewhere are not automatically accepted as Arrakis trade goods.

Water flow is cancelled on Arrakis. Emptying water buckets there is blocked, and the listener prevents new ice or snow formation and water-cauldron filling. The intended loop is to locate existing natural sources, collect finite buckets, and trade them rather than build a renewable placed-water farm. The source-tag check applies to natural water generally; it is not tied to ownership of one specific sietch.

Price and legal status

Base price is half the spice price using integer division, with a minimum of one. At the default spice price of 15, base water value is seven Solaris per bucket. Members of the appointed House of Water receive the legal base price. Others are treated as smugglers and receive a 45% gross premium, rounded over the entire batch. The Trust levy is then taken from gross revenue.

For ten buckets, an authorized sale has gross value 70, levy one and net 69. An unauthorized sale has rounded gross value 102, levy two and net 100. Tagged buckets are removed by the sale; the command does not return empty buckets.

Career commands versus actual authorization

`/dune water guild`, `smuggler` and `status` select or display an in-memory career label. The actual sale rule uses imperial House of Water authorization, not that chosen label. Choosing guild does not make an unappointed faction legal. The label resets on restart.

Unauthorized collection has a default 30% retaliation chance, potentially announcing a local bounty and spawning two Angry Local Husks targeting the collector. The collection retaliation listener currently also lacks an Arrakis-world guard; administrators should consider this when testing collection on other planets. Shared bounty records require PostgreSQL.

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

A contact beyond the ledgers



Sand-tan robes and green dust identify a roaming contact. Approach on Arrakis and right-click to see the smuggling offers available to your house.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

ARRAKIS / DUNENPC

Meeting the roaming smugglers

Arrakis Smugglers use wandering-trader bodies, native AI and the desert smuggler skin. Right-click with your main hand to open the contract menu. They roam toward nearby destinations; up to six are maintained in loaded chunks near players by default, with at most two automatic additions per minute. Their normal despawn delay is 48,000 server ticks; active quest camps suspend that countdown.

Who gets an offer?

Members of the currently appointed Spice Steward or House of Water receive no smuggling offers. A smuggler refuses them in dialogue and points them to ordinary spice sales with the 33% Imperial bonus. Other players can accept a spice or water run. Authorization is checked again when accepting and delivering, so an appointment gained during a mission can block completion.

Contract	Default cargo	Gross reward	Default net
The Unmarked Spice Run	64 tagged spice	1,392 Solaris	1,375 Solaris
Water for the Hidden Sietch	4 tagged water buckets	41 Solaris	40 Solaris

Rewards equal the cargo's normal base value plus 45%, rounded over the contract, then the Trust levy applies. The reward and cargo requirement are fixed when accepted. Only one smuggler contract may be active per player. These are separate from CHOAM quotas and player-sponsored exchange jobs.

Recognizing the trader

Green dust means this NPC has no outstanding contracts. Purple dust means at least one player has an active contract issued by this NPC. The colors are shared NPC status, not private per-player markers. A purple contact may still offer a mission to another eligible player.

The resource pack changes the appearance of all wandering traders. Without it, the same missions work but the NPC looks like a vanilla trader. The skin keeps the vanilla model; no additional client mod is required.

ARRAKIS / MISSION LORE

The Unmarked Spice Run

"Imperial patrols count every grain of melange. Our hidden buyers need a shipment without a seal."

The smuggler asks you to move a cargo of melange beyond the Imperial ledgers. Accept the spice run, gather the required tagged spice, then find another Arrakis Smuggler at least 64 horizontal blocks from the departure point. Return to your original contact is not a valid delivery.

Accept, carry, deliver

- Right-click an eligible smuggler and select The Unmarked Spice Run.
- Carry 64 tagged Melange Spice by default. Ordinary orange dye and renamed items are not accepted. Tagged cache spice also qualifies; the mission checks carried cargo, not newly harvested quota progress.
- Reach a different smuggler, at least 64 blocks from the stored starting X/Z. Right-click, then select the active delivery chest in the contract menu.
- Stay within eight blocks while the action executes. The receiving NPC must still exist on Arrakis and you must still be eligible.

Only the required amount is consumed. Extra spice stays in your inventory. A successful default run pays 1,375 Solaris after the 17-Solaris Trust levy. The existing smuggling-bounty system is called using gross reward; shared tracking requires PostgreSQL.


A short window

You have 30 real minutes from acceptance, including offline time and server downtime. The menu and /dune smuggle status show remaining time, required cargo, reward and departure coordinates. Completing after the deadline is rejected. Cancellation or expiry keeps cargo and pays no reward; there is no smuggler failure fine.

On delivery: "No seal, no names. The melange is already on its way. The Emperor's men may have noticed you."

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

A light in the desert



Purple dust marks an active quest contact. Invisible light blocks brighten its camp while the player carries water toward a different smuggler.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

ARRAKIS / MISSION LORE

Water for the Hidden Sietch

"A sietch beyond the patrol routes is running dry. Carry its water quietly. On Arrakis, water is life."

This run carries finite-source Arrakis water to a distant contact who supplies a hidden sietch. The narrative does not place a new sietch structure or assign a fixed cave destination: delivery is to another valid smuggler.

Cargo and route

Accept the water run, then carry four tagged Arrakis Water - Finite Source buckets by default. Ordinary water buckets do not qualify. Deliver through the active contract chest to a different smuggler at least 64 horizontal blocks from your departure point, within the 30-minute real-time window.

At the default spice price of 15 Solaris, the water base is seven per bucket. Four buckets at the 45% smuggling premium give rounded gross reward 41; the levy is one, leaving 40 Solaris. The mission consumes only the required water buckets and returns empty buckets. If the empties cannot fit, they drop near the player.

How this differs from selling water

/dune water sell sells all tagged water in your inventory and does not return empty buckets. The smuggler mission is a timed delivery with a locked reward and a different NPC destination. Water-collection retaliation and the finite-water rules still apply while gathering cargo. Mission completion also invokes the shared bounty system.

Imperial appointments block smuggler missions regardless of the selected water-career label. An appointment acquired mid-run blocks delivery; /dune smuggle cancel remains available. No cargo is taken when a mission is cancelled or expires.

On delivery: "Tonight the sietch drinks. Keep your route secret; the water monopoly has long eyes."

ARRAKIS / QUEST CAMPS

Lights, particles and the 30-minute limit

The smuggler who issued your active mission becomes a quest contact. It stops moving, loses collision and gravity, becomes invulnerable and cannot naturally despawn. Invisible level-15 light blocks brighten its surroundings. The destination remains any different valid smuggler along the required route.

State	Visible signal	NPC and camp behavior
No open contract	Green dust	Normal roaming; no temporary camp lights.
One or more open contracts	Purple dust	Source NPC stationary and protected; temporary illumination active.
Last contract ends	Returns to green	Previous AI, gravity, collision, vulnerability and despawn timer restored; lights removed.

The deadline uses the real clock

Each accepted contract stores an absolute deadline 30 minutes ahead. Logging out, unloading chunks, restarting or stopping the server does not pause it. Expiry is processed when the running plugin checks its saved state; a server that was offline applies overdue expiry after startup. The clock shown in a menu is a snapshot; reopen it or use status for an updated reading.

"The patrols have changed. Your 30-minute window is gone." Expired missions pay nothing and consume no cargo. There is no fine. A camp stays active if another player's contract from the same NPC is still open; it clears after that last contract completes, is cancelled or expires.

Terrain and recovery

The plugin plans up to five invisible lights around the source contact, placing them only in empty blocks in loaded chunks. Existing terrain and existing light blocks are preserved. Overlapping camps share ownership. Original block data is journaled before placement; completion removes owned lights and keeps unrelated replacement blocks intact.

Cleanup does not force-load chunks. If a camp is unloaded when a quest ends, normal state is restored when it becomes available. A normal shutdown clears loaded camps; outstanding contracts reactivate on startup. Green/purple particles update about once per second.

PLAYER SYSTEMS

Imperial spice profit and mission eligibility

The Emperor-appointed Spice Steward and House of Water both receive a 33% increase on normal /duneess sell spice sales. Membership in either currently valid appointed house is sufficient. Having both appointments does not stack the increase. Being an operator or selecting a water-career label does not grant this bonus.

Current appointment	Smuggler missions	Normal spice sale	Water sale / travel
Neither office	Available	Base gross; usual levy and smuggling consequences	Water may receive smuggling premium; normal travel rules.
Spice Steward	Blocked	Gross multiplied by 1.33, then levy	Free Arrakis travel; water still uses House of Water authorization.
House of Water	Blocked	Gross multiplied by 1.33, then levy	Legal water base price; arrival exemption still checks Spice Steward.

Worked sale: 100 spice

Normal base value is 100 x 15 = 1,500 Solaris. Without a valid appointment, the default levy is 19, leaving 1,481 before any bounty consequences. For a sanctioned house, gross becomes 1,995; the levy rounds up to 25, leaving 1,970 Solaris. This is a 33% increase to gross revenue, not an added fixed 33 Solaris or a second payment.

Boundaries of the bonus

The increase applies to the normal inventory spice-sale path. It does not multiply CHOAM completion rewards, the worker/sponsor exchange split or a smuggler contract reward. Tagged spice still needs to be in storage inventory when sold. Default 15-Solaris unit value and the Trust levy remain configurable.

Appointments are checked live against the current Emperor and election term. When an appointment expires or changes, eligibility changes with it. A stale displayed house label is not proof of current authorization. Cargo already held is not automatically sold when rights change.

PLAYER SYSTEMS

CHOAM hourly contracts

CHOAM jobs are server-issued quota contracts, separate from player-sponsored exchange jobs. `/dune serverjobs` lists the current offers. `/dune serverjobs accept small-spice-run` accepts a current template. The Navigator also has a CHOAM menu with an active-contract summary.

Contract ID	Quota / pay / limit	Failure fine
small-spice-run	100 spice / 3,000 Solaris / 30 min	150 Solaris
guild-supply	250 spice / 8,500 Solaris / 45 min	425 Solaris
imperial-contract	500 spice / 20,000 Solaris / 60 min	1,000 Solaris
dangerous-harvest	800 spice / 35,000 Solaris / 90 min	1,750 Solaris

Three shuffled offers are normally available each hour. The rotation follows UTC epoch hour boundaries, rather than counting sixty minutes from your last acceptance. Accepting is free, starts the template's own time limit and permits only one active CHOAM contract per player.

Completing and failing

Successfully harvesting Arrakis deposits advances the quota by yielded units, including the Fremen two-unit yield. Selling carried spice or taking cache spice does not advance it. Reaching the quota pays the configured amount directly to the wallet. There is no requirement to hand over inventory spice to an NPC.

Failure costs 5% of the offered pay, rounded up. A ten-second check expires contracts even while a player is offline; real time continues through server downtime. With default negative balances enabled, a fine can create debt. An accepted contract retains its ID, progress and original acceptance time in local state. If its template is removed, it disappears without a template-based fine.

An administrator can edit server-jobs.yml and use `/dune serverjobs reload`. Offers remain limited to the current selection until the next rotation. Reloaded quota, pay and duration values are resolved from the current template, so changes can affect accepted contracts.

PLAYER SYSTEMS

The player spice exchange

Player jobs split the sale value of newly harvested spice between a worker and sponsor. They are not prepaid procurement orders: the sponsor earns 85% of the harvest's base sale value and the worker earns 15%. Posting does not withdraw an escrow sum from the sponsor.

Posting and accepting

`/dune job post 1000` creates your listing with a quota between one and 100,000. You may have one listing at a time. `/dune job` lists sponsors and remaining quota. `/dune job accept PlayerName` accepts someone else's open listing; a UUID is also accepted. You cannot take your own listing, take a listing already occupied or accept another while you are already a worker.

Accepting assigns the worker and requests `/duneess travel arrakis`. The assignment occurs before the travel request; a failed trip does not automatically cancel the assignment. You may need to fund the fare or contact the administrator before travelling manually.

How payment works

Each credited harvested unit is paid immediately. Rounding is based on accumulated listing value, maintaining the 15/85 split across the job. At a 15-Solaris unit price, a completed 100-unit listing is worth 1,500: the worker receives 225 and sponsor 1,275. These direct contract payouts do not run the ordinary DuneEss direct-sale levy path.

Harvested job spice is not also dropped for a second sale. CHOAM progress is credited as well, so the two job systems can advance from the same successful harvesting action. Any yield above the remaining player-job quota falls back to personal spice.

Leaving, cancellation and saving

`/dune job finish` leaves your worker assignment; it does not force-complete the quota. `/dune job cancel` cancels your own unclaimed listing, but refuses while a worker is assigned. Listings are local to a backend. Worker assignments are in memory and need reacceptance after restart. In shared-database mode, the current save path returns after saving player profiles and does not persist new exchange-listing changes, so do not rely on listing restart durability in that mode.

PLAYER SYSTEMS

Politics, elections and the Spacing Trust

`/dune politics` and `/dune trust` access the same prototype political system. `/dune politics status` shows the Trust balance, election bucket, faction, leader, Emperor, stored appointments and invasion state. You need a selected faction for actions other than status.

The treasury and elections

The default Trust levy is 1.21% of applicable gross direct sales, rounded up. `/dune politics deposit 500` voluntarily withdraws 500 from your wallet and adds it to the Trust if you have sufficient funds. The Trust is not a personal withdrawable bank account.

Use `/dune politics vote PlayerName` for your faction leader and `emperorvote PlayerName` for the Emperor. A candidate must be online and have a playable faction. Faction-leader candidates must belong to your house; imperial candidates may come from another house. Each player can cast one ballot in each applicable election bucket. The current highest tally determines the winner immediately, with lexicographic UUID tie-breaking.

Election buckets are seven-day Unix epoch divisions, not a scheduled election ceremony at a local Monday midnight. Leaders and the Emperor are recalculated from the current bucket's ballots. There is no separate close-election or campaign system.

Invasions

The current elected faction leader can use `/dune politics invasion <house>` to target a different playable faction. Default cost is 50,000 from the Trust, duration sixty minutes and required defense contributions five. Only one unexpired invasion is allowed.

Members of the defending house contribute using `/dune politics defend`; each stored defender identity contributes once. Reaching five broadcasts that the invasion was repelled and clears its active deadline. This is a ledger-and-announcement prototype: there is no automatic territory capture, structure destruction, NPC army or attacker victory payout when time expires. Status can retain stored attacker and defender labels after expiry. Shared politics storage remains a whole-record prototype, not fully transactional multi-server governance.

PLAYER SYSTEMS

Imperial rights, permits and bounties

The Emperor's appointments

The current elected Emperor can appoint a Spice Steward with `/dune politics steward <house>` and a House of Water with `/dune politics houseofwater <house>`. Each office can be appointed once for the current Emperor and election bucket. The two offices may belong to different playable factions.

Rights depend on the current winning Emperor, matching stored term and appointed house. They can cease when the week changes or the winner changes. Status displays stored appointment labels, which may no longer be legally active. The Spice Steward has free Arrakis travel; the House of Water has authorized water trading. Both current appointed houses get sanctioned normal spice sales with +33% gross before levy, and both are barred from NPC smuggling missions. The present arrival exemption checks the Spice Steward, not both offices.

Arrival permits and trade bounties

The sanctioned travel path can issue a two-minute, single-use PostgreSQL permit. On Arrakis arrival, a Steward member is exempt; otherwise a valid permit is consumed or the player is marked wanted. Without the shared database, enforcement logs its limitation rather than maintaining shared permits.

Unauthorized spice or water sales can issue a bounty equal to their gross sale value. Unauthorized arrival's default bounty is derived from half the spice price plus the 45% premium, yielding eleven Solaris with the default values. Water collection retaliation uses its own base-price calculation. These paths are related but not identical pricing formulas.

Claiming a bounty

When another player kills a wanted player, the shared database claim pays the stored reward to the killer through DuneEss and marks the bounty claimed. Environmental deaths and self-kills do not claim it. Issuing a newer bounty overwrites the target's previous bounty record and reopens it; rewards do not accumulate as a stack of independent tickets.

Local witness announcements identify wanted players. Bounty storage and claims require PostgreSQL. There is no player bounty-board, pardon or fine-payment command in the current plugin. Lore about edicts in older documents does not imply an implemented player edict command.

COMMAND REFERENCE

Everyday player commands

Angle brackets mean a required value; square brackets mean optional input. Do not type the brackets themselves. Player commands are generally executed in-game. World IDs use underscores, not the displayed planet names or proxy hyphens.

Command	Purpose
/dune	Open the Navigator.
/dune help	Open the paged DuneEss guide in-game.
/dune menu / /dune gui	Alternative Navigator entry points.
/dune menuitem	Receive the tagged Nether Star navigator item.
/dune choose <faction>	Choose fremen, harkonnen, corrino, atreides or ordos.
/dune kit	Get another faction kit; requires a selected faction.
/dune elytra	Merge a carried Elytra with the worn stillsuit chestplate for 1,000,000 Solaris.
/duneess balance	View your Solaris balance.
/duneess sell	Sell all tagged inventory spice.
/duneess travel [planet]	Open destination selection or travel to a world ID.
/duneess help [page]	Show a help page; next, previous and prev are supported.
/duneess help menu	Open the inventory help guide.
/dune water status	Display the current career label and water-trade message.
/dune water guild / smuggler	Select a career label; actual legal pricing follows appointments.
/dune water sell	Sell all tagged Arrakis water buckets.

Use DuneEss for balance, sales and travel. Typing `/dune balance`, `/dune sell`, `/dune travel` directly produces a relocation message; those chat aliases do not run the DuneEss action. Navigator buttons route the corresponding actions internally.

/dune admin now opens the operator administration GUI. Player mission commands are /dune smuggle status and /dune smuggle cancel, or their /dunenpc equivalents. Right-click a smuggler to accept and deliver missions.

COMMAND REFERENCE

Contracts and political commands

Command	Purpose or condition
/dune serverjobs	List hourly CHOAM offers and your active progress.
/dune serverjobs accept <id>	Accept one currently offered template.
/dune exchange	Open exchange-management menu.
/dune job	Print player listings and remaining quotas.
/dune job post <quota>	Post one listing; quota 1-100,000.
/dune job accept <player>	Accept another player's free listing; name or UUID.
/dune job cancel	Cancel your own unclaimed listing.
/dune job finish	Leave your current worker assignment.
/dune politics status	View Trust, leaders, Emperor, appointments and invasion labels.
/dune politics deposit <amount>	Contribute positive affordable Solaris to the Trust.
/dune politics leader	Show your current elected faction leader.
/dune politics vote <player>	One same-faction leader ballot per bucket.
/dune politics emperorvote <player>	One Emperor ballot per bucket.
/dune politics invasion <house>	Elected leader only; charges the Trust.
/dune politics defend	Register a defending-house contribution.
/dune politics steward <house>	Current Emperor's one Spice Steward appointment.
/dune politics houseofwater <house>	Current Emperor's one House of Water appointment.

`/dune trust` accepts the same politics subcommands. Political authority is earned from the current recorded vote tallies; being a server operator does not automatically make a player the elected leader or Emperor. The target house names are Fremen, Harkonnen, Corrino, Atreides and Ordos.

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

The keeper of the routes



The glowing blaze rod opens operator controls. DuneNPC manages Guild Navigators, smugglers and their missions through its own linked administration page.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

ADMIN GUIDE

The Imperial Admin Scepter

Operators automatically receive a glowing, gold-named blaze rod called Imperial Admin Scepter. The supply check runs about every five seconds, covering joins, respawns and players newly opped while online. It does not add another rod when one is already in the player's inventory. A full inventory is retried when a slot becomes free.

Right-click the scepter in your main hand to open Imperial Administration. /dune admin opens the same GUI. /dune adminitem requests recovery of the rod. Its persistent tag identifies it; renaming an ordinary blaze rod does not create an admin item. It currently uses the vanilla blaze-rod appearance with glint and custom model data 1006.

Menu control	Action
Summon Shai-Hulud	Run the existing sandworm summon at your position on Arrakis.
Place Guild Navigator	Place a tagged, stationary Guild NPC through DuneNPC.
Give Test Spice	Receive one tagged spice item.
Reload Menus	Reload DuneCore gui.yml.
Receive Faction Kit	Receive your currently selected faction's kit.
DuneNPC Management	Open the dedicated NPC administration GUI.
Imperial Status	Display politics, appointments and Trust status.
Close	Close the inventory menu.

Operator checks

Opening and using this GUI requires actual operator status, including when a queued click executes. Granting only dune.admin does not grant the GUI or automatic rod. A retained rod becomes unusable after deop. Individual existing commands may still use dune.admin; the menu also preserves their normal world and argument checks.

The rod and NPC GUI are fixed interfaces in this release. /dune guireload reloads the configurable player Navigator, not these administration layouts. Moving or taking decorative menu items is blocked.

ADMIN GUIDE

DuneNPC management and Guild Navigators

Open the admin rod, choose DuneNPC Management, or use /dunenpc admin. Actual operator status is required for this management GUI and is checked again when an action runs. It operates on the current backend.

NPC menu control	Behavior
Place Guild Navigator	Spawn a Navigator at your current position.
Place Arrakis Smuggler	Spawn a smuggler at your position; requires Arrakis and enabled smugglers.
NPC and Mission Status	Show loaded Navigator and smuggler counts plus current open contracts.
Quest Camp Guide	Display the green/purple meaning and 30-minute camp rules.
Back to Dune Admin	Return to Imperial Administration.

Command equivalents

/dunenpc guildnpc places a Navigator with dune.admin; /dune guildnpc remains its alias. /dunenpc smuggler places a smuggler for an operator. /dunenpc status displays NPC and contract counts for operators. /dunenpc smuggle status and /dunenpc smuggle cancel are player commands; the /dune smuggle equivalents remain available.

Automatic and existing Navigators

DuneNPC handles automatic Navigator placement near each loaded configured planet's safe spawn. It reuses a nearby tagged Navigator instead of duplicating it. The generated and manually placed Navigator is a stationary, invulnerable, silent, persistent cleric villager. Right-click with the main hand to open the existing DuneEss Guild travel menu.

NPC placement and interaction have been removed from Core and Terrain. Core retains game rules and its admin-menu entry; Terrain sets up terrain and world spawn. Existing persistent NPC tags are recognized after the split. DuneNPC depends on DuneCore, DuneEss and Vault, and uses DuneTerrain when installed.

ADMIN GUIDE

NPC migration, settings and recovery

DuneNPC stores configuration and local mission data in plugins/DuneNPC. First installation copies smuggling.yml and smuggler-camps.yml from DuneCore only if the destination is absent. Source files remain as backups. The first DuneNPC config imports legacy smuggler settings and Terrain's Guild NPC enabled flag. Later edits belong in DuneNPC/config.yml.

Setting / file	Default or purpose
guild-npc.enabled	true; automatic Guild Navigators at planet spawn.
smugglers.enabled	true; roaming traders and mission interaction.
smugglers.max-traders	6; automatic population in loaded chunks, bounded from 2 to 20.
smugglers.spice-amount	64; bounded from 1 to 4,096 on a new offer.
smugglers.water-amount	4; bounded from 1 to 36 on a new offer.
smuggling.yml	Player UUID, cargo, reward, source NPC, departure X/Z and absolute deadline.
smuggler-camps.yml	Original NPC state and owned temporary light blocks for restoration.

Restart and upgrade behavior

The mission limit is fixed at 30 real minutes. Old contracts without deadlines get one initial window during upgrade; saved deadlines never reset on ordinary restart. Local files do not transfer missions between backends. Install the matching Core and Terrain versions so old NPC logic is not running alongside DuneNPC.

Before editing state, stop the server and back up both NPC state files. Do not delete only the light journal while camps are active: it records what needs restoration. Unloaded camp cleanup waits for chunks to become available. Normal shutdown restores loaded camps and the next startup reactivates unexpired contracts.

Diagnosing an NPC issue

If the admin button reports DuneNPC missing, check all dependency JARs and enable logs. A vanilla-looking smuggler needs the current client pack. A refused mission may mean a current Imperial appointment; a refused delivery may mean deadline, cargo tag, same trader, insufficient route distance or distance from the receiver. /dune smuggle cancel lets a player abandon a blocked mission without losing cargo.

ADMIN GUIDE

Admin command reference

The commands in the table below use the permission `dune.admin`, which defaults to operators. Grant it through the server's permission system only to trusted operators. Player context is required where the action depends on an inventory or current position.

Command	Effect
/dune summon sandworm [x y z]	Summon a Sniffer-body worm on loaded Arrakis. Explicit coordinates work from console.
/dune guildnpc	Spawn a stationary tagged Guild villager at your current location. DuneNPC handles the spawn and sets invulnerability, silence and persistence.
/dune givespice	Add one tagged spice item to your inventory.
/dune guireload	Reload DuneCore's gui.yml.
/dune serverjobs reload	Reload CHOAM templates; keep applicable current offers until next rotation.
/duneess balance [player]	Inspect an online player's balance. Console must name a player.
/duneess admin solari <player> <amount>	Grant a positive whole-number Solaris amount to an online player.
/duneess admin teleport arrakis [player]	Force teleport the target to loaded Arrakis spawn.
/duneess admin teleport sietch [player]	Search nearby generated sietch candidates and teleport to a found landmark.
/duneess admin teleport spiceblow [player]	Search for a generated or erupted bloom marker and teleport there.
/duneess admin spicebloom [player]	Place an untriggered bloom about 50 blocks ahead of an Arrakis player.

Omit the optional player name to target yourself in-game. From console, supply an online player where required. Landmark teleport and bloom placement require the local Arrakis world; they do not generate a remote proxy world on demand.

An operator can use `/dune choose <faction>` to override an existing faction selection. There is no general live reload command for every gameplay config, no bounty-admin command and no command to regenerate all terrain. Restart after ordinary config edits unless a specific reload command is documented.

The separate /dune admin and /dunenpc admin GUIs require operator status. /dune adminitem recovers the scepter. The preceding NPC management chapter lists the dedicated commands and their permissions.

ADMIN GUIDE

Installing and upgrading

The release targets Minecraft Java / Paper 1.21.4 and Java 21. Install DuneCore 1.0.8, DuneNPC 1.0.0, DuneTerrain 1.0.7 and DuneEss 1.0.1 alongside Vault. The full GitHub server package includes Vault 2.5.0; the plugin-update ZIP includes the four project plugins and resource pack and expects Vault to be installed already.

Upgrade sequence

- Stop the server and back up worlds, plugin folders and shared database state.
- Replace the previous Core and Terrain JARs with the matching versions, add DuneNPC, and keep only one JAR per plugin. Retain DuneEss and Vault. Remove obsolete DuneRealms.jar if present.
- Keep existing state files. DuneNPC copies legacy smuggling.yml and smuggler-camps.yml only when its own copies are absent; originals remain as backups.
- First-time DuneNPC configuration imports Core's smuggler settings and Terrain's Guild NPC enabled flag. Thereafter edit plugins/DuneNPC/config.yml. Do not run an older Core's NPC logic alongside DuneNPC.
- Start and check plugin enable messages. Confirm the planet/proxy settings, open the admin rod's DuneNPC Management page, and test one mission.

Existing NPCs and contracts

Persistent tags are retained, so existing Guild Navigators and smugglers are recognized. Legacy undated contracts receive one initial 30-minute window on migration. Contracts with a saved deadline keep it; restarting does not reset the timer. Camp restoration handles loaded chunks and resumes cleanup when unloaded chunks become available.

Resource pack

Enable DuneResourcePack.zip in the client's .minecraft/resourcepacks folder. Vanilla and Fabric use the same pack; it does not belong in mods. Automatic server delivery needs a direct-download resource-pack URL and client acceptance. Reload the updated pack for smuggler robes. Standard packs change all wandering trader textures, although smuggling behavior is Arrakis-only.

Build from source

Run gradle clean build with Java 21 / Gradle 8.14 in DuneRealms-minecraft-only, DuneNPC, DuneTerrain and DuneEss. DuneNPC's Gradle build compiles the sibling Core dependency; its JAR contains only NPC classes. Install both Core and NPC on the server. In DuneNPC, gradle build :DuneCore:build also runs Core's tests.

ADMIN GUIDE

World generation and primary-world setup

DuneTerrain selects one planet world per backend from `server.planet` in its config. Valid values are arrakis, giedi_prime, kaitain, caladan and sigma_draconis_iv. The world name matches that ID. All profiles remain in the file, but only the selected planet is created by the normal backend setup.

Separate planet world

If Paper's primary world is the ordinary world named world, the plugin creates its selected separate planet after Paper loads its worlds and directly supplies its generator. It also chooses a safe spawn and optionally places the Guild navigator. New players who appear in the primary world are subsequently moved to the configured local planet spawn.

Planet as Paper's primary world

If server.properties level-name is arrakis, Paper must know the generator during initial primary-world loading. In bukkit.yml, the worlds.arrakis section needs generator DuneTerrain:arrakis and biome-provider DuneTerrain:arrakis. For another selected planet, use that ID in all corresponding keys and values. Paper's global/world-default behavior files do not select this generator.

Terrain changes and backups

The generator sets biome, height, filler, surface, water, vegetation and ores only during new chunk generation. Existing chunks are retained. If a world was generated with a different generator, changing config will not replace its rivers or hills. DuneTerrain logs a mismatch when it finds a selected world without its generator.

To intentionally regenerate a world, first stop and back up the server and move the specific old world folder aside before creating a fresh world. Never delete a live world's folder. Regeneration resets built structures and world-contained entities; player and plugin state needs separate consideration.

Arrakis setup freezes the daylight cycle at time 6000. Giedi Prime starts at 18000; other profiles start at 6000 with a running daylight cycle. Spawn X/Z defaults are zero for all five planets.

ADMIN GUIDE

Gameplay tuning and menu configuration

File	Settings and how they are used
plugins/DuneCore/config.yml	Sandworm and raider attributes, chances and limits; heatstroke; politics; water retaliation; proxy mapping; database.
plugins/DuneNPC/config.yml	Guild Navigator placement and Arrakis smuggler enablement, population and cargo quantities.
plugins/DuneEss/config.yml	Spice price, fare, starting balance, negative-balance policy, shared settings inheritance.
plugins/DuneTerrain/config.yml	Selected planet, enabled structures, deposits and each planet's terrain profile.
plugins/DuneCore/server-jobs.yml	Offer count, template ID, title, quota, reward and time limit. Reload with the CHOAM admin command.
plugins/DuneCore/gui.yml	Menu size, title, backgrounds, icons, slots, labels, descriptions and allowed actions. Reload with /dune guireload.

What can be tuned

Natural worm frequency combines a successful-spawn cooldown, population cap, per-player chance and nearby-worm exclusion. Lowering one value does not guarantee a spawn if another condition prevents it. The config's runtime sandworms.next-spawn-at value is written after a natural spawn and retained across restart. Admin summons bypass that automatic gate.

Terrain max-plateaus and plateau-interval have hard caps of three and five even when a larger configured value is supplied. Other generation settings apply only to new chunks. Changing spice price changes future valuation and payout calculations; it does not create more deposits in a previously generated field.

Customizing menus

Sizes must be multiples of nine between nine and 54; slot indices start at zero. Supported action types are open:<menu>, dune:<subcommand>, close and none. Dynamic lists support server_jobs, factions and planets. Placeholders include %player%, %balance%, %travel_cost%, %active_job%, and dynamic IDs/descriptions. Icons must be valid item materials; invalid items fall back to paper.

The default travel list can be raised from four to five items to include Sigma Draconis IV. Labels show the base fare, which may differ from a Steward's actual zero Arrakis fare. Existing water sietch-chunk-chance and edict-minutes settings do not by themselves activate the older proposed systems; use only behavior described in this manual.

ARRAKIS / ILLUSTRATED FIELD NOTES

The Guild connects the worlds



The Spacing Guild navigator opens planet travel. Arrakis sighting coordinates remain local for fifteen real minutes before the Guild informs the proxy network. The heighliner in this illustration is lore scenery, not a flyable feature in the plugin.

The spice must flow.

Concept artwork illustrates the game's themes. Creature scale and architecture are artistic interpretations, not screenshots. The following chapter describes the actual release behavior.

ADMIN GUIDE

The five-backend network

The intended topology is one Paper backend per planet behind a Velocity proxy. Each backend has the same project plugins, but a different selected local planet. DuneTerrain server.planet and DuneCore network.local-planet must match. DuneEss uses the DuneCore network settings by default.

Displayed world	Plugin world ID	Default proxy server name
Arrakis	arrakis	arrakis
Giedi Prime	giedi_prime	giedi-prime
Kaitain	kaitain	kaitain
Caladan	caladan	caladan
Sigma Draconis IV	sigma_draconis_iv	sigma-draconis-iv

The proxy server name must exactly match its configured name. Underscored world IDs and hyphenated proxy names are different strings. Guild travel uses the BungeeCord Connect channel. Global Guild sightings use Message with recipient ALL; the sending backend needs an online player connection.

Proxy prerequisites

Velocity must have BungeeCord plugin-message compatibility enabled through bungee-plugin-message-channel. Configure matching forwarding on the proxy and each Paper backend, and keep backend ports protected from direct player connections. Follow your installed server version's official setup documentation for exact forwarding fields; the plugin is not a replacement for proxy authentication configuration.

What is not a guaranteed network transfer

Connect is asynchronous with no success acknowledgment. The plugin cannot guarantee a destination is online or refund every failed remote arrival. Homeworld selection requests a transfer, but cross-server respawning needs separate routing. Job offers and exchange listings are backend-local. A GUI may show destinations that are not reachable until the administrator configures them.

Do not interpret the existence of all five terrain profiles as proof all five backend servers are running. The reserved planet pages describe the configured base worlds, not their deployment status.

ADMIN GUIDE

Saving, shared data and recovery

State	Current storage and behavior
Faction selection and inventory	Local faction data in players.yml by default; PostgreSQL player profiles when enabled. Shared inventory is saved on quit/profile saves and loaded on join.
Solaris	DuneEss balances.yml locally; optional shared dune_economy_balances PostgreSQL table.
Politics and Trust	politics.yml locally or a shared YAML record in dune_politics.
CHOAM offers and accepted jobs	Local server-jobs-state.yml, with original acceptance timestamps.
Player exchange	Local listings in players.yml in local mode; workers in memory. Shared-mode listing persistence is incomplete.
NPC missions / quest camps	DuneNPC smuggling.yml and smuggler-camps.yml; local real-time deadlines and restoration records.
Guild sightings	Local arrakis-announcements.yml with deadlines and duplicate identities.
Permits and bounties	PostgreSQL tables; no equivalent shared local-file implementation.
Sietch cache claims	Player persistent tags for each cache ID. These are not included as a separate shared profile field.

Enabling PostgreSQL

DuneCore config has database.enabled, jdbc-url, username and password. It creates its profile, politics, permit and bounty tables when initialized. If required shared database initialization fails, DuneCore disables rather than starting its gameplay without that connection. DuneEss normally reuses DuneCore's database settings when enabled.

DuneEss maintains a separate shared economy table and can import legacy database or local balances when that table is empty. A shared-economy initialization failure can fall back to its local ledger; inspect logs rather than assuming the whole network still uses one authoritative balance store.

Scope of synchronization

The current profile blob contains inventory and faction. It does not synchronize every aspect of Minecraft player state, every plugin tag or the local job files. Whole-record politics saving and multi-step payments are not fully transactional across simultaneous backends. Back up the database and local files together before changing storage mode. Do not edit runtime state while the plugins are active.

SUPPORT

Troubleshooting and current limits

Symptom	What to check
Sandworm still looks like a Husk	Confirm DuneCore 1.0.8 is the only installed Core JAR and the world has loaded the converted worm. A skin alone cannot change a Husk into a Sniffer.
Sniffer looks like ordinary green Sniffer	Replace and enable the updated resource pack; check automatic download caching and client acceptance.
Cannot summon	Check dune.admin, loaded Arrakis, numeric coordinates, border/build-height and open space. From console include x y z.
Cannot harvest a deposit	Use the tagged kit shovel, not ordinary netherite or an anvil rename, and ensure you are on Arrakis.
Burning or heatstroke	Equip all four tagged suit slots or take shelter. Default Arrakis time does not progress into night.
No Guild global notice at deadline	Check pending state, a player on Arrakis, network.enabled and proxy channel compatibility. Restart does not reset the deadline.
Travel unavailable or fare lost	Check proxy names and destination availability; Connect has no arrival acknowledgment.
No new plateaus near spawn	Existing chunks retain their earlier generation. Explore new chunks or arrange backed-up regeneration.

Behavior to understand before running a public economy

Water career labels do not determine legal pricing. Smuggling and arrival authorization require correct political state and PostgreSQL for shared enforcement. Operator status is not a substitute for an elected Emperor. CHOAM deadlines run through offline time, and fines can create debt. Ordinary deposit respawn delays do not persist through a restart.

The plugin has no dedicated thirst meter, custom worm mesh, built-in cities, territory-capture engine, general bank/pay system or universal multiplayer inventory transaction manager. The Sniffer body follows a hidden vanilla controller, so its collision and appearance should be checked in a live staging environment. These are current implementation boundaries, not features implied by the Dune lore names.

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

Giedi Prime / industrial shadows



A lore-inspired view of the Harkonnen world. The following reserved chapter records the released swamp and blackstone profile; the depicted industry is concept scenery.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

RESERVED PLANET CHAPTER

Giedi Prime

This is a placeholder chapter for future Giedi Prime gameplay documentation. It is deliberately reserved; Arrakis has its own complete guide earlier in this book. The values below describe the base terrain profile that already exists, not planned content presented as released features.

Current profile	Implemented default
Faction / world ID	Harkonnen / giedi_prime.
Terrain	Swamp biome, blackstone surface, deepslate filler.
Height	Base 61; variation five; noise scale 0.02.
Water	Level 63; swamp pools enabled; coverage 0.18.
Vegetation	No generated trees or flowers.
Ores	Broad coal, iron, copper, gold, redstone, lapis, diamond and emerald generation. Default Y -48 to 48.
Time and proxy	Initial time 18000; proxy name giedi-prime.

Reserved additions

Future documentation can describe industrial landmarks, routes, special resources, hazards and planet-specific objectives when those are implemented. Harkonnen abilities, Guild travel and shared systems already follow the relevant general chapters.

Planet notes and future expansion

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

Kaitain / the Imperial horizon



A lore-inspired Imperial vista. The following reserved chapter records the released plains, flowers and ores; palace architecture is concept scenery.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

RESERVED PLANET CHAPTER

Kaitain

This is a placeholder chapter for future Kaitain gameplay documentation. The current world profile is available, but this page does not invent imperial cities, missions or additional mechanics.

Current profile	Implemented default
Faction / world ID	Corrino / kaitain.
Terrain	Plains biome, grass surface, dirt filler.
Height	Base 70; variation three; noise scale 0.02.
Water	Level zero; swamp pools disabled.
Vegetation	No generated trees; 64 flower placement attempts per chunk.
Ores	Coal, iron, gold, diamond and emerald; notably high gold and diamond attempt counts. Default Y -48 to 48.
Time and proxy	Initial time 6000; proxy name kaitain.

Reserved additions

Reserve this space for implemented imperial landmarks, economic activities, regional hazards and routes. Corrino armor and combat passives are described in the faction chapter; political elections and appointments are general systems rather than a Kaitain-only quest line.

Planet notes and future expansion

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

Caladan / water and green lands



A lore-inspired Atreides vista. The following reserved chapter records the current jungle and water profile; additional local missions remain future documentation.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

RESERVED PLANET CHAPTER

Caladan

This is a placeholder chapter for future Caladan gameplay documentation. The terrain and travel destination already exist; the later expanded chapter can document released local activities without changing the general player guide.

Current profile	Implemented default
Faction / world ID	Atreides / caladan.
Terrain	Jungle biome, grass surface, dirt filler.
Height	Base 67; variation ten; noise scale 0.02.
Water	Level 72; pools enabled; coverage 0.55.
Vegetation	Trees enabled with 0.035 chance; no flower placement attempts.
Ores	Coal, iron, copper and diamonds; default Y -48 to 48.
Time and proxy	Initial time 6000; proxy name caladan.

Reserved additions

Future entries can cover coastlines, routes, settlements and water-world activities when implemented. Caladan's profile is a procedural jungle-and-water world; it is not a hand-built Atreides capital. The current Atreides Speed and full-set health bonuses work through the faction system.

Planet notes and future expansion

DUNE / ILLUSTRATED WORLDS AND CHARACTERS

Sigma Draconis IV / cold horizons



An Ordos-inspired cold-world concept. The following reserved chapter documents snowy terrain; new settlements and local survival systems are not implied.

Concept artwork. The adjacent guide describes the implemented plugin behavior.

RESERVED PLANET CHAPTER

Sigma Draconis IV

This is a placeholder chapter for future Sigma Draconis IV gameplay documentation. The fifth planet is already a valid world ID and Guild destination, even though the default DuneCore travel GUI displays only four entries.

Current profile	Implemented default
Faction / world ID	Ordos / sigma_draconis_iv.
Terrain	Snowy Plains biome, snow-block surface, deepslate filler.
Height	Base 72; variation 14; noise scale 0.02.
Water	Level zero; swamp pools disabled.
Vegetation	No generated trees or flower attempts.
Ores	Coal, iron, copper and diamonds; default Y -48 to 48.
Time and proxy	Initial time 6000; proxy name sigma-draconis-iv.

Reserved additions

Reserve future space for cold-world landmarks, exploration and Ordos-specific objectives that are actually released. Snowy terrain does not currently introduce a custom freezing meter or survival system. Ordos's implemented Shadow Step and explosive charge are described earlier.

Use `/duneess travel sigma_draconis_iv` or the DuneEss travel menu to reach this configured destination; operators can increase the Navigator's dynamic max-items to five.

Planet notes and future expansion

REFERENCE

Glossary and source notes

Term	Meaning in this release
Tagged item	An item carrying the plugin's persistent identifier, rather than only a display name.
Spice bloom / blow	A magma-marked discovery; its triggered eruption converts nearby sand into spice.
Base field value	Deposit count multiplied by spice price at ordinary one-unit yield; not a guaranteed cash payout.
CHOAM contract	Hourly server-issued quota job with a time limit, reward and failure fine.
Player exchange job	Sponsor listing whose harvested value is split 15% worker and 85% sponsor.
Steward / House of Water	Current imperial appointments granting legal commodity rights.
Backend / proxy	A planet's Paper server / the Velocity server routing players between backends.
Sniffer body / Husk controller	The visible, damageable sandworm / its invisible native zombie AI partner.

Source of truth

This guide was checked against the source in unimatrixgit/mcdune, including DuneCore.java, SandwormMobs.java, ArrakisAnnouncements.java, ArrakisWater.java, Politics.java, ServerJobs.java, SharedDatabase.java, ConfigurableGui.java, AdminGui.java, DuneNPC.java, Smugglers.java, SmugglerCamps.java, DuneEss.java, DuneEconomy.java, DuneTerrain.java and RockPlateaus.java. Shipped config.yml, gui.yml, server-jobs.yml and plugin.yml files supply default settings and versions. Code takes precedence over conflicting older README text.

Session 2 originally shipped in commit 2e81c9d. This edition covers source commit a4bb6c9: DuneCore 1.0.8, DuneNPC 1.0.0, DuneTerrain 1.0.7 and DuneEss 1.0.1, with the updated resource pack. The admin summon command is already part of the plugin; this book is not an instruction to add it manually.

Artwork and textures

The pack retains vanilla Sniffer and wandering-trader geometry. Built-in imagegen produced the desert skins, new scenes and reference icons. Smuggler dialogue is original in-game flavor. Concept artwork does not add cities, aircraft, clothing models or new structures. The appendix reproduces every shipped config.yml leaf value.

ILLUSTRATED ITEM CATALOGUE

Fremen field equipment

Homeworld: Arrakis. Faction suit color: orange. Unbreaking III on every kit piece; Swift Sneak III on leggings. Two spice units per deposit.



Fremen helmet

Tagged leather stillsuit. Three armor points, toughness three, knockback resistance 0.1.



Fremen chestplate

Tagged leather stillsuit. Eight armor points; required worn chestplate for the Elytra merge.



Fremen leggings

Tagged leather stillsuit. Six armor points, toughness three, knockback resistance 0.1.



Fremen boots

Tagged leather stillsuit. Three armor points. Wear all four slots for heat protection.



Fremen winged suit

Tagged Elytra upgrade. Costs 1,000,000 Solaris plus a carried Elytra; retains chest protection.



Spice Harvest Shovel

Tagged netherite shovel; Efficiency V and Unbreaking III. Required to harvest spice.

Illustrated reference icons. In-game kits use colored vanilla leather armor with custom attributes and tags; the winged item uses vanilla Elytra geometry. The sixth card is a related reference item, not necessarily an extra exclusive kit reward.

ILLUSTRATED ITEM CATALOGUE

Harkonnen field equipment

Homeworld: Giedi Prime. Faction suit color: red. Combat damage +15%; matching full set refreshes Strength II.



Harkonnen helmet

Tagged leather stillsuit. Three armor points, toughness three, knockback resistance 0.1.



Harkonnen chestplate

Tagged leather stillsuit. Eight armor points; required worn chestplate for the Elytra merge.



Harkonnen leggings

Tagged leather stillsuit. Six armor points, toughness three, knockback resistance 0.1.



Harkonnen boots

Tagged leather stillsuit. Three armor points. Wear all four slots for heat protection.



Harkonnen winged suit

Tagged Elytra upgrade. Costs 1,000,000 Solaris plus a carried Elytra; retains chest protection.



Melange Spice

Tagged orange dye. Direct sales use /duneess sell; default base value 15 Solaris per unit.

Illustrated reference icons. In-game kits use colored vanilla leather armor with custom attributes and tags; the winged item uses vanilla Elytra geometry. The sixth card is a related reference item, not necessarily an extra exclusive kit reward.

ILLUSTRATED ITEM CATALOGUE

Corrino field equipment

Homeworld: Kaitain. Faction suit color: purple. Protection III on kit armor; entity-caused incoming combat damage is reduced by 15%.



Corrino helmet

Tagged leather stillsuit. Three armor points, toughness three, knockback resistance 0.1.



Corrino chestplate

Tagged leather stillsuit. Eight armor points; required worn chestplate for the Elytra merge.



Corrino leggings

Tagged leather stillsuit. Six armor points, toughness three, knockback resistance 0.1.



Corrino boots

Tagged leather stillsuit. Three armor points. Wear all four slots for heat protection.



Corrino winged suit

Tagged Elytra upgrade. Costs 1,000,000 Solaris plus a carried Elytra; retains chest protection.



Arrakis Water

Tagged finite-source water bucket. Sold through /dune water sell; authorization affects price.

Illustrated reference icons. In-game kits use colored vanilla leather armor with custom attributes and tags; the winged item uses vanilla Elytra geometry. The sixth card is a related reference item, not necessarily an extra exclusive kit reward.

ILLUSTRATED ITEM CATALOGUE

Atreides field equipment

Homeworld: Caladan. Faction suit color: blue. Movement can refresh Speed I. Matching full set adds four hearts while equipped.



Atreides helmet

Tagged leather stillsuit. Three armor points, toughness three, knockback resistance 0.1.



Atreides chestplate

Tagged leather stillsuit. Eight armor points; required worn chestplate for the Elytra merge.



Atreides leggings

Tagged leather stillsuit. Six armor points, toughness three, knockback resistance 0.1.



Atreides boots

Tagged leather stillsuit. Three armor points. Wear all four slots for heat protection.



Atreides winged suit

Tagged Elytra upgrade. Costs 1,000,000 Solaris plus a carried Elytra; retains chest protection.



Dune Navigator

Tagged Nether Star. Left- or right-click to open the menu; restore with /dune menuitem.

Illustrated reference icons. In-game kits use colored vanilla leather armor with custom attributes and tags; the winged item uses vanilla Elytra geometry. The sixth card is a related reference item, not necessarily an extra exclusive kit reward.

ILLUSTRATED ITEM CATALOGUE

Ordos field equipment

Homeworld: Sigma Draconis IV. Faction suit color: green. Matching full set enables five-second Shadow Step on main-hand Ender Pearl use.



Ordos helmet

Tagged leather stillsuit. Three armor points, toughness three, knockback resistance 0.1.



Ordos chestplate

Tagged leather stillsuit. Eight armor points; required worn chestplate for the Elytra merge.



Ordos leggings

Tagged leather stillsuit. Six armor points, toughness three, knockback resistance 0.1.



Ordos boots

Tagged leather stillsuit. Three armor points. Wear all four slots for heat protection.



Ordos winged suit

Tagged Elytra upgrade. Costs 1,000,000 Solaris plus a carried Elytra; retains chest protection.



Ordos Implosion Charge

Tagged Wind Charge. Replenishes after launch; impact creates immediate TNT.

Illustrated reference icons. In-game kits use colored vanilla leather armor with custom attributes and tags; the winged item uses vanilla Elytra geometry. The sixth card is a related reference item, not necessarily an extra exclusive kit reward.

ILLUSTRATED ITEM CATALOGUE

Sietch cache supplies

Each unclaimed personal cache contains all six supply types below. Claiming supplies is separate from harvesting a CHOAM quota.



Gold helmet

One per personal cache. Protection II and Unbreaking II. Not a tagged stillsuit.



Gold chestplate

One per personal cache. Protection II and Unbreaking II. Does not prevent heatstroke.



Gold leggings

One per personal cache. Protection II and Unbreaking II.



Gold boots

One per personal cache. Protection II and Unbreaking II.



Oak planks

32 per cache. Ordinary building supplies.



Bread

16 per cache. Ordinary food. The cache also contains 250 tagged spice units.

Cache overflow is transferred or dropped when you close the inventory. Each player can claim a specific sietch once. The enchanted gold gear does not qualify as a stillsuit.

ILLUSTRATED ITEM CATALOGUE

Travel, weapons and explosives

These ordinary Minecraft items support plugin mechanics. They are not all granted by a faction kit.



Ender Pearl

Main-hand use activates Ordos Shadow Step when wearing a matching full set.



Ordinary Elytra

Carry one while wearing a stillsuit chestplate for the paid winged upgrade.



Arrow

An arrow impact can activate a magma-marked spice bloom.



Trident

A trident impact can also trigger a spice bloom.



TNT

The tagged Ordos charge creates an immediate primed TNT explosion on impact.



Iron sword

Haunted Fremen raiders carry one. Their equipment has zero gear drop chance.

Illustrated icons describe existing interactions; these pages do not add crafting recipes, new weapons, or a free-item command. Use only the documented kit and admin actions.

ILLUSTRATED ITEM CATALOGUE

Markers and supporting items

Recognize the equipment and landscape markers involved in Arrakis gameplay and navigation.



Raider leather helmet

Ordinary helmet worn by Haunted Fremen raiders. Not faction-tagged loot.



Empty bucket

Used for natural-source collection. Normal water sales remove buckets; NPC water missions return empties.



Suspicious sand

Arrakis spice deposit. The resource pack makes it spice-gold; harvest with the tagged shovel.



Magma marker

Untriggered bloom: 3x3 lower patch with a raised central magma block.



Glowstone marker

Raised bloom center after eruption. Nearby suitable sand becomes spice deposits.



Guild compass




A Navigator interface icon for travel. It is a menu symbol, not a separately granted travel artifact.

Artwork is an illustrated reference, not a replacement resource pack. Actual models and textures come from Minecraft and the supplied DuneResourcePack.zip. The following page covers additional interface symbols; the entire vanilla item library is outside this catalogue.

ILLUSTRATED INTERFACE CATALOGUE

Navigator and help symbols

These are recognizable vanilla material icons used by the Navigator or help guide. Clicking a menu icon runs an action; it does not grant the pictured object.

 Gold ingot Wallet / Solaris	 Emerald CHOAM contracts	 Paper Contract offer	 Clock Active job / time
 Writable book Spice exchange	 Book Player listings	 Chest Cache / exchange	 Shield Faction selection
 Comparator GUI reload guide	 Barrier Cancel listing	 Oak door Leave worker job	 White banner Faction help symbol
 Map Arrakis travel guide	 Husk spawn egg Admin summon help	 Leather chestplate Kit menu symbol	 Arrow Previous / back

The summon help uses a Husk spawn-egg menu symbol, but the actual summoned body is a Sniffer with an invisible Husk controller. Colored glass backgrounds are interface decoration.

ILLUSTRATED ADMIN CATALOGUE

Scepter and NPC controls

Four new reference icons join the original sixty-four. Artwork helps identify the material; the GUI does not grant the illustrated spawn eggs.



Imperial Admin Scepter

Tagged blaze rod, gold name and glint. Right-click in the main hand; operators only. Custom model data 1006.




Wandering trader egg

NPC administration icon: place an Arrakis Smuggler. An interface control, not a free egg item.



Villager egg

NPC administration icon: place a stationary, protected Guild Navigator at your position.



Sniffer egg

Imperial admin icon: summon Shai-Hulud. The actual worm is a Sniffer body with a hidden Husk controller.

ADMIN APPENDIX

Default configuration reference

Every setting below is copied from the release configuration files. Existing server files can differ because upgrades keep their saved configuration. Paths are relative to the corresponding plugin config.yml. Full GUI layouts are controlled separately in gui.yml; contract templates are in server-jobs.yml.

DuneCore

Setting	Shipped default
spice-respawn-seconds	120
sandworms.enabled	true
sandworms.health	500.0
sandworms.attack-damage	8.0
sandworms.movement-speed	0.33
sandworms.scale	3.5
sandworms.max-per-world	3
sandworms.spawn-chance	0.35
sandworms.spawn-interval-seconds	3600
spice-raiders.enabled	true
spice-raiders.max-per-world	12
spice-raiders.chance-per-player-check	0.08
spice-raiders.chance-near-rich-field	0.45
spice-raiders.field-radius	32
spice-raiders.field-value-threshold	5000
spice-raiders.health	36.0
spice-raiders.attack-damage	6.0
spice-raiders.movement-speed	0.28
arrakis-sun.enabled	true
arrakis-sun.lethal-seconds	300
arrakis-sun.warning-interval-seconds	30

Setting	Shipped default
network.enabled	true
network.local-planet	arrakis
network.servers.arrakis	arrakis
network.servers.giedi_prime	giedi-prime
network.servers.kaitain	kaitain
network.servers.caladan	caladan
network.servers.sigma_draconis_iv	sigma-draconis-iv
politics.trust-levy	0.0121
politics.invasion-cost	50000
politics.invasion-minutes	60
politics.defenders-needed	5
politics.arrakis-edict-minutes	60
arrakis-water.smuggler-retaliation-chance	0.3
arrakis-water.sietch-chunk-chance	90
database.enabled	false
database.jdbc-url	jdbc:postgresql://127.0.0.1:5432/dunerealms
database.username	dune
database.password	CHANGE_ME

DuneNPC

Setting	Shipped default
guild-npc.enabled	true
smugglers.enabled	true
smugglers.max-traders	6
smugglers.spice-amount	64
smugglers.water-amount	4

DuneEss

Setting	Shipped default
currency.singular	Solaris
currency.plural	Solaris
currency.spice-price	15
currency.travel-price	100
currency.starting-balance	0
currency.allow-negative-balances	true
database.use-core-database	true
network.use-core-settings	true
network.enabled	true
network.local-planet	arrakis
worlds	["arrakis", "giedi_prime", "kaitain", "caladan", "sigma_draconis_iv"]

DuneTerrain

Setting	Shipped default
server.planet	arrakis
sietches.enabled	true
sietches.spacing	2000
spice-blow.enabled	true
spice-blow.spacing	2000
spice-blow.radius	24
spice-blow.target-value	15000
spice-blow.unit-price	15
spice-deposits.per-chunk	2
spice-deposits.patches.enabled	true
spice-deposits.patches.region-spacing	600
spice-deposits.patches.chance-per-region	0.35
spice-deposits.patches.radius	12
spice-deposits.patches.target-value	5000
spice-deposits.patches.unit-price	15
planets.arrakis.enabled	true
planets.arrakis.spawn.x	0
planets.arrakis.spawn.z	0
planets.arrakis.terrain.base-height	70
planets.arrakis.terrain.height-variation	11
planets.arrakis.terrain.noise-scale	0.02
planets.arrakis.biome	DESERT
planets.arrakis.surface	SAND
planets.arrakis.filler	RED_SAND
planets.arrakis.water.level	63

Setting	Shipped default
planets.arrakis.water.swamp-pools	false
planets.arrakis.water.coverage	0.18
planets.arrakis.vegetation.trees	false
planets.arrakis.vegetation.tree-chance	0.0
planets.arrakis.vegetation.flowers-per-chunk	0
planets.arrakis.oasis-trees.enabled	true
planets.arrakis.oasis-trees.spacing	300
planets.arrakis.oasis-trees.trunk-height	7
planets.arrakis.darkstone-islands.enabled	true
planets.arrakis.darkstone-islands.spacing	750
planets.arrakis.darkstone-islands.min-radius	45
planets.arrakis.darkstone-islands.max-radius	55
planets.arrakis.darkstone-islands.max-height	14
planets.arrakis.darkstone-islands.max-plateaus	3
planets.arrakis.darkstone-islands.plateau-interval	5
planets.arrakis.ores.min-y	-48
planets.arrakis.ores.max-y	48
planets.arrakis.ores.vein-size	5
planets.arrakis.ores.COAL_ORE	2
planets.arrakis.ores.IRON_ORE	2
planets.arrakis.ores.COPPER_ORE	1
planets.giedi_prime.enabled	true
planets.giedi_prime.spawn.x	0
planets.giedi_prime.spawn.z	0
planets.giedi_prime.terrain.base-height	61
planets.giedi_prime.terrain.height-variation	5

Setting	Shipped default
planets.giedi_prime.terrain.noise-scale	0.02
planets.giedi_prime.biome	SWAMP
planets.giedi_prime.surface	BLACKSTONE
planets.giedi_prime.filler	DEEPSLATE
planets.giedi_prime.water.level	63
planets.giedi_prime.water.swamp-pools	true
planets.giedi_prime.water.coverage	0.18
planets.giedi_prime.vegetation.trees	false
planets.giedi_prime.vegetation.tree-chance	0.0
planets.giedi_prime.vegetation.flowers-per-chunk	0
planets.giedi_prime.ores.min-y	-48
planets.giedi_prime.ores.max-y	48
planets.giedi_prime.ores.vein-size	5
planets.giedi_prime.ores.COAL_ORE	14
planets.giedi_prime.ores.IRON_ORE	12
planets.giedi_prime.ores.COPPER_ORE	9
planets.giedi_prime.ores.GOLD_ORE	7
planets.giedi_prime.ores.REDSTONE_ORE	8
planets.giedi_prime.ores.LAPIS_ORE	5
planets.giedi_prime.ores.DIAMOND_ORE	4
planets.giedi_prime.ores.EMERALD_ORE	2
planets.kaitain.enabled	true
planets.kaitain.spawn.x	0
planets.kaitain.spawn.z	0
planets.kaitain.terrain.base-height	70
planets.kaitain.terrain.height-variation	3

Setting	Shipped default
planets.kaitain.terrain.noise-scale	0.02
planets.kaitain.biome	PLAINS
planets.kaitain.surface	GRASS_BLOCK
planets.kaitain.filler	DIRT
planets.kaitain.water.level	0
planets.kaitain.water.swamp-pools	false
planets.kaitain.water.coverage	0.18
planets.kaitain.vegetation.trees	false
planets.kaitain.vegetation.tree-chance	0.0
planets.kaitain.vegetation.flowers-per-chunk	64
planets.kaitain.ores.min-y	-48
planets.kaitain.ores.max-y	48
planets.kaitain.ores.vein-size	5
planets.kaitain.ores.COAL_ORE	4
planets.kaitain.ores.IRON_ORE	5
planets.kaitain.ores.GOLD_ORE	15
planets.kaitain.ores.DIAMOND_ORE	18
planets.kaitain.ores.EMERALD_ORE	3
planets.caladan.enabled	true
planets.caladan.spawn.x	0
planets.caladan.spawn.z	0
planets.caladan.terrain.base-height	67
planets.caladan.terrain.height-variation	10
planets.caladan.terrain.noise-scale	0.02
planets.caladan.biome	JUNGLE
planets.caladan.surface	GRASS_BLOCK

Setting	Shipped default
planets.caladan.filler	DIRT
planets.caladan.water.level	72
planets.caladan.water.swamp-pools	true
planets.caladan.water.coverage	0.55
planets.caladan.vegetation.trees	true
planets.caladan.vegetation.tree-chance	0.035
planets.caladan.vegetation.flowers-per-chunk	0
planets.caladan.ores.min-y	-48
planets.caladan.ores.max-y	48
planets.caladan.ores.vein-size	5
planets.caladan.ores.COAL_ORE	4
planets.caladan.ores.IRON_ORE	5
planets.caladan.ores.COPPER_ORE	5
planets.caladan.ores.DIAMOND_ORE	2
planets.sigma_draconis_iv.enabled	true
planets.sigma_draconis_iv.spawn.x	0
planets.sigma_draconis_iv.spawn.z	0
planets.sigma_draconis_iv.terrain.base-height	72
planets.sigma_draconis_iv.terrain.height-variation	14
planets.sigma_draconis_iv.terrain.noise-scale	0.02
planets.sigma_draconis_iv.biome	SNOWY_PLAINS
planets.sigma_draconis_iv.surface	SNOW_BLOCK
planets.sigma_draconis_iv.filler	DEEPSLATE
planets.sigma_draconis_iv.water.level	0
planets.sigma_draconis_iv.water.swamp-pools	false
planets.sigma_draconis_iv.water.coverage	0.18

Setting	Shipped default
planets.sigma_draconis_iv.vegetation.trees	false
planets.sigma_draconis_iv.vegetation.tree-chance	0.0
planets.sigma_draconis_iv.vegetation.flowers-per-chunk	0
planets.sigma_draconis_iv.ores.min-y	-48
planets.sigma_draconis_iv.ores.max-y	48
planets.sigma_draconis_iv.ores.vein-size	5
planets.sigma_draconis_iv.ores.COAL_ORE	5
planets.sigma_draconis_iv.ores.IRON_ORE	5
planets.sigma_draconis_iv.ores.COPPER_ORE	2
planets.sigma_draconis_iv.ores.DIAMOND_ORE	2