

پزشک: آقای دکتر فرخی



۱۴۰۵/۰۲/۱۲

تاریخ پذیرش:

۱۴۰۵/۰۳/۲۰

تاریخ چاپ:

صفحه: ۱ از ۲
سن: ۴۱ سال

شماره پذیرش: ۱۱۲۱۱

0940040311






نام: آقای مرتضی هادوی

Hematology

C.B.C

	Result	Unit	Reference Value
WBC	7.7	Tho/ μ l	3.5-10.5
RBC	5.7	Mil/ μ l	4.3-5.7
Hemoglobin	16.0	g/dL	13.5-17.5
Hematocrit	47.7	%	38-51
MCV	83.8	fL	81-95
MCH	28.0	pg	27-33
MCHC	33.5	g/dL	32-36
Platlet	229	Tho/ μ l	145-420
RDW_CV	13.6	%	11.5-15.6
PDW	16.5	fL	9-17
MPV	10.2	fL	6.5-12
PCT	0.2	%	0.108-0.282
P-LCC	65	$10^9/L$	30-90
P-LCR	28.5	%	11-45
NRBC%	0.00	%	



WBC Differential	Result	Unit	Reference Value
Neutrophils	56.5	%	
Lymphocyte	33.2	%	
Monocyte	7.7	%	
Eosinophil	2.3	%	
Basophil	0.3	%	
Neutrophils	4.3	Tho/ μ l	
Lymphocytes	2.5	Tho/ μ l	
Monocyte	0.6	Tho/ μ l	
Eosinophil	0.2	Tho/ μ l	
Basophil	0.0	Tho/ μ l	

The CBC was performed using the Mindray BC-6800 Plus analyzer

Biochemistry

Test	Result	Unit	Reference Range
Fasting Blood Sugar	103	mg/dL	75-110
25 OH - D3 (CL)	37.6	ng/mL	Deficient: <30 Sufficient: 30-100 Potential Toxicity: >100
Hb A1C	5.9	%	Non diabetic : <6% Target of therapy : 6-7% change of therapy >7%

A1C Hemoglobin Electrophoresis Method is Sebia Capillarys 3

Cholesterol	223	mg/dL	70-240
Triglyceride	240	mg/dL	<245
HDL	32	mg/dL	30-70
LDL	154	mg/dL	Up to 160
SGOT (AST)	25	U/L	up to 40

Biochemistry Continue

SGPT (ALT)	27	U/L	up to 45
Zinc	97	µg/dL	73-127

The Biochemistry was performed using the Mindray BS-800M AutoAnalyzer

Hormone

Test	Result	Unit	Reference Range
PSA	0.2	ng/mL	up to 4



دسترسی به خدمات غیر حضوری

