


















非傳染病 = 不會傳染，但風險因素可能會傳播
Non-infectious = not transmitted, but a risk factor may still spread



脂質過多 → 沉積 → 硬塊 → 血管變窄
Too many lipids → deposit → plaque → narrower vessel



冠狀動脈變窄 → 心肌缺氧 → 冠心病
Narrow coronary arteries → less oxygen → coronary heart disease



不受控分裂 → 腫瘤 → 惡性侵入其他組織
Uncontrolled division → tumour → malignant invasion

1 癌症本身不傳染，但有四類風險因素。
Cancer itself is not contagious, but there are four kinds of risk factor.

癌症風險告示板

 不健康生活習慣 Unhealthy lifestyle	 致癌物 Carcinogens
 遺傳 Genetic factors	 病毒感染 Viral infections

2 長期接觸致癌物，例如焦油，會增加肺癌風險。要戒煙！
Long-term exposure to carcinogens such as tar raises lung cancer risk. Quit smoking!


焦油
Tar


肺癌
Lung cancer

3 HPV 感染會增加子宮頸癌風險，可以接種 HPV 疫苗。
HPV infection increases cervical cancer risk. Get the HPV vaccine.


HPV


子宮頸癌
Cervical cancer


HPV 疫苗
HPV vaccine

4 肝癌風險包括生活習慣、過量酒精和乙型肝炎。少喝酒，接種乙肝疫苗！
Liver cancer risks include lifestyle, too much alcohol and hepatitis B. Drink less and get the hepatitis B vaccine!


遺傳因素
Genetic factors


乙型肝炎
Hepatitis B


肝癌
Liver cancer

5 大腸癌和胃癌：少吃加工肉類，多吃膳食纖維，並定期運動。
For colorectal and stomach cancer: eat less processed meat, eat more dietary fibre, and exercise regularly.

大腸癌
Colorectal cancer



胃癌
Stomach cancer









6 皮膚癌要避免過量紫外光。乳癌和前列腺癌要注意生活習慣和定期運動！
For skin cancer avoid too much UV light. Breast and prostate cancer: watch lifestyle and exercise regularly!

皮膚癌
Skin cancer



乳癌
Breast cancer



前列腺癌
(只限男性)
Prostate cancer (male only)




風險因素可能會傳播，但癌症本身不傳染
A risk factor may spread, but cancer itself is not contagious








糖尿病 = 血糖異常高，尿糖不是病因



Diabetes = abnormally high blood glucose; urine glucose is not the cause



一型 = 胰島素不足 / 二型 = 敏感度下降
Type 1 = not enough insulin / Type 2 = reduced sensitivity



澱粉要先消化 → 血糖升得慢
Starch must be digested first → blood glucose rises slowly



哮喘 → 遺傳、過敏原、吸煙 → 避開、清新空氣、不吸煙
Asthma → genetics, allergens, smoking → avoid, purify, no smoking

1 有些非傳染病
是因為缺乏營養素！
Some non-infectious diseases
are caused by nutrient deficiency!

缺乏營養素
資料櫃
Missing
Nutrient
Cabinet

2 缺乏蛋白質會引致蛋白質營養不良，
多吃肉類或蘑菇。缺乏維他命D會引致
佝僂病，要日照和多喝奶。
Lack of protein causes kwashiorkor: eat more
meat or mushroom. Vitamin D deficiency causes
rickets: get sunlight and drink more milk.

蛋白質營養不良
Kwashiorkor
- empty protein

佝僂病
Rickets
- vitamin D

3 缺乏鈣會引致骨質疏鬆，多喝奶。
缺乏鐵會引致貧血，多吃綠色蔬菜。
Calcium deficiency causes osteoporosis:
drink more milk. Iron deficiency causes
anaemia: eat more green vegetables.

骨質疏鬆
Osteoporosis
- calcium

貧血
Anaemia
- iron

4 缺碘會甲狀腺腫，吃海藻。缺維他命A會夜盲，
多吃胡蘿蔔。缺維他命C會壞血病，多吃橙。
Iodine deficiency causes goitre: eat seaweed.
Vitamin A deficiency causes night blindness: eat
more carrots. Vitamin C deficiency causes scurvy:
eat more oranges.

甲狀腺腫
Goitre
- iodine

夜盲症
Night blindness
- vitamin A

壞血病
Scurvy
- vitamin C

5 有風險因素，
不等於一定會患病！
A risk factor does not mean
you will certainly get
the disease!

風險因素 ≠
100% 發病
Risk factors ≠
100% chance of disease

6 認清成因，選對預防，
沉默的疾病也能被看穿！
Find the cause, choose the right prevention,
and even silent diseases can be understood!

靜心健康花園
Quiet
Health Garden

非傳染病
↓
成因/風險因素
↓
相應預防方法

風險因素 ≠ 必然發病 / 非傳染病 → 成因 → 預防
Risk ≠ certainty / Non-infectious disease → cause → prevention