

SwimDek® Installation Instructions

For M Series and A Series Spa Models

Important:

- Store SwimDek pads in a cool, dry indoor location out of direct sunlight until installation.
- **DO NOT** install SwimDek in temperatures below 60°F (15.6°C).
- Let spa with installed SwimDek rest for 72 hours before filling spa with water.
- Only chlorine-based water care products should be used with SwimDek.

Preparation:

1. Use isopropyl alcohol and cloth to thoroughly clean spa surface area where SwimDek will be applied. Please follow state and/or country regulations for proper chemical handling.
2. Allow surface area to dry completely.
3. Use isopropyl alcohol and cloth to clean the back of each SwimDek piece.

Installation:

1. Position SwimDek pieces in spa according to model diagram to ensure proper placement.
2. Align first SwimDek piece within spa surface area and mark edges with a pencil.
3. Turn pad over so adhesive paper is face up. With a sharp razor knife, carefully cut the paper from center of the pad towards towards each edge (center to top, center to bottom). **DO NOT** cut into the SwimDek pad.
4. From center cut, peel each paper edge and and fold back to produce a 2" (5 cm) crease.
5. Turn the pad back over and use pencil markings to realign. Use masking tape as needed to secure pad in place.
6. Apply gentle downward pressure to the center of the pad where adhesive is exposed.
7. Lift up one side and peel adhesive paper back towards the edge while gently laying pad on the spa surface.
8. Firmly press down on the pad where the exposed adhesive is. Apply pressure from the center of the pad outward (center to top, center to bottom) to ensure no air is trapped beneath the pad.
9. Continue to lift the pad and peel back paper to expose an additional 2"-3" (5 cm-7.5 cm). Repeat until you reach the edge of the pad. **DO NOT** pull or stretch SwimDek pad during this step.
10. Remove masking tape, then repeat steps 8 and 9 for other side of pad.
11. Firmly press down on all edges to ensure no water will permeate the pads. **DO NOT** attempt to remove or adjust placement once pad is down.


Water Care Products:

Only chlorine-based water care products should be used with SwimDek. Bromine-based products can lead to product degradation and will void SwimDek's limited warranty. For questions regarding recommended chemicals, customers can contact quality@swimdek.com.


Cleaning:

To clean dirt and footprints off SwimDek, add an all-purpose cleaner, degreaser, or dish soap to warm water and apply with a medium bristled brush. Gently scrub, then rinse with clean water. Repeat if necessary.


M9 SwimDek Layout



M8 SwimDek Layout



M7 SwimDek Layout



M6 SwimDek Layout



A9L SwimDek Layout



A8L SwimDek Layout



A8 SwimDek Layout



A7L SwimDek Layout



A7D SwimDek Layout



A7 SwimDek Layout



A6L SwimDek Layout



A6 SwimDek Layout



A5L SwimDek Layout

