

Sample Received: June 10, 2026

COA Issued: June 15, 2026

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:	MW (g/mol):
WholesaleUSPeptides.com	GLP1-S 10mg	White lyophilized powder	1318	4113.6

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS

Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: GLP1-S	Semaglutide	MALDI-MS	✓ Conforms
Content	10.67 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram (Retention Time: 10.864 min)

Vendor product photo removed for public display

▶QC262707-GLP1-S)*DAD1A,Sig=214.0,4.0 Ref=off [g]

Response [mAU]

Retention time [min]

Mass Spectrum

Intens. [a.u.] x10^4

4113.500 [M+H]⁺

262707 GLP1-S 0:J19 MS Raw

m/z

Certification: This COA confirms that the tested material meets or exceeds Bioviridian’s analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.