

Sample Received: June 10, 2026

COA Issued: June 15, 2026

PRODUCT INFORMATION

|                         |                |                          |             |             |
|-------------------------|----------------|--------------------------|-------------|-------------|
| Vendor:                 | Sample Name:   | Sample Type:             | Lot Number: | MW (g/mol): |
| WholesaleUSPeptides.com | Epithalon 50mg | White lyophilized powder | 1318        | 390.3       |

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

| Specification       | Result      | Method            | Status     |
|---------------------|-------------|-------------------|------------|
| Identity: Epithalon | Epithalon   | MALDI-MS          | ✓ Conforms |
| Content             | 50.29 mg    | HPLC Quantitation | ✓ Conforms |
| Overall Purity      | 99.8%       | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin           | <0.05 EU/mL | <USP85>           | ✓ Conforms |
| Heavy Metals        | <0.01 ppm   | <USP232>          | ✓ Conforms |

HPLC Chromatogram (Retention Time: 1.626 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian’s analytical quality specifications for peptide research use.  
Visit: <https://bioviridians.com/coa-search.html>



Shane Straight

Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.