

Sample Received: May 6, 2026

COA Issued: May 12, 2026

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:	MW:
WholesaleUSPeptides.com	KLOW 80mg	Blue lyophilized powder	1218	342, 403, 1419, 4964

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	BPC157	MALDI-MS	✓ Conforms
Content	51.76, 11.78, 9.45, 10.23 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms



ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.117, 2.40, 5.78, 5.98 min)

Vendor product photo removed for public display



Mass Spectrum (MALDI-MS)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian’s analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.