

Stash scenarios

Sometimes you are mid-edit and need a clean tree, to switch branches, pull updates, or run a quick experiment

Push, list, then pop or apply

- Stash push saves tracked dirty files and resets the working tree to match HEAD
- Stash list shows the stack, newest on top
- Stash pop applies the top entry and removes it from the stack
- By default stash does not include untracked files; add minus u when you need those too

Browser lab

Digital Design and Verification Platform

HomeTools

Home / Tools / Stash

INTERACTIVE TOOL

Stash scenarios

Save a dirty tree with `stash push`, switch context, then `pop` / `apply` / `drop` — see the stash stack update live.

Starter example: Dirty WIP on `feature/wip-mul (rtl/alu.v + notes.txt)` plus untracked `scratch.tmp`. Stash, clean up, then restore.

Load starter example

Challenges 0 / 22 cleared

Quiz: why: Stash is for saving? Answer: dirty work temporarily

Answer

Show hintCheckNextIdle

Quiz: whyQuiz: pushStash pushUntracked staysQuiz: -uPush -uQuiz: popQuiz: applyPop restore

Apply keepDrop onlyPop conflictQuiz: stash@{0}Depth 2ClearQuiz: vs commitNothing to stash

Custom messageApply then dropQuiz: orderPop on cleanStarter dirty

Scenarios

Dirty WIPClean treeAfter stash → hotfixTwo stashes

pop

Apply `stash0`, then *drop* it if clean.

apply

Apply `stash0`, leave it on the stack.

Working tree

Stash stack & actions

Stash lab starter

Real Git practice

```
wsl - module07-git-stash-lab/examples/stash

# Track A - real Unix
# real shell session (Track A)

# practice repo: /tmp/git-stash-Vlezw

$ git init

$ echo "v1" > notes.md

$ git add notes.md

$ git commit -m "Add notes"

$ echo "wip draft" >> notes.md

$ git status
On branch master
Changes not staged for commit:
  (use "git add <file> ..." to update what will be committed)
  (use "git restore <file> ..." to discard changes in working directory)
        modified:   notes.md

no changes added to commit (use "git add" and/or "git commit -a")

$ git stash push -m "WIP notes"
Saved working directory and index state On master: WIP notes

$ git status
On branch master
nothing to commit, working tree clean

$ git stash list
stash@{0}: On master: WIP notes

$ git stash pop
On branch master
Changes not staged for commit:
  (use "git add <file> ..." to update what will be committed)
  (use "git restore <file> ..." to discard changes in working directory)
        modified:   notes.md

no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} (9c4304e69a5529ea0ff1a102d0c4dca056f221ba)

$ git status
On branch master
Changes not staged for commit:
  (use "git add <file> ..." to update what will be committed)
  (use "git restore <file> ..." to discard changes in working directory)
        modified:   notes.md

no changes added to commit (use "git add" and/or "git commit -a")
```

Real shell — stash push, list, pop

Real Git practice — try these

```
# git init — create a new repository here  
git init
```

```
# echo ... > notes.md — create and commit a tracked file  
echo "v1" > notes.md
```

```
git add notes.md
```

```
git commit -m "Add notes"
```

```
# echo ... >> notes.md — edit without committing  
echo "wip draft" >> notes.md
```

```
# git status — see modified, not staged  
git status
```

Pitfalls to watch

- Do not stash and forget, run `stash list` so old entries do not pile up
- Remember `pop` can conflict if the branch moved; `apply` is gentler while you are learning
- Untracked files need `stash push` with `minus u`
- And remember

Your turn

- Complete the checklist for at least one track, preferably both
- In the browser, load the starter and finish a push-then-pop challenge
- On real Git, stash, list, and pop in your practice tree
- When you are ready, take the short quiz, then continue to the next module on tags