

Golden compare

A golden is an expected value or trace you trust

Compare at a cursor

- Pick the signal, place cursor one at the check time, read the value with a clear radix
- A mismatch is not failure of the method, it is information
- Match means you earned a ready status for that check

Browser lab

Digital Design and Verification Platform

HomeTools

Home / Tools / Golden compare

INTERACTIVE TOOL

Golden compare

Document-aid literacy: **diff @ C1** (golden vs actual) and **JSON / VCD export** (not a full regression runner). Starter: compare @ C1=5 — all signals match — MATCHED.

Starter example: Compare @ C1=5 — golden matches actual — JSON + VCD exported — MATCHED.

Load starter example

Challenges 0 / 22 cleared

Quiz: golden: A golden reference is...

☐ the expected signal values you compare actual sim results against

☐ only the VCD file header

☐ the Git remote URL

☐ a synthesis constraint file

Show hint

Check

Next

Idle

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Core ideas

C1

Cursor time for snapshot.

Golden

Expected reference values.

Diff

Actual vs golden @ C1.

Export

JSON scriptable - VCD waves.

Lab

SCENARIO

matched starter

Load preset

Compare @ C1

Export JSON

Export VCD

Scan

Demo mismatch

Lab starter

Public simulator practice

- In the public IDE, run a tiny counter to a known time, place cursor one
- Then read the wave and compare
- Optional stretch

Pitfalls to watch

- Do not compare at the wrong cursor or before the edge you meant
- Do not mix binary expectations with hex displays
- Do not treat a concept-lab pass as proof of silicon
- And do not skip naming which signal was compared, orphaned goldens confuse future you

Your turn

- Complete the checklist for at least one track, preferably both
- Perform one golden compare at cursor one on a tiny DUT
- When you are ready, take the short quiz, then continue to the style and synth bridge