

# Coverage closure

Finding holes is not closing them

# Hole plus next-test idea

- A good idea names how you will hit the hole
- Generic “more random” is weak when the hole needs a directed hit
- Mismatch means the idea targets the wrong hole
- Need-idea means you have not planned the next move

# Browser lab

Digital Design and Verification Platform

HomeTools

Home / Tools / Coverage closure planner

INTERACTIVE TOOL

Coverage closure planner

Document-aid literacy: turn a coverage **hole** into a **next test idea** so closure has a plan.  
Starter: hole mid → idea directed mid samples — READY.

Starter example: hole mid → idea directed mid samples — next-test plan READY.

Load starter example

Challenges 0 / 22 cleared

Quiz: hole: A coverage hole is...

☐ an unhit bin / missing scenario still open to close

☐ a Makefile PHONY target

☐ a always-pass assertion

☐ the DUT top module name

Show hint

Check

Next

Idle

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Core ideas

hole

Unhit bin / missing scenario to close.

next idea

Concrete test that targets the hole.

READY

Hole + matching idea — actionable plan.

closed

Evidence landed — mark the hole done.

Lab

SCENARIO

Lab starter

# Planning docs practice

- Pick three holes from a tiny cover sketch
- Write one next-test idea per hole in a table
- Star any idea that is only “run more random” and rewrite it to name the bin or corner you

# Pitfalls to watch

- Do not mark closed without evidence
- Do not paste one generic idea onto every hole
- Do not ignore mismatch between idea and hole
- And do not confuse board ready with silicon sign-off

# Your turn

- Complete the checklist for at least one track, preferably both
- Pair one hole with a concrete next-test idea