From free trial to licensed, synced shop (0.1.9)

The whole path for one new customer: the shop installs the app on an Android phone, uses the 30-day trial, asks the seller for a licence, the seller activates it in the vendor panel, the shop admin imports it, then the shop turns on cloud sync and the web panel. Seller-side document (not part of the shop guide or the website).

Placeholders used below. Replace them with your values. Your real addresses are in `server/local/README.md` (private, not in git):

Placeholder	Meaning
`https://pos.example.com`	Your server address (the Tailscale Funnel address of your PC server)
`https://panel.example.com`	The shop web panel address
`<tenant-id>`, `<shop-id>`	The shop's Business id and Shop id, from its licence request
`owner@example.com`	The shop admin's e-mail

Seller contact (licences): WhatsApp or call **+91 89229 62849**, **universalpos2026@gmail.com**. The app's **Request / renew licence** WhatsApp, **Call** and **E-mail** buttons go straight to it.

Who does what:

Step	Who	Where
1. Install and set up	Shop	Phone
2. Use the trial	Shop	Phone
3. Ask for a licence	Shop	Phone → WhatsApp
4. Activate the licence	Seller	Vendor panel (or CLI)
5. Send the licence	Seller	WhatsApp
6. Import the licence	Shop admin	Phone
7. Move the shop to the cloud	Seller	Vendor panel + CLI
8. Pair the phone and sync	Shop admin	Phone
9. Web panel login	Shop admin	Browser
10. More phones (optional)	Shop admin + seller	Phone + vendor panel

---

1. Install the app on the phone (shop)

1. On the phone, open the download link you were sent (or receive `universal-pos-0.1.9.apk` on WhatsApp) and tap it.
2. Android asks to allow installs from this source: **Settings → Allow from this source** (Chrome, Files or WhatsApp, whichever opened the file), then go back.
3. Tap **Install**, then **Open**. If Play Protect warns about an unknown app, tap **More details → Install anyway**.

Seller: the APK is `dist/<DDMon>/release/universal-pos-<version>.apk`, built with `cd apps/pos && flutter build apk --release` (file: `apps/pos/build/app/outputs/flutter-apk/app-release.apk`).

2. First setup and the 30-day trial (shop)

1. The app asks **How do you want to start?** Choose **New shop** ("Set up a new shop on this device. Works without internet.").
2. A second branch of a business that already uses the app: choose **New outlet of an existing business** and scan or type the **Business id** from the first outlet (**Settings → License → Business id**).
3. Fill in the four steps:
4. **Shop**: shop name, address, phone.
5. **GST**: GSTIN (optional), state, scheme (regular or composition).
6. **First admin**: name and a PIN. This person is the shop admin on the phone.
7. **Invoice series**: e.g. `A1` (bills are numbered `A1-000001`, `A1-000002`, ...). Each phone of a shop needs its own series.
8. The trial starts: every feature for 30 days, no internet needed. The top bar shows **Trial · N days left**.
9. When the trial ends the app becomes read-only: "Trial ended. The app is read-only. Import a license in Settings → License." Bills, reports and customers stay visible; nothing is deleted.

3. Ask the seller for a licence (shop)

1. **Settings → License → Request / renew licence**.
2. Press **WhatsApp** and send the text to the seller (or **Copy**, or let the seller scan the QR). It looks like:

```
POS licence request Business: Asha Stores Outlet: Asha Stores Tenant: 0192f3e4-1111-7000-8000-000000000001 Shop: 0192f3e4-2222-7000-8000-000000000002 Device: 0192f3e4-3333-7000-8000-000000000003 (till) App: 0.1.9 Products: 120, Customers: 35, Categories: 8
```

1. Also send: owner name, WhatsApp number, e-mail (needed for the web panel login), GSTIN, city, how many phones/PCs, and the plan (monthly, quarterly, half-yearly, annual, lifetime).
2. Pay as agreed (UPI, bank transfer, cash) and send the payment reference (UTR).

4. Activate the licence (seller)

Server must be up (`bash tools/local-server/run.sh --bg` after a reboot) and on migration 0008 with `POS_VENDOR_MODE=1` . Open `https://pos.example.com/vendor/` and log in.

1. **New client**.
2. **1 · Details**: business name, owner name, phone (WhatsApp), e-mail, GSTIN, city.
3. **2 · How it runs**: the **Standalone** card. (The phone was set up offline, so its ids already exist; step 7 moves it to the cloud with those same ids.)
4. **3 · Outlets**: paste the whole licence request text into **Licence requests**, then **Next** (it checks the text; on **5 · Review & sign**, **Check outlets** shows the outlet with its Tenant and Shop ids).
5. **4 · Plan & licence**: pick the plan card (e.g. `annual v1 · ₹4,999 / device / 12 mo`). Set the device count: **Total devices** for the number of phones/PCs, or role slots (Till, Waiter, Kitchen, Kiosk). Set **Last valid day** (default one year). Leave the other boxes as the plan has them.
6. **5 · Review & sign** → **Create client and sign**. The result page shows the licence text and a **Download** link (`<Outlet>-<date>.poslicense`).
7. Record the payment: open the client → **Record payment** → amount, method (upi/bank/cash/other), reference (UTR), **Paid on**, **Months paid**. Untick **Extend these outlets' licences** for a first payment (the licence you just signed already covers it). **Save payment**. The invoice is made at once (vendor panel guide §8): open it from the payment row → **Download PDF** → **WhatsApp** to send it to the shop owner.

Same thing from the command line (only when the panel is not available; the shop must exist on the server first, see step 7):

```
 bash tools/local-server/cli.sh issue-license --shop <shop-id> --plan annual --flags
all \
  --devices 2 --expires 2027-10-19 --out asha.poslicense
# role slots instead of a plain device count:
#   --roles till=2,kitchen=1 --quotas products=5000
```

5. Send the licence to the shop (seller)

Send the `.poslicense` file on WhatsApp (or e-mail), or copy the licence text from the client page and send it as a message. In person: outlet card → **QR** and let the till scan it. The shop can use any of these. Every licence signed in the panel (0.1.8+) also carries the outlet's backup key, which locks the shop's backup files to it.

6. Import the licence (shop admin)

1. Save the file to the phone (WhatsApp: open it, **Save** / **Download**).
2. **Settings** → **License** → **Import file** and pick the `.poslicense` file, or **Paste text**, paste the licence text, **Import**, or (phone/tablet) **Scan QR** at the seller's QR.
3. "License imported". **Status** shows **Valid** and the end date; **Plan**, **Devices**, **Device slots** and **Features** show what was bought. The trial banner disappears and selling works again.

The phone now works fully offline. Steps 7 to 9 are only for shops that want cloud sync and the web panel.

7. Move the shop to the cloud (seller)

1. Vendor panel → the client → **Move to our cloud** → pick its Tenant → **Convert to cloud**. This creates the business and shop on your server with the phone's own ids and copies the licence. Nothing on the phone changes.
2. Create the shop admin's web panel login (prompts for a password twice, 8+ characters):

```
bash bash tools/local-server/cli.sh create-admin --tenant <tenant-id> --email owner@example.com --name "Asha"
```

1. Make a pairing code: on the client page, the outlet's **New pair code** (valid 15 minutes, single use). Or:

```
bash bash tools/local-server/cli.sh pair-code --shop <shop-id>
```

1. Send the shop admin: the server address `https://pos.example.com`, the pairing code, the web panel address `https://panel.example.com` and their e-mail + password.

8. Pair the phone and start sync (shop admin)

1. **Settings** → **Cloud sync**. It says "Not paired. This device works on its own; nothing leaves it."
2. **Server address**: `https://pos.example.com`. **Pairing code**: the code from step 7. Press **Pair**.
3. "Paired with the server". The first sync uploads the shop's products, sales and customers; **Status** goes to **Syncing...** then **Synced**, **Last sync** shows the time.
4. From now on the phone syncs by itself whenever it has internet. **Sync now** forces one. Selling never waits for the network; offline sales upload later.
5. Renewals arrive by themselves after a sync (no file needed).

If **Pair** fails:

Message	Fix
Code wrong, used or expired	Seller makes a new pair code (step 7.3)
This shop has no license yet	Seller: step 7.1 was not done, or the licence was not signed
Device limit reached / role slots used	Seller raises **Total devices** or role slots in **Change licence**, or revokes an old device
Server not reachable	Check the address and internet; seller checks the server is running (`curl https://pos.example.com/healthz`)

9. Web panel (shop admin)

1. Open `https://panel.example.com` in a browser (PC or phone).
2. **Email** and **Password** from step 7.2 → **Sign in** → **Choose a shop**.
3. The browser downloads the shop's data and shows products, stock, customers, reports and settings, the same as the phone's admin screens. Changes made here reach the phone on its next sync, and the other way round.

10. More phones or PCs (optional)

1. Seller: make sure the licence allows them (client → **Change licence** → **Total devices** or role slots → **Preview changes** → **Sign licence**). Cloud shops receive it on their next sync.
2. Seller: a new pair code for the outlet (step 7.3).
3. New phone: install the app (step 1) → **Join existing shop** → server address + pairing code + its own invoice series (e.g. `A2`) → **Join**. It downloads the shop's data and is ready to sell.
4. To use it as a waiter phone, kitchen screen or self-checkout, change its mode in **Settings**; a paired device needs the server reachable and a free slot of that role.

Renewal (every period)

1. The vendor panel **Dashboard** → **Needs action** → **Expiring** lists licences ending within 14 days. Press **WhatsApp** for a ready reminder.
2. Shop pays; seller: **Renew** on that row → months, amount (filled in from the plan), method, reference → **Renew & record payment**. The end date moves by the months paid (an expired licence restarts from today), and the payment's invoice is ready under **Invoices**.
3. Cloud shops get it on their next sync. Offline shops: send the new file again (steps 5 and 6), or the shop sends a fresh licence request.

Seller commands at a glance

Task	Command (from the repo root on your PC)
Start the server after a reboot	`bash tools/local-server/run.sh --bg`
Health check	`curl -s http://127.0.0.1:8000/healthz`
Database up to date	`bash tools/local-server/cli.sh migrate`
Vendor login (once)	`bash tools/local-server/cli.sh create-vendor-admin --email you@example.com --name "Your name"`
Website plans into the panel (once)	`bash tools/local-server/cli.sh seed-plans`
Earlier clients into the panel (once)	`bash tools/local-server/cli.sh import-existing`
Shop admin login	`bash tools/local-server/cli.sh create-admin --tenant <tenant-id> --email owner@example.com`
Pairing code	`bash tools/local-server/cli.sh pair-code --shop <shop-id>`
Licence by CLI	`bash tools/local-server/cli.sh issue-license --shop <shop-id> --plan annual --flags all --devices 2 --expires 2027-10-19 --out shop.poslicense`
After updating the code	`server/.venv/bin/pip install -e 'server[dev]'`, `migrate`, stop the old server, `run.sh --bg`

More detail: vendor panel vendor-panel.md, server server-setup.md, command-line onboarding customer-onboarding.md, shop guide `docs/guide/en/` (chapters 1, 2, 13, 15).