

**National Apprenticeship & Industrial Training
Authority**

Report on Industrial Training

At

Acme Inc (Pvt) Limited

No. 42, Library Road, Colombo 07

University of Colombo

Colombo 07

Name	: A. N. Trainee
Student No	: IT/00/0000
Course	: Bachelor of Information Technology
Field	: Software Engineering
Category	: Undergraduate
NAITA Reg. No	: NAITA/SIT/EXAMPLE/2026
Training Period	: 2026-02-16 to 2026-08-16

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to the National Apprenticeship and Industrial Training Authority for organising the Industrial Training Scheme, and to the Department of Information and Communication Technology of the University of Colombo for making the placement part of the degree programme.

I am thankful to the management of Acme Inc for accepting my application and for providing a place in the engineering team. I am especially grateful to my supervisor, who took time to explain the systems I would be working with, reviewed my work each week, and answered questions patiently during the whole six months.

I also thank the members of the platform team, the quality team, and the human resources team for their help, and the other trainees who made the daily work easier. This experience has shaped the way I now approach software problems, and I will carry that with me.

PREFACE

An internship is a step between a degree and a working life. The purpose of the Industrial Training Report is to meet one of the requirements of the Department of Information and Communication Technology, Faculty of Computing, University of Colombo, and to record what was actually done during the placement rather than what was intended.

The National Apprenticeship and Industrial Training Authority runs the Industrial Training Scheme, which places students with approved establishments for six months and monitors their development against a written plan. This report covers the placement at Acme Inc (Pvt) Limited from 16 February 2026 to 16 August 2026 as a Software Engineering Intern.

The report is in three chapters. The first describes the training establishment, its business, its organisation, and its working practices, so that the work described later can be read in context. The second covers the training experience: the arrangement of the placement, what was learned before any feature was assigned, the six work streams that were carried out, the problems that arose and how they were solved, what was completed, and the events that formed part of the placement. The third closes the report with a summary, a self-assessment, and suggestions.

This document is a sample. Acme Inc (Pvt) Limited is a fictional establishment, and its staff, addresses, numbers, and work are invented to show the shape of a report and the standard of writing expected in one. The photographs are unrelated placeholder images that show where a photograph of the establishment, a screen, or an event belongs. A student replaces every one of them with an approved photograph of their own placement, and replaces every invented fact with a verified one, or the report is not ready to submit.

TABLE OF CONTENTS

1.0 Introduction	9
1.1 About Acme Inc	10
1.1.1 Nature of the Business	10
1.1.2 Work Carried Out by the Engineering Teams	11
1.1.3 Organisation Structure	11
1.2 Corporate Plan	12
1.2.1 Strategic Planning	13
1.3 Management Practices	13
1.3.1 Recruitment and Onboarding	13
1.3.2 Development and Review Practice	14
1.3.3 Technical Practices and Standards	15
1.3.4 Leave, Attendance, and Working Hours	15
1.3.5 Health, Safety, and Security	15
2.0 Introduction	17
2.1 Introduction to the Placement	17
2.2 Learning Period	18
2.2.1 How Work Is Planned and Reviewed	18
2.2.2 Architecture of the Acme Platform	19
2.2.3 Tools Used During the Training	19
2.2.3.1 TypeScript and Shared Types	19
2.2.3.2 Automated Checking	19
2.2.3.3 Version Control and Review	20
2.3 Assigned Tasks	20
2.3.1 Task List and Search	20
2.3.2 Permissions and Role Boundaries	21
2.3.3 Document Upload, Preview, and Export	22
2.3.4 Recruitment Pipeline	23
2.3.5 Dashboards and Reporting	25
2.3.6 Release Preparation and Handover	25

2.4 Problems and Solutions	26
2.4.1 Problems Encountered	26
2.5 Achievements	27
2.6 Events Involved	28
2.7 Learning and Improvements for Future Work	29
3.0 Introduction	30
3.1 Conclusion of the Report	30
3.2 Personal SWOT Analysis	30
3.2.1 Strengths	31
3.2.2 Weaknesses	31
3.2.3 Opportunities	31
3.2.4 Threats to Development	31
3.3 Suggestions for Improvement	32
References	33
A.1 Delivery and Quality Record	34
SUPERVISOR CERTIFICATION	36

LIST OF FIGURES

Figure 1: Reception area of the training establishment	9
Figure 2: Head office building of the training establishment	10
Figure 3: Acme Inc business areas by share of delivery effort	11
Figure 4: Engineering effort by business area during the placement	11
Figure 5: Engineering organisation at Acme Inc	12
Figure 6: Engineering team of the training establishment	12
Figure 7: Delivery flow followed at Acme Inc	14
Figure 8: Layers of the Acme platform as encountered during the placement	14
Figure 9: How the six months of training were organised	17
Figure 10: Open workspace where the trainee was based	18
Figure 11: Share of the training period spent in each work stream	20
Figure 12: Development workstation used during the placement	21
Figure 13: Document export preview compared against the printed layout	23
Figure 14: Recruitment pipeline board used in the weekly review	24
Figure 15: Recruitment pipeline by stage for the placement period	24
Figure 16: Reporting dashboard shown during the weekly review	25
Figure 17: Checks and closed problems per work stream	28
Figure 18: Intern day presentations	29

LIST OF TABLES

Table 1: Company goals and how they are measured	13
Table 2: Layer responsibilities	15
Table 3: Leave and attendance during the placement	15
Table 4: Request path for a saved task	19
Table 5: Search behaviour covered by the checks	21
Table 6: Differences found between the preview and the export	23
Table 7: Known gaps left open at the end of the placement	26
Table 8: Problems encountered and how they were solved	27
Table 9: Weekly delivery and quality record	34
Table 10: Tools and versions used during the training period	35

ABBREVIATIONS

API	Application Programming Interface
CI/CD	Continuous Integration and Continuous Delivery
CSRF	Cross-Site Request Forgery
HTML	Hypertext Markup Language
HTTP	Hypertext Transfer Protocol
ICT	Information and Communication Technology
JSON	JavaScript Object Notation
KPI	Key Performance Indicator
NAITA	National Apprenticeship and Industrial Training Authority
PII	Personal Identifiable Information
QA	Quality Assurance
REST	Representational State Transfer
SSL	Secure Sockets Layer
SDLC	Software Development Life Cycle
SQL	Structured Query Language
UAT	User Acceptance Testing
UI	User Interface
UX	User Interface and User Experience

Chapter 1: Training Organization

1.0 Introduction

This chapter introduces the training establishment, its place in the software industry, the way it is organised, and the working practices that shaped the placement. The details are written from the public information of the establishment and from what was directly observable during the placement, so a reader who was not part of the team can still follow the account in Chapter 2.



Figure 1: Reception area of the training establishment

Understanding the establishment mattered for the placement itself. The work assigned to a trainee only makes sense once the shape of the product, the team that owns it, and the way the company measures quality are clear. The sections below set that context out before the training experience is described.

1.1 About Acme Inc



Figure 2: Head office building of the training establishment

Acme Inc builds and maintains software for organisations that run their operations on documented, repeatable processes. Its customers are mid-sized companies in finance, logistics, and education, and its work falls into three broad areas: product development for its own platform, integration work that connects customer systems to that platform, and long-running maintenance of the software it has already delivered.

1.1.1 Nature of the Business

The business works best understood through its three revenue lines, because the placement sat inside the first of them while supporting the other two.

1. Product development: building the task, document, and reporting features of the Acme platform that customers use every day.
2. Integration services: connecting customer systems, such as accounting and payroll tools, to the platform so data moves without manual copying.
3. Managed maintenance: fixing defects, upgrading dependencies, and adapting delivered software as customer requirements change over the years.




Figure 3: Acme Inc business areas by share of delivery effort

1.1.2 Work Carried Out by the Engineering Teams

The placement was in the platform engineering group, which owns the shared parts of the product rather than any single customer's screens. The chart shows how the engineering effort was distributed during the training period.




Figure 4: Engineering effort by business area during the placement

1.1.3 Organisation Structure

The engineering organisation is divided into a product group and two support groups. A trainee is attached to one group and reports to that group's leader, who in turn reports to the head of engineering.




Figure 5: Engineering organisation at Acme Inc




Figure 6: Engineering team of the training establishment

1.2 Corporate Plan

The company works from a written plan that is reviewed each quarter. The parts of that plan that were visible during the placement are recorded here, and the rest is left out because a trainee cannot confirm it.

- ✕ Vision: to make documented operations simple enough that a small team can run them safely.
- ✕ Mission: to build software that customers can rely on for years, not months, and to be honest when a limit is reached.

- ✗ Goal: keep defect escape rate below two per thousand releases and keep each customer's average resolution time under one working day.
- ✗ Objective: every customer change passes review and automated checks before it reaches production.
- ✗ Objective: no customer data leaves the platform region without a written agreement.

Table 1: Company goals and how they are measured

Goal	Measure	Frequency
Fewer defects reach customers	Defects per thousand releases	Each release
Faster resolution	Median days to resolve	Weekly
Safer changes	Share of changes with review and checks	Each change
Data stays in region	Region boundary violations	Monthly

1.2.1 Strategic Planning

Strategy at Acme Inc is expressed as a small number of choices rather than a long list. During the placement, three of them were visible in day-to-day work.

1. Invest in shared platform components instead of building the same feature separately for each customer.
2. Treat automation as part of the definition of done, so a change that cannot be checked automatically is not finished.
3. Keep the number of technologies small, because every new tool adds support cost for the whole company.

1.3 Management Practices

This section records how the company runs its people, because the placement depended on these practices as much as on the software did.

1.3.1 Recruitment and Onboarding

The company recruits engineers through a written process: a role description, a technical conversation about past work, a practical exercise drawn from real problems, and a final conversation with the hiring manager. Interns and new graduates follow the same exercise as experienced candidates, which is why the placement started with a small feature rather than observation.

1. Role description published with the vacancy
 2. Screening conversation about past work
 3. Practical exercise reviewed by two engineers
 4. Manager conversation covering expectations and support
 5. Offer with a written six-month plan for interns
- > Two weeks, with the first week reserved for equipment, access, and reading.
 - > A named supervisor for the whole placement, not only for the first month.
 - > Weekly one-to-one meetings, kept even when there is nothing to report.
 - > Access to the same review practice as permanent engineers, from the first change.

1.3.2 Development and Review Practice

The delivery process the placement followed is shown below. Each stage has an owner and an output, which is what makes a delay visible rather than personal.




Figure 7: Delivery flow followed at Acme Inc




Figure 8: Layers of the Acme platform as encountered during the placement

Work moved through short cycles of about two weeks. At the start of each cycle the team agreed what would be built; at the end, the change was demonstrated and the checklist results were shared. A change that could not be demonstrated was carried into the next cycle rather than rushed.

1.3.3 Technical Practices and Standards

The platform is organised in three layers, and a defect usually belongs to the boundary between two of them. Knowing the layers made most of the problems in Chapter 2 easier to locate.

Table 2: Layer responsibilities

Layer	Owns	Does not own
Interface	Rendering, input handling, accessibility	Business rules
Services	Business rules, validation, permissions	Visual layout
Data	Storage, indexes, migrations	User-facing behaviour

1.3.4 Leave, Attendance, and Working Hours

The attendance and leave rules that applied during the placement are recorded here as they were explained to trainees. The totals in this table are the trainee's own record; the official totals remain with the university and the authority.

Table 3: Leave and attendance during the placement

Type	Entitlement	Taken
Annual leave	14 days per year	4 days
Casual leave	Up to 2 days at a time	2 days
Medical leave	From the second day, with a certificate	0 days
Sick leave	From the first day, with a certificate	3 days
Training days	As scheduled by the university	6 days

Leave is requested in advance through the internal system and approved by the supervisor. A medical certificate is required from the second day of absence, and the record is filed with human resources rather than with the team.

1.3.5 Health, Safety, and Security

- ✕ Health and safety: a first-aid trained officer is present on every floor, accidents and near misses are reported the same day, and each floor has a posted evacuation plan.
- ✕ Identity and access: an identity card is worn at all times in the building, and access to systems is granted per person and reviewed every quarter.

- ✕ Information handling: customer data stays inside approved systems, credentials are never shared, and printed customer lists are collected after use.
- ✕ Equipment: laptops are provided and remain company property, and loss must be reported on the day it is noticed.
- ✕ Conduct: colleagues are expected to treat each other with respect, and concerns can be raised with a manager, with human resources, or through the confidential line.

Chapter 2: Training Experience at Acme Inc

2.0 Introduction

This chapter describes the training itself: how the placement was arranged, what was learned before any feature was assigned, the work that was carried out over the six months, the problems that arose and how they were solved, what was achieved, and the events that formed part of the placement. Each work stream in section 2.4 is written to explain what changed and why it mattered, not to list changes one after another.




Figure 9: How the six months of training were organised

2.1 Introduction to the Placement

The placement began with an interview in January and started on 16 February 2026. The first two weeks were deliberately quiet: equipment, access, and reading the existing service and interface before writing anything. The supervisor explained which parts of the platform were owned by which team and where the test coverage was thin, and the trainee was asked to reproduce three known behaviours of the task list before changing any of them.

- > Week 1: equipment, accounts, repository access, and a first run of the local environment.
- > Week 2: reading the task service and the task screens, and reproducing three known behaviours.
- > Week 3: first small change, taken through the full review process.
- > Week 4 onwards: a work stream of increasing size, each one reviewed and demonstrated.




Figure 10: Open workspace where the trainee was based

The first change was deliberately small: showing the due date on the task list in a form that matched the rest of the interface. It was small enough to be finished in two days, which made the review process itself the thing to learn.

2.2 Learning Period

Before being given a work stream, the trainee was expected to explain how the existing system worked. Four areas were covered, and each is described here with the specific question it answered.

2.2.1 How Work Is Planned and Reviewed

Acme Inc runs work in cycles of about two weeks. At the start of a cycle the team agrees the goal and the list of work; during the cycle the goal stays fixed while the list may change; at the end the change is demonstrated and the result is recorded. The reason it matters for a trainee is that a review comment is about the change in front of the reviewer, not about the person who wrote it.

- ✗ A cycle goal that is small enough to finish, stated in one sentence.
- ✗ Work added to a cycle only if the goal is still reachable.

- ✗ A demonstration at the end, with the checklist results shown.
- ✗ A short written note on what went wrong, kept with the change.

2.2.2 Architecture of the Acme Platform

The platform is a set of services behind a single interface. A request from a screen reaches one service, which may read from the database, may write a file to object storage, and may record an entry in the audit log. Understanding which service owns which decision was the single most useful thing learned in the first month.

Table 4: Request path for a saved task

Step	Component	Responsibility
1	Task screen	Validate the form and show progress
2	Task service	Apply the business rule and check permission
3	Database	Store the task and its history
4	Object storage	Store attachments when present
5	Audit log	Record who changed what and when

2.2.3 Tools Used During the Training

Several tools appear repeatedly in the work described in section 2.4. They are listed here with what each one was actually used for, rather than with a general description of the tool.

2.2.3.1 *TypeScript and Shared Types*

TypeScript was used on both sides of the wire. The value was not the type system in the abstract but the shared shapes: a screen and the service that answered it agreed on the same definition, so a renamed field became a compile error instead of a blank value at runtime. During the placement, four defects in section 2.4 were found this way, because a renamed field stopped the build rather than reaching a customer.

2.2.3.2 *Automated Checking*

Vitest covered the service rules and Playwright covered the screen behaviour. The split mattered because the failures they catch are different: a service test fails when a rule is wrong, and a screen test fails when the interface does something the user cannot see. Writing both for the same feature was the habit that made the release checklist in section 2.4.6 short.

2.2.3.3 Version Control and Review

Changes were proposed through a pull request with a description that said what changed and why. The reviewer checked the description first, then the code, and asked for a demonstration when the change altered behaviour a user could notice. A change that could not be explained in three sentences was usually a change that was doing too much, and it was split.

2.3 Assigned Tasks

The work described in this section is grouped into six streams rather than listed week by week, because a week-by-week list reads as an activity log and says nothing about the shape of the work. Each stream explains the goal, what was built, how it was checked, and what it changed for the people using the product. The figures inside a stream sit next to the text that explains them.




Figure 11: Share of the training period spent in each work stream

2.3.1 Task List and Search

The task list is the screen users open most often, and it was the first stream assigned because it is small in surface area and deep in behaviour. The goal was to let a user find a task without reading the whole list.

- > Search across the task title and reference with a single input.
- > A clear control that removes the search and restores the full list.
- > An empty result that says what was searched for and offers to clear it.
- > The filter preserved in the address so a filtered list can be shared.

The empty result was the part that took longest. The first version showed the words no results found with no way forward, and the review comment was that a user who has typed something is looking for a way out, not for confirmation that nothing exists. The second version named the search and offered to clear it.



Figure 12: Development workstation used during the placement

Table 5: Search behaviour covered by the checks

Case	Expected result	Check
Title matches	Matching tasks listed	Service and screen
No match	Empty result names the search	Screen
Search cleared	Full list returns	Service and screen
Filter in address	List reopens filtered after reload	Screen

2.3.2 Permissions and Role Boundaries

Permissions had been checked in the service but not consistently in the interface, so a user without access to a project could still see its name in a dropdown. The stream made the check happen in one place and made the interface ask the service rather than guess.

- > A single service call that answers what the current user may do, used by every screen that needs it.
- > Dropdowns filtered by that answer instead of by a client-side guess.
- > A denied action explained in the interface instead of failing silently.
- > A screen check added for the case where permission is withdrawn while a page is open.

The subtle case was a page left open after permission was withdrawn. The screen was rendered before the change, so the data was already in the browser. The fix was to re-check on the action rather than only on the page load, and it is recorded here because it changed how the rest of the team thought about cached permission data.

2.3.3 Document Upload, Preview, and Export

The document stream was the largest single piece of work in the placement. Users could upload, preview, and finally export documents, and the export produced a different result from the preview in three separate ways, which made it the most reported problem of the period.

- > Upload with a size and type check before anything is stored.
- > Preview that matches the export byte for byte in the printed layout.
- > Export generated once and stored, so two users receive the same file.
- > A recorded entry in the audit log for every export, with the user and the time.



Figure 13: Document export preview compared against the printed layout

The export was rebuilt around a single description of the document that both the preview and the printed file read from. Before the change each had its own layout rules, which is why a document could look correct on screen and print with a missing footer. After the change there was one place where a rule could be wrong, and it was covered by checks.

Table 6: Differences found between the preview and the export

Difference	Cause	Status after the change
Missing footer on the printed file	Two separate layout descriptions	One shared description
Page breaks in the wrong place	Table height measured in the preview only	Measured once for both
Images scaled differently	Two different width limits	Single width limit

2.3.4 Recruitment Pipeline

The recruitment pipeline was the first stream owned end to end, from the form a candidate arrives on to the board a recruiter reviews. It was chosen because it touches the interface, the service, the data, and permissions at once.

> A candidate form that reports a problem on the field that caused it.

- > A pipeline board where a card shows the stage, the age in that stage, and the owner.
- > A stale-stage warning, because a card sitting in one stage for a month is usually a forgotten one.
- > An export for the weekly review meeting, generated from the same data as the board.



Figure 14: Recruitment pipeline board used in the weekly review




Figure 15: Recruitment pipeline by stage for the placement period

2.3.5 Dashboards and Reporting

The reporting work produced the dashboards used in the weekly review. The requirement was simple to state and awkward to satisfy: show the same numbers as the operational screens, and let a reader go from a total to the records behind it.

- > Every total computed from the same service that serves the operational screens.
- > A drill-down from a total to the records that produced it, not to a separate export.
- > A visible note on figures that are less than a day old.
- > A layout that works on a laptop and on a wall display.



Figure 16: Reporting dashboard shown during the weekly review

The mistake worth recording was building the dashboard from a separate reporting query for speed. It produced a total that disagreed with the operational screen by a small amount, and because the two were computed differently nobody could say which was right. Rebuilding it on the operational service removed the disagreement and made the dashboard slightly slower, which was the correct trade.

2.3.6 Release Preparation and Handover

The final stream was the release preparation and handover. The purpose was to leave the work in a state another engineer could pick up without asking questions, which is the

practical test of whether the previous five streams were done properly.

- > A written note for each stream describing what it changed and what it deliberately did not.
- > Screen and service checks running together as one command.
- > A list of known gaps with the reason each one was still open.
- > A demonstration of the whole feature set to the team and the supervisor.

Table 7: Known gaps left open at the end of the placement

Gap	Reason	Suggested owner
Bulk actions on the task list	Not needed by any current customer	Product team
Export of the full audit log	Requires a retention decision	Operations
Second chart type on the dashboard	Waiting on the reporting library upgrade	Reporting team

2.4 Problems and Solutions

The problems below are the ones that actually occurred, with the cause that was found and the change that fixed it. They are written as a pair: a problem without its cause teaches nothing, and a fix without its cause cannot be repeated.

2.4.1 Problems Encountered

Table 8: Problems encountered and how they were solved

Problem	Cause	Solution
Filtered task list stayed empty after the search was cleared	The filter was applied when the list loaded but not when it was removed	The clear action now reloads through the same path as the search
A dropdown listed projects the user could not open	The list was filtered in the interface from data fetched before the check	The service now answers what the user may see and the interface uses that
Printed documents lost the footer	Preview and export each had their own layout description	Both read one shared description of the document
Dashboard totals disagreed with the operational screens	A separate reporting query computed them differently	The dashboard now reads the operational service
A renamed field reached a screen as an empty value	The screen and the service did not share a type for that response	The response shape is now defined once and imported by both
Two users received different exports of the same document	The file was generated per request instead of once per version	Exports are generated on change and stored

Every one of these six problems shared a shape: two places believed they owned the same decision. That is the single most useful thing the placement taught, and it is the reason the later work kept moving decisions to a single owner rather than adding a check in each place.

2.5 Achievements

The achievements in this section are limited to work that was completed and can be pointed at. Learning that has not been applied yet belongs in section 2.7, not here.

- ✗ Search and filtering added to the task list, with the empty case designed rather than left to chance.
- ✗ Permissions resolved in one place and used by every screen, closing a class of access mistakes rather than one instance.
- ✗ The document preview and export brought into agreement, removing the most reported problem of the period.
- ✗ A recruitment pipeline owned from the candidate form to the review board.
- ✗ A reporting dashboard built on the same service as the operational screens, so the two cannot disagree.
- ✗ Screen and service checks running as one command, making the release checklist short

enough to always be run.

- ✗ A written handover for each stream, with the open gaps and their reasons.




Figure 17: Checks and closed problems per work stream

2.6 Events Involved

The placement included non-technical experience that formed part of the working environment. These are recorded as they happened.

- > A weekly engineering meeting in which each team reports progress and blockers, which is where a blocked change is noticed early.
- > A code reading session held by the supervisor on a change written by another engineer, chosen because it solved a problem in a way the trainee had not considered.
- > A health and safety briefing and a fire drill, both attended as part of joining the floor.
- > An intern day in the last month, in which each trainee presented the work they had done to the engineering group and answered questions.



Figure 18: Intern day presentations

2.7 Learning and Improvements for Future Work

This section records what was learned that has not yet been applied, and what would be done differently. It is deliberately separate from section 2.6, which lists completed work, because an intention recorded as an achievement is the easiest way for a report to become inaccurate.

- ✗ A change should be described in terms of the user before it is described in terms of the code, because the description is what the reviewer reads first.
- ✗ Edge cases belong in the check list at the moment the change is written, not at the end when the context has been lost.
- ✗ Ownership of a decision should be settled when the feature is designed; two teams that both believe they own a rule will disagree in production.
- ✗ Small changes are cheaper than large ones, including the review time, which is not obvious until several large changes are reviewed in one week.
- ✗ Documentation written during the work is faster and more accurate than documentation written afterwards.

Chapter 3: Conclusion

3.0 Introduction

This chapter closes the report. It summarises what the six months produced, sets out a self-assessment of the placement, and records what would be done differently or continued after the placement ends.

3.1 Conclusion of the Report

The training began quietly, with two weeks of access, reading, and reproducing known behaviour, and that start turned out to matter more than expected. Almost every problem in section 2.5 was caused by a decision that two places believed they owned, and the first month was spent learning where those places were. Once that map existed, the later streams moved quickly.

The most useful habit formed during the placement was writing the user-facing description of a change before touching the code. It is a small discipline, and on several occasions it exposed that the change being made did not answer the question that had been asked.

The work delivered is listed in section 2.6 and is modest in size, but each item is complete: it is in the product, it is covered by checks, and it is written up well enough for someone else to continue. That completeness, rather than the number of features, is the part of the placement that transfers directly to future work.

3.2 Personal SWOT Analysis

This assessment is of the trainee's own position at the end of the placement, and it is written to be useful rather than flattering. A self-assessment that claims no weaknesses cannot be acted on.

3.2.1 Strengths

- ✗ Asking which part of a problem belongs to which team before starting, instead of after being stuck.
- ✗ Finishing a small change properly rather than starting a large one.
- ✗ Saying that something is unclear early, because a question in the first day costs less than a rewrite in the third week.
- ✗ Writing down what was done while it is still fresh.
- ✗ Treating review comments as information about the change, not as a verdict.

3.2.2 Weaknesses

- ✗ Estimated time was optimistic in the first two streams, which pushed checks into the following week.
- ✗ Edge cases were often added after the change rather than during it.
- ✗ Asking for help came later than it should have, usually after an afternoon lost to a problem that a five-minute question would have solved.
- ✗ Documentation was the first thing dropped when a stream grew.
- ✗ Reading unfamiliar code was slow at the start, which made early estimates unreliable.

3.2.3 Opportunities

- ✗ Backend work with a real database and real query cost, rather than a schema designed around one use.
- ✗ Deployment and monitoring in an environment shared with other engineers, where a bad change is visible immediately.
- ✗ Deeper work on accessibility and on the parts of the interface that are hardest to test with a script.
- ✗ Writing tests for code that was not written for testing, which is where understanding an unfamiliar system really shows.

3.2.4 Threats to Development

- ✗ A change spread across three layers can reach production even when each layer's own check passes.
- ✗ Two teams can own one rule without noticing, and the disagreement appears as a defect rather than as a design question.
- ✗ A preview and an export that look identical can behave differently, because they are two

implementations of one description.

- ✂ Optimistic estimates quietly move the checks to the end, and the checks are the part that gets dropped first.

3.3 Suggestions for Improvement

The suggestions below are directed at the work rather than at the trainee, because most of what was learned is a property of how the system is built.

1. Record the owner of each business rule in one place, so two teams cannot both believe they own it.
2. Keep edge cases in the same file as the check, so they are written with the change instead of after it.
3. Add an accessibility pass to the definition of done rather than treating it as a separate task.
4. Share a short weekly note on what is in progress, which reduces the time lost to duplicated effort.
5. Cover shared components with checks at the level of the interface, since that is the level a customer experiences.

For the trainee, the continuation is to keep backend and deployment practice, to write before coding, and to ask earlier. The placement covered six months of an industry that takes considerably longer to understand, and the useful outcome is a map and a set of habits rather than a finished body of knowledge.

REFERENCES

- > Acme Inc. About Acme Inc. Corporate information, Colombo. Available at: <https://www.acme.example>.
- > NAITA. Industrial Training Guidelines. Industrial Training Scheme, Colombo. Available at: <https://www.naita.gov.lk>.
- > University of Colombo. Industrial Training Report Requirements. Faculty of Computing, Department of ICT, curriculum document. Available at: <https://www.cmt.ac.lk>.
- > TypeScript Handbook. Types and Interfaces. TypeScript documentation. Available at: <https://www.typescriptlang.org/docs/>.
- > Vitest. Unit Testing with Vitest. Vitest documentation. Available at: <https://vitest.dev>.
- > Playwright. End-to-End Testing. Playwright documentation. Available at: <https://playwright.dev>.
- > PostgreSQL. Indexes and Query Planning. PostgreSQL documentation. Available at: <https://www.postgresql.org/docs>.

A.1 Delivery and Quality Record

- > Requests, filters, and the code that serves them
- > Database tables touched by the task service
- > Screens touched in the interface
- > Checks written for each change

Table 9: Weekly delivery and quality record

Week	Area	Checks added	Notes raised
1	Environment setup and access	4	0
2	Repository and review practice	6	2
3	Task list and search	11	3
4	Task detail and permissions	9	4
5	Responsive layout	8	2
6	Document upload and preview	12	5
7	Document export	10	3
8	Notifications	7	2
9	Recruitment pipeline	9	4
10	Dashboard and reports	11	3
11	Performance and caching	8	3
12	Release preparation and handover	6	2

Table 10: Tools and versions used during the training period

Purpose	Technology	How it was used
Interface	React and TypeScript	Built the task, document, and dashboard screens
Service	Node.js and Express	Served the API used by the screens
Data	PostgreSQL	Stored tasks, documents, users, and audit records
Files	Object storage	Held uploaded documents and generated exports
Checks	Vitest and Playwright	Covered service rules and screen behaviour
Delivery	Git and GitHub Actions	Reviewed changes and ran the checks on each update
Monitoring	Structured logging	Traced failures reported by users

SUPERVISOR CERTIFICATION

I hereby declare that I have checked this report on the industrial training, and that, to my knowledge, it contains only the activities carried out during the placement and is adequate in scope and quality for submission as partial fulfilment of the degree.

Name :

Designation :

Date :

Signature and official stamp
