Lesson 4

Material

https://github.com/unixfile/learning-python-2026

Today

- if/elif/else
- Comparison and logical operators
- for loops and enumerate
- break and continue
- while loops
- List comprehensions
- Generator expressions

1 if statement

```
password = input("Choose a password: ")

if password == "12345":
    print("That's a bad password!")
```

- Condition is any boolean or truthy value
- Block runs only when condition is `True`

2 if/elif/else

```
temperature = int(input("Current temperature: "))

if temperature > 20:
    print("It's warm")
elif temperature > 10:
    print("It's cool")
elif temperature > 5:
    print("It's cold")
else:
    print("It's normal Swedish temperature")
```

- Only one block runs; the rest are skipped

3 Comparison operators

```
x, y = 5, 10

x == y     # False  - equal
x != y     # True   - not equal
x > y      # False  - greater than
x >= y     # False  - greater than or equal
x < y      # True   - less than
x <= y     # True   - less than or equal
```

4 Logical operators

```
x, y, z = 15, 20, 5

if x > 10 and y > 10:
    print("Both greater than 10")

if x > 20 or z < 10:
    print("At least one condition true")

if not (x > y):
    print("x is not greater than y")
```

5 Pythonic style

```
# Preferred                          # Avoid
if value is None: ...                 # if value == None: ...
if value is not None: ...             # if value != None: ...
if my_list: ...                       # if len(my_list) > 0: ...
if not my_list: ...                   # if len(my_list) == 0: ...
if condition: ...                     # if condition == True: ...
```

- A linter like `ruff` can flag these automatically

6 for loop

```
fruits = ["banan", "melon", "kiwi", "citron"]

for fruit in fruits:
    print(fruit)
```

- Think of `for` as “for each”
- Works on any iterable: lists, strings, files, . . .

7 range()

```
In : list(range(5))
Out: [0, 1, 2, 3, 4]

In : list(range(2, 8))
Out: [2, 3, 4, 5, 6, 7]

In : list(range(0, 10, 2))
Out: [0, 2, 4, 6, 8]
```

8 break and continue

```
# break exits the loop early
for n in range(1, 10):
    if n == 5:
        break
    print(n, end=' ')
# Output: 1 2 3 4

# continue skips to the next iteration
for n in range(1, 10):
    if n % 2 == 0:
        continue
    print(n, end=' ')
# Output: 1 3 5 7 9
```

9 enumerate

```
fruits = ["banan", "melon", "kiwi", "citron"]

for index, fruit in enumerate(fruits):
    print(f"{index}: {fruit}")

# Output:
# 0: banan
# 1: melon
# 2: kiwi
# 3: citron
```

10 while loop

```
i = 5
while i > 0:
    print(i, end=' ')
    i -= 1
# Output: 5 4 3 2 1
```

- Loop runs as long as the condition is `True`
- Forgetting to update `i` creates an infinite loop

11 while True

```
while True:
    user_input = input("Enter 'exit' to stop: ")
    if user_input == 'exit':
        break
    print(f"You entered: {user_input}")
```

- `break` is the only way out of a `while True:` loop
- Useful for menus and simple REPLs

12 List comprehensions

```
In : squares = [x**2 for x in range(6)]
In : squares
Out: [0, 1, 4, 9, 16, 25]

In : evens = [x for x in range(10) if x % 2 == 0]
In : evens
Out: [0, 2, 4, 6, 8]
```

- Concise syntax for building lists from iterables

13 Generator expressions

```
In : squares = (x**2 for x in range(100_000_000))
In : type(squares)
Out: generator
```

- `()` instead of `[]` — values produced on demand
- Takes almost no memory
- Can only be iterated once

```
In : next(squares)
Out: 0
In : next(squares)
Out: 1
```