Linux Commands

What will be covered

OBJECT™ TECHNOLOGIES

LINUX COMMANDS

- Date
- Cal
- File commands
- Directory Commands
- man command
- who command



Commands

OBJECT™ TECHNOLOGIES

Date Command

- $date
  displays system date
- $date +%a
  displays day as shortform
- $date +%A
  displays day a longform
- $date +%b
  displays short month
- $date +%B
  displays long month

Calendar command

- $cal
  displays current month.
- $cal -y
  displays entire year
- $cal -2
  displays currrent and next month calendar.
- $cal -3
  displays previous current and next month calendar.

Directory Listing



- $ls
- $ls-l
- $ls-a

ls-l gives 9 column o/p.

1st	column	d	directory
		-	regular file
		l	symbolic link
2nd	column	rwe	permissions
3rd	column	hard links	
4th	column	owner name	
5th	column	group name	
6th	column	size of file in bytes	
7th	column	date modified	
8th	column	time	
9th	column	file name	

Commands

OBJECT™ TECHNOLOGIES

Concatenate Command

creates/displays/appends file contents

- $cat filename
  displays contents of file.
- $cat f1 f2 f3
  displays contents of multiple files.
- $cat > f1
  Ctrl+d for exit. > is called as redirection
  operator.
- $cat>>f1
  appends the contents in file f1
- $cat f1>>f2
  appends contents of file f1 after f2.

Touch Command

creates size zero files

- $touch filename
  creates file of zero bytes
- $touch file1 file2 file3
  creates multiple files of zero bytes

Commands

OBJECT™ TECHNOLOGIES

File Copy Command

copies contents of file

- $cp file1 file2
  copies contets of file1 into file2

File Delete Command

Physically deletes the file.
Deletion is permenat.

- $rm filename
  delets file permanentaly
- $rm file1 file2 file3
  deletes multiple files permanentaly

Clear Command

clears the screen

- $clear

File Rename(move) Command

Renames the file

- $mv file1 file2
  contents of file1 are physically moved to file2.
  file1 no longer exists.

Commands

OBJECT™ TECHNOLOGIES

who Command

checks for logged in users.

- $who

  shows how many users have logged in.

- $whoami

  shows information of the user who executes the command.

man Command

shows manual

- $man command

  shows manual for specified command q to quit manual.

Commands

OBJECT™ TECHNOLOGIES

Directory commands

commands to create/change/delete directory.

- $mkdir dirname
  create new directory.
- $mkdir dir1 dir2 dir3
  creating multiple directories
- $cd dirname
  change directory
- $cd ..
  back one level

- $rmdir dirname
  remove directory.
- $rm -r dirname
  recursive deletion.
- $rm filename
  removes the file.

pwd Command

- $pwd
  print working directory.